

Table 3.2A Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2012	2013	2012	2013	2012	2013
TOTAL	16,173 ^b	15,759	15,762 ^b	15,318	9,777	9,546
AGE						
12-13	4,969	4,760	5,260	4,976	3,251	3,215
14-15	5,551	5,432	5,236	5,244	3,238	3,263
16-17	5,652	5,567	5,267	5,097	3,289	3,069
GENDER						
Male	7,780	7,732	7,326	7,150	4,516	4,554
Female	8,393 ^b	8,028	8,436 ^b	8,168	5,261 ^a	4,991
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	12,660 ^a	12,399	12,359 ^b	12,021	7,547	7,355
White	9,045	8,828	8,555	8,303	4,802	4,699
Black or African American	2,205	2,054	2,349	2,187	1,763	1,661
American Indian or Alaska Native	75	81	84	80	57	52
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	865	875	870	883	600	597
Two or More Races	427	507	459	503	293	298
Hispanic or Latino	3,512	3,361	3,403	3,296	2,230	2,191
COUNTY TYPE						
Large Metro	8,994	8,738	8,952	8,673	5,459	5,362
Small Metro	4,785	4,724	4,554	4,465	2,888	2,803
Nonmetro	2,393	2,298	2,256	2,180	1,430	1,381

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.2B Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Percentages, 2012 and 2013

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2012	2013	2012	2013	2012	2013
TOTAL	65.7 ^a	64.3	63.9 ^a	62.5	39.7	39.0
AGE						
12-13	63.2	61.2	66.5 ^a	64.0	41.4	41.4
14-15	66.7 ^a	64.6	62.9	62.4	39.0	38.9
16-17	66.9	66.7	62.4	61.1	38.9	36.8
GENDER						
Male	61.8	61.8	58.2	57.3	36.0	36.5
Female	69.7 ^b	66.8	69.8 ^a	67.8	43.7 ^a	41.5
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	65.8	65.0	64.1	63.0	39.2	38.6
White	66.2	65.6	62.7	61.6	35.2	34.9
Black or African American	63.7 ^a	60.4	67.6	64.6	50.9	49.1
American Indian or Alaska Native	50.6	52.6	56.3	52.1	38.4	33.5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	74.1	71.9	74.1	72.6	51.3	49.4
Two or More Races	59.1 ^b	68.3	63.1	67.3	40.2	39.9
Hispanic or Latino	65.3 ^a	61.6	63.0	60.6	41.5	40.3
COUNTY TYPE						
Large Metro	66.9	65.3	66.5	64.9	40.7	40.2
Small Metro	65.3	64.5	62.2	60.9	39.5	38.3
Nonmetro	61.9	60.0	58.1	56.9	36.9	36.0

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.3A Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	6,471 ^b	5,899	10,682 ^b	9,645	12,235 ^a	11,901	19,215	19,005
AGE								
12-13	2,722	2,599	4,397	4,158	3,121	3,007	5,388	5,329
14-15	2,152 ^b	1,917	3,656 ^b	3,220	4,059	4,042	6,621	6,591
16-17	1,597 ^b	1,383	2,628 ^b	2,267	5,054	4,852	7,206	7,085
GENDER								
Male	3,019 ^a	2,809	4,989 ^b	4,659	6,420	6,209	9,839	9,822
Female	3,452 ^b	3,090	5,693 ^b	4,986	5,815	5,693	9,376 ^a	9,183
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	5,070 ^b	4,684	8,601 ^b	7,780	9,811 ^b	9,423	15,258	15,050
White	3,625 ^a	3,336	6,360 ^b	5,753	6,942	6,592	11,055	10,915
Black or African American	874	773	1,246 ^a	1,061	1,868	1,774	2,554	2,413
American Indian or Alaska Native	42	35	59	55	60	74	105	109
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	351	358	625	607	533	519	924	936
Two or More Races	165	162	291	263	367	411	559	603
Hispanic or Latino	1,401 ^b	1,215	2,081 ^a	1,865	2,423	2,478	3,957	3,955
COUNTY TYPE								
Large Metro	3,262	3,118	5,597 ^a	5,123	6,561	6,397	10,518	10,387
Small Metro	2,010 ^b	1,736	3,248 ^b	2,899	3,657	3,585	5,678	5,684
Nonmetro	1,199 ^a	1,044	1,837 ^a	1,623	2,017	1,920	3,020	2,934

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.3B Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Percentages, 2012 and 2013

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	26.5 ^b	24.2	43.6 ^b	39.5	50.4	49.3	78.9	78.4
AGE								
12-13	35.1	33.9	56.6 ^a	54.0	40.5	39.6	69.6	69.9
14-15	26.0 ^b	22.9	44.1 ^b	38.4	49.3	48.8	80.3	79.2
16-17	19.0 ^b	16.6	31.2 ^b	27.2	60.4	58.6	86.1	85.5
GENDER								
Male	24.2 ^a	22.6	39.9 ^b	37.4	51.9	50.5	79.3	79.6
Female	28.8 ^b	25.9	47.5 ^b	41.7	48.7	48.0	78.4	77.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	26.6 ^b	24.7	45.0 ^b	41.0	51.7 ^a	50.1	80.1	79.8
White	26.8 ^b	24.9	46.9 ^b	42.9	51.6 ^a	49.6	81.9	81.9
Black or African American	25.3	22.8	36.1 ^b	31.3	54.3	53.0	74.1	72.0
American Indian or Alaska Native	28.1	22.8	40.2	36.2	41.0	49.0	72.1	71.4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	30.5	30.0	54.2	51.0	46.6	44.0	80.4	78.0
Two or More Races	23.0	21.7	40.5	35.4	51.2	56.3	78.0	82.6
Hispanic or Latino	26.1 ^b	22.4	38.8 ^b	34.3	45.7	46.2	74.5	73.5
COUNTY TYPE								
Large Metro	24.5	23.5	41.9 ^b	38.6	49.6	48.7	79.2	78.7
Small Metro	27.7 ^b	23.8	44.7 ^b	39.6	50.7	49.6	78.5	78.4
Nonmetro	31.0 ^b	27.4	47.6 ^b	42.7	52.6	50.8	78.4	77.4

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.4A Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	13,826	13,984	19,336	19,185	11,026	10,928	16,532 ^a	16,199
AGE								
12-13	3,268	3,355	5,225	5,167	2,817	2,817	4,507	4,348
14-15	4,685	4,799	6,662	6,647	3,679	3,773	5,684	5,570
16-17	5,873	5,830	7,450	7,372	4,531	4,338	6,341	6,281
GENDER								
Male	7,207	7,351	9,921	9,968	5,788	5,723	8,461	8,411
Female	6,619	6,634	9,415 ^a	9,218	5,238	5,205	8,070 ^b	7,788
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	10,905	10,915	15,359	15,180	8,728 ^a	8,463	13,265 ^b	12,871
White	7,642	7,705	11,162	11,069	6,072	5,974	9,690	9,441
Black or African American	2,110	2,039	2,556	2,451	1,752	1,599	2,185	2,035
American Indian or Alaska Native	63	84	103	101	62	67	86	83
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	601	590	908	888	486	460	792	788
Two or More Races	438	439	567	602	324	319	460	472
Hispanic or Latino	2,921	3,070	3,977	4,005	2,298 ^a	2,465	3,267	3,328
COUNTY TYPE								
Large Metro	7,529	7,545	10,578	10,464	5,829	5,813	8,979	8,834
Small Metro	4,105	4,185	5,740	5,726	3,352	3,299	4,942	4,770
Nonmetro	2,192	2,254	3,018	2,995	1,845	1,816	2,610	2,595

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.4B Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Percentages, 2012 and 2013

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	57.3	58.2	80.0	79.8	47.2	47.1	70.6	69.7
AGE								
12-13	43.0	44.7	68.5	68.7	38.9	39.6	62.1	61.0
14-15	57.1	58.2	81.4	80.5	46.5	47.5	71.6	69.9
16-17	70.4	70.5	89.1	89.0	55.1	53.4	77.1	77.2
GENDER								
Male	58.7	60.2	80.7	81.5	48.4	48.3	70.6	70.8
Female	55.8	56.2	79.2	78.0	45.9	45.9	70.6 ^a	68.6
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	57.8	58.4	81.2	81.1	47.8	47.0	72.5	71.3
White	57.0	58.3	83.1	83.5	46.9	46.8	74.6	73.9
Black or African American	62.1	61.0	75.2	73.3	53.2 ^a	49.7	66.1	63.5
American Indian or Alaska Native	43.7	54.9	70.9	66.8	44.7	45.1	61.2	54.7
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	53.2	50.9	80.0	76.8	44.9	40.9	72.7	69.3
Two or More Races	61.3	60.0	79.6	82.1	47.1	46.4	66.8	68.2
Hispanic or Latino	55.5	57.8	75.6	75.3	44.9	47.6	63.9	64.2
COUNTY TYPE								
Large Metro	57.3	57.7	80.4	79.9	45.8	46.3	70.4	70.3
Small Metro	57.2	58.2	79.9	79.5	48.4	47.2	71.1 ^b	68.2
Nonmetro	57.4	60.1	78.8	79.7	49.7	49.6	70.1	70.8

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.