

Table 3.13C Selected Risk and Protective Factors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic/Geographic Characteristic	RISK FACTORS						PROTECTIVE FACTORS			
	Youth Moved 2 or More Times in the Past 5 Years		Youth Argued with at Least One Parent 10 or More Times in the Past Year		Youth Was Approached by Someone Selling Drugs in the Past Month		Youth Had Someone to Talk to about Problems ¹		Youth Attended 25 or More Religious Services in the Past Year ²	
	2012	2013	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	108	115	93	94	77	79	42	46	111	113
AGE										
12-13	67	66	50	49	27	29	143	149	70	72
14-15	67	73	62	69	48	47	149	147	79	76
16-17	59	67	67	61	62	60	138	142	74	78
GENDER										
Male	72	77	59	58	57	57	35	34	77	75
Female	68	74	68	71	49	52	27	29	75	73
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	90	93	81	81	61	66	36	40	95	100
White	73	83	93	86	57	57	230	236	115	119
Black or African American	57	60	32	30	36	34	116	111	51	54
American Indian or Alaska Native	9	9	3	7	4	4	15	18	9	6
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*
Asian	28	22	25	31	11	17	71	75	40	37
Two or More Races	21	23	18	19	14	16	37	40	19	21
Hispanic or Latino	56	62	44	45	46	42	24	22	52	52
COUNTY TYPE										
Large Metro	100	106	94	92	72	69	252	256	123	120
Small Metro	66	84	67	60	42	46	188	190	87	89
Nonmetro	44	46	42	38	24	25	117	121	60	61

*Low precision; no estimate reported.

NOTE: Respondents with unknown Risk or Protective Factors data were excluded.

¹ Respondents were able to select multiple categories of persons that they would talk to about a serious problem, including the choice of "nobody." Respondents who reported both a person that they would talk to and that they had nobody to talk to were excluded from the analysis.

² Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.13D Selected Risk and Protective Factors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic/Geographic Characteristic	RISK FACTORS						PROTECTIVE FACTORS			
	Youth Moved 2 or More Times in the Past 5 Years		Youth Argued with at Least One Parent 10 or More Times in the Past Year		Youth Was Approached by Someone Selling Drugs in the Past Month		Youth Had Someone to Talk to about Problems ¹		Youth Attended 25 or More Religious Services in the Past Year ²	
	2012	2013	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.45	0.48	0.38	0.38	0.31	0.32	0.17	0.19	0.46	0.47
AGE										
12-13	0.72	0.73	0.56	0.55	0.32	0.36	0.28	0.34	0.70	0.76
14-15	0.66	0.73	0.60	0.68	0.54	0.52	0.32	0.30	0.73	0.72
16-17	0.63	0.71	0.68	0.65	0.63	0.63	0.32	0.33	0.72	0.75
GENDER										
Male	0.58	0.62	0.47	0.46	0.45	0.45	0.28	0.28	0.62	0.61
Female	0.57	0.62	0.57	0.59	0.40	0.43	0.23	0.25	0.63	0.62
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.47	0.49	0.42	0.42	0.31	0.34	0.19	0.21	0.50	0.53
White	0.49	0.52	0.51	0.48	0.35	0.37	0.21	0.22	0.58	0.62
Black or African American	1.30	1.28	0.81	0.80	0.89	0.85	0.49	0.54	1.17	1.27
American Indian or Alaska Native	4.59	4.72	2.15	4.09	2.14	2.45	2.34	2.29	5.15	3.39
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*	*	*
Asian	2.03	1.64	1.85	2.20	0.95	1.36	1.13	1.43	2.77	2.45
Two or More Races	2.30	2.57	2.08	2.16	1.81	1.83	0.96	0.91	2.26	2.45
Hispanic or Latino	1.06	1.17	0.82	0.83	0.85	0.76	0.44	0.41	0.97	0.98
COUNTY TYPE										
Large Metro	0.65	0.66	0.55	0.55	0.49	0.46	0.25	0.28	0.64	0.65
Small Metro	0.75	0.90	0.68	0.61	0.46	0.54	0.28	0.28	0.87	0.83
Nonmetro	0.89	0.98	0.86	0.86	0.58	0.61	0.48	0.41	1.11	1.10

*Low precision; no estimate reported.

NOTE: Respondents with unknown Risk or Protective Factors data were excluded.

¹ Respondents were able to select multiple categories of persons that they would talk to about a serious problem, including the choice of "nobody." Respondents who reported both a person that they would talk to and that they had nobody to talk to were excluded from the analysis.

² Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.13P Selected Risk and Protective Factors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic/Geographic Characteristic	RISK FACTORS						PROTECTIVE FACTORS			
	Youth Moved 2 or More Times in the Past 5 Years		Youth Argued with at Least One Parent 10 or More Times in the Past Year		Youth Was Approached by Someone Selling Drugs in the Past Month		Youth Had Someone to Talk to about Problems ¹		Youth Attended 25 or More Religious Services in the Past Year ²	
	2012	2013	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.4381		0.1630		0.1080		0.0813		0.3847	
AGE										
12-13	0.3178		0.4954		0.7070		0.0710		0.2525	
14-15	0.4985		0.3952		0.1882		0.9694		0.1450	
16-17	0.8475		0.0090		0.2811		0.2259		0.4521	
GENDER										
Male	0.9562		0.1162		0.1259		0.7743		0.4764	
Female	0.2688		0.6066		0.4198		0.0198		0.5366	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.3109		0.2075		0.2493		0.0435		0.0500	
White	0.4618		0.0256		0.0857		0.2048		0.1076	
Black or African American	0.7440		0.8447		0.9460		0.6017		0.2452	
American Indian or Alaska Native	0.5121		0.0194		0.9425		0.6990		0.4688	
Native Hawaiian or Other Pacific Islander	*		*		*		*		*	
Asian	0.0975		0.2216		0.1422		0.1346		0.5526	
Two or More Races	0.5543		0.5649		0.7161		0.4781		0.7665	
Hispanic or Latino	0.9441		0.5785		0.2090		1.0000		0.0826	
COUNTY TYPE										
Large Metro	0.2575		0.6614		0.0707		0.0605		0.8826	
Small Metro	0.3603		0.0075		0.9591		0.5085		0.3999	
Nonmetro	0.2664		0.2480		0.6489		0.9042		0.3720	

*Low precision; no estimate reported.

NOTE: Respondents with unknown Risk or Protective Factors data were excluded.

¹ Respondents were able to select multiple categories of persons that they would talk to about a serious problem, including the choice of "nobody." Respondents who reported both a person that they would talk to and that they had nobody to talk to were excluded from the analysis.

² Special occasions, such as weddings, funerals, or other special events, were not to have been considered in the number of times attended religious services.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.