

Table 3.21C Past Month Use of Selected Substances, by Youth's Perceptions of Parents' Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2013

| Feelings about Substance Use Behaviors | SUBSTANCE USE IN THE PAST MONTH | | | | | | | |
|--|---------------------------------|---|---------------------|---|---------------------|---|-----------------------------------|---|
| | Used Illicit Drugs ¹ | | Used Marijuana | | Used Cigarettes | | Binge Use of Alcohol ² | |
| | Strongly Disapprove | Somewhat Disapprove/ Approve Nor Neither Disapprove | Strongly Disapprove | Somewhat Disapprove/ Approve Nor Neither Disapprove | Strongly Disapprove | Somewhat Disapprove/ Approve Nor Neither Disapprove | Strongly Disapprove | Somewhat Disapprove/ Approve Nor Neither Disapprove |
| YOUTH'S PERCEPTIONS OF PARENTS' FEELINGS ABOUT YOUTH... | | | | | | | | |
| Smoking One or More Packs of Cigarettes Per Day | 63 | 25 | 55 | 23 | 43 | 27 | 55 | 21 |
| Trying Marijuana or Hashish Once or Twice | 50 | 40 | 41 | 39 | 39 | 31 | 45 | 33 |
| Using Marijuana or Hashish Once a Month or More | 52 | 39 | 43 | 37 | 39 | 30 | 47 | 30 |
| Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day | 58 | 29 | 51 | 27 | 44 | 24 | 49 | 30 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown Perceptions of Parents' Feelings data were excluded.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013.

Table 3.21D Past Month Use of Selected Substances, by Youth's Perceptions of Parents' Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Percentages, 2013

| Feelings about Substance Use Behaviors | SUBSTANCE USE IN THE PAST MONTH | | | | | | | |
|--|---------------------------------|--|---------------------|--|---------------------|--|-----------------------------------|--|
| | Used Illicit Drugs ¹ | | Used Marijuana | | Used Cigarettes | | Binge Use of Alcohol ² | |
| | Strongly Disapprove | Somewhat Disapprove/ Approve Nor Disapprove | Strongly Disapprove | Somewhat Disapprove/ Approve Nor Disapprove | Strongly Disapprove | Somewhat Disapprove/ Approve Nor Disapprove | Strongly Disapprove | Somewhat Disapprove/ Approve Nor Disapprove |
| YOUTH'S PERCEPTIONS OF PARENTS' FEELINGS ABOUT YOUTH... | | | | | | | | |
| Smoking One or More Packs of Cigarettes Per Day | 0.25 | 1.40 | 0.23 | 1.32 | 0.18 | 1.50 | 0.22 | 1.19 |
| Trying Marijuana or Hashish Once or Twice | 0.22 | 1.19 | 0.19 | 1.16 | 0.18 | 0.99 | 0.20 | 1.05 |
| Using Marijuana or Hashish Once a Month or More | 0.22 | 1.38 | 0.19 | 1.37 | 0.17 | 1.18 | 0.20 | 1.20 |
| Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day | 0.25 | 1.15 | 0.22 | 1.08 | 0.19 | 1.01 | 0.21 | 1.21 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown Perceptions of Parents' Feelings data were excluded.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013.

Table 3.22C Past Month Use of Selected Substances, by Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2013

| Feelings about Substance Use Behaviors | SUBSTANCE USE IN THE PAST MONTH | | | | | | | |
|--|-------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|
| | Used Illicit Drugs ¹ | | Used Marijuana | | Used Cigarettes | | Binge Use of Alcohol ² | |
| | Strongly/ Somewhat Disapprove | Neither Approve Nor Disapprove |
| YOUTH'S PERCEPTIONS OF CLOSE FRIENDS' FEELINGS ABOUT YOUTH... | | | | | | | | |
| Smoking One or More Packs of Cigarettes Per Day | 57 | 30 | 50 | 28 | 40 | 30 | 51 | 28 |
| Trying Marijuana or Hashish Once or Twice | 39 | 53 | 30 | 50 | 31 | 39 | 35 | 44 |
| Using Marijuana or Hashish Once a Month or More | 40 | 52 | 30 | 50 | 31 | 39 | 35 | 44 |
| Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day | 53 | 38 | 46 | 35 | 41 | 33 | 45 | 34 |
| YOUTH'S FEELINGS ABOUT PEERS... | | | | | | | | |
| Smoking One or More Packs of Cigarettes Per Day | 59 | 30 | 53 | 25 | 42 | 29 | 52 | 25 |
| Trying Marijuana or Hashish Once or Twice | 38 | 53 | 29 | 49 | 31 | 41 | 35 | 43 |
| Using Marijuana or Hashish Once a Month or More | 38 | 54 | 28 | 51 | 29 | 42 | 33 | 45 |
| Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day | 55 | 35 | 47 | 31 | 39 | 33 | 45 | 33 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown Perceptions of Close Friends' Feelings or Feelings about Peers data were excluded.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013.

Table 3.22D Past Month Use of Selected Substances, by Feelings about Substance Use Behaviors among Persons Aged 12 to 17: Standard Errors of Percentages, 2013

| Feelings about Substance Use Behaviors | SUBSTANCE USE IN THE PAST MONTH | | | | | | | |
|--|-------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|
| | Used Illicit Drugs ¹ | | Used Marijuana | | Used Cigarettes | | Binge Use of Alcohol ² | |
| | Strongly/ Somewhat Disapprove | Neither Approve Nor Disapprove |
| YOUTH'S PERCEPTIONS OF CLOSE FRIENDS' FEELINGS ABOUT YOUTH... | | | | | | | | |
| Smoking One or More Packs of Cigarettes Per Day | 0.25 | 1.02 | 0.22 | 0.97 | 0.18 | 1.02 | 0.22 | 0.97 |
| Trying Marijuana or Hashish Once or Twice | 0.20 | 0.90 | 0.15 | 0.86 | 0.16 | 0.74 | 0.18 | 0.78 |
| Using Marijuana or Hashish Once a Month or More | 0.20 | 0.95 | 0.15 | 0.91 | 0.15 | 0.78 | 0.17 | 0.83 |
| Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day | 0.24 | 1.02 | 0.21 | 0.95 | 0.19 | 0.93 | 0.20 | 0.93 |
| YOUTH'S FEELINGS ABOUT PEERS... | | | | | | | | |
| Smoking One or More Packs of Cigarettes Per Day | 0.25 | 1.28 | 0.23 | 1.11 | 0.18 | 1.28 | 0.21 | 1.14 |
| Trying Marijuana or Hashish Once or Twice | 0.19 | 0.89 | 0.15 | 0.85 | 0.15 | 0.76 | 0.17 | 0.77 |
| Using Marijuana or Hashish Once a Month or More | 0.19 | 0.90 | 0.14 | 0.87 | 0.15 | 0.75 | 0.17 | 0.77 |
| Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day | 0.24 | 1.12 | 0.21 | 1.01 | 0.18 | 1.09 | 0.20 | 1.06 |

*Low precision; no estimate reported.

NOTE: Respondents with unknown Perceptions of Close Friends' Feelings or Feelings about Peers data were excluded.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013.