

Table 3.23C Past Month Use of Selected Substances, by Measures of Youth's Exposure to Prevention Programs and Messages and Youth's Delinquency in the Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2013

Prevention Programs/Messages and Delinquency	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs ¹		Used Marijuana		Used Cigarettes		Binge Use of Alcohol ²	
	Had Exposure or Behavior	Did Not Have Exposure or Behavior	Had Exposure or Behavior	Did Not Have Exposure or Behavior	Had Exposure or Behavior	Did Not Have Exposure or Behavior	Had Exposure or Behavior	Did Not Have Exposure or Behavior
EXPOSURE TO PREVENTION PROGRAMS AND MESSAGES IN PAST YEAR								
Participated in Problem-Solving, Communication Skills, or Self-Esteem Group	27	58	23	52	21	46	19	53
Participated in Violence Prevention Program	22	62	16	56	15	49	14	55
Participated in Pregnancy or Sexually Transmitted Disease Prevention Program	20	62	17	56	15	50	15	56
Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School	21	62	19	55	18	49	15	56
Participated in Program to Help Deal with Drug or Alcohol Use	15	64	13	57	13	50	10	57
Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School	55	35	48	30	41	30	47	31
Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	49	43	44	37	35	35	43	37
DELINQUENT BEHAVIOR IN PAST YEAR³								
Got into a Serious Fight at School or Work	38	53	32	47	28	43	29	51
Took Part in a Group-Against-Group Fight	29	60	25	54	23	46	25	54
Attacked Someone with the Intent to Seriously Hurt Them	24	61	20	54	18	49	17	56
Carried a Handgun	15	65	13	57	12	50	12	57
Sold Illegal Drugs	28	61	27	52	20	48	19	56
Stole or Tried to Steal Anything Worth More Than \$50	20	63	18	55	16	48	18	55

*Low precision; no estimate reported.

NOTE: Respondents with unknown Prevention Programs and Messages Exposure or Delinquent Behavior data were excluded.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

³ Respondents were asked how many times they participated in a delinquent behavior in the past year and were categorized as having participated if they indicated taking part in the particular behavior at least one time.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013.

Table 3.23D Past Month Use of Selected Substances, by Measures of Youth's Exposure to Prevention Programs and Messages and Youth's Delinquency in the Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2013

Prevention Programs/Messages and Delinquency	SUBSTANCE USE IN THE PAST MONTH							
	Used Illicit Drugs ¹		Used Marijuana		Used Cigarettes		Binge Use of Alcohol ²	
	Had Exposure or Behavior	Did Not Have Exposure or Behavior	Had Exposure or Behavior	Did Not Have Exposure or Behavior	Had Exposure or Behavior	Did Not Have Exposure or Behavior	Had Exposure or Behavior	Did Not Have Exposure or Behavior
EXPOSURE TO PREVENTION PROGRAMS AND MESSAGES IN PAST YEAR								
Participated in Problem-Solving, Communication Skills, or Self-Esteem Group	0.46	0.29	0.40	0.27	0.37	0.24	0.33	0.27
Participated in Violence Prevention Program	0.64	0.27	0.50	0.25	0.46	0.22	0.41	0.24
Participated in Pregnancy or Sexually Transmitted Disease Prevention Program	0.86	0.26	0.74	0.24	0.68	0.21	0.68	0.23
Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School	0.71	0.26	0.63	0.24	0.62	0.21	0.53	0.24
Participated in Program to Help Deal with Drug or Alcohol Use	1.59	0.25	1.43	0.23	1.39	0.20	1.06	0.22
Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School	0.29	0.50	0.26	0.44	0.23	0.42	0.25	0.44
Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	0.34	0.38	0.31	0.34	0.26	0.32	0.30	0.32
DELINQUENT BEHAVIOR IN PAST YEAR³								
Got into a Serious Fight at School or Work	0.77	0.24	0.67	0.22	0.59	0.20	0.62	0.24
Took Part in a Group-Against-Group Fight	0.95	0.26	0.86	0.23	0.79	0.20	0.86	0.23
Attacked Someone with the Intent to Seriously Hurt Them	1.55	0.24	1.39	0.22	1.30	0.20	1.27	0.22
Carried a Handgun	1.62	0.25	1.45	0.23	1.38	0.20	1.40	0.22
Sold Illegal Drugs	2.66	0.23	2.74	0.21	2.75	0.19	2.64	0.22
Stole or Tried to Steal Anything Worth More Than \$50	2.36	0.24	2.21	0.22	2.20	0.19	2.28	0.22

*Low precision; no estimate reported.

NOTE: Respondents with unknown Prevention Programs and Messages Exposure or Delinquent Behavior data were excluded.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

³ Respondents were asked how many times they participated in a delinquent behavior in the past year and were categorized as having participated if they indicated taking part in the particular behavior at least one time.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2013.