

Table 3.2C Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2012	2013	2012	2013	2012	2013
TOTAL	106	109	103	106	111	109
AGE						
12-13	110	115	116	118	85	87
14-15	123	117	115	115	88	85
16-17	112	112	104	111	83	85
GENDER						
Male	77	78	77	76	75	78
Female	68	73	70	72	80	74
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	87	94	90	89	95	94
White	175	182	172	177	108	116
Black or African American	88	83	92	88	75	69
American Indian or Alaska Native	10	10	12	12	8	9
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	64	68	62	64	49	49
Two or More Races	27	34	29	35	23	25
Hispanic or Latino	55	56	58	60	58	56
COUNTY TYPE						
Large Metro	198	192	188	189	137	127
Small Metro	145	143	140	141	97	101
Nonmetro	81	82	86	93	62	66

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.2D Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2012	2013	2012	2013	2012	2013
TOTAL	0.43	0.44	0.42	0.43	0.45	0.45
AGE						
12-13	0.77	0.80	0.71	0.76	0.75	0.77
14-15	0.73	0.71	0.73	0.71	0.78	0.77
16-17	0.71	0.75	0.72	0.77	0.78	0.79
GENDER						
Male	0.62	0.62	0.61	0.61	0.59	0.62
Female	0.57	0.61	0.58	0.59	0.66	0.62
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.45	0.50	0.47	0.47	0.49	0.49
White	0.52	0.55	0.57	0.57	0.55	0.56
Black or African American	1.09	1.25	1.04	1.16	1.13	1.11
American Indian or Alaska Native	4.23	4.48	4.44	4.92	3.79	4.32
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.32	2.21	2.10	2.16	2.45	2.55
Two or More Races	2.34	2.23	2.27	2.24	2.34	2.56
Hispanic or Latino	1.02	1.02	1.07	1.11	1.09	1.03
COUNTY TYPE						
Large Metro	0.64	0.63	0.61	0.59	0.67	0.62
Small Metro	0.75	0.73	0.78	0.79	0.74	0.84
Nonmetro	1.01	1.01	1.03	1.23	1.03	1.04

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.2P Perceived Great Risk of Harm Associated with Cigarette and Alcohol Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic/Geographic Characteristic	CIGARETTES		ALCOHOL			
	Smoke One or More Packs Per Day		Have Four or Five Drinks Nearly Every Day		Have Five or More Drinks Once or Twice a Week	
	2012	2013	2012	2013	2012	2013
TOTAL	0.0223		0.0135		0.2236	
AGE						
12-13	0.0770		0.0144		0.9837	
14-15	0.0366		0.6208		0.9281	
16-17	0.8347		0.2041		0.0520	
GENDER						
Male	0.9809		0.2715		0.5311	
Female	0.0003		0.0167		0.0190	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2565		0.0740		0.3614	
White	0.3881		0.1678		0.6923	
Black or African American	0.0469		0.0528		0.2412	
American Indian or Alaska Native	0.7468		0.5052		0.3762	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.4736		0.5881		0.5859	
Two or More Races	0.0055		0.1949		0.9130	
Hispanic or Latino	0.0130		0.1192		0.4017	
COUNTY TYPE						
Large Metro	0.0714		0.0645		0.5721	
Small Metro	0.4509		0.2037		0.2724	
Nonmetro	0.1786		0.4625		0.5694	

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.3C Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	101	97	113	110	109	108	94	97
AGE								
12-13	76	78	103	108	83	84	117	121
14-15	70	59	98	86	97	95	137	132
16-17	58	57	74	70	108	103	132	130
GENDER								
Male	66	67	77	80	76	77	64	65
Female	70	67	80	75	76	76	65	67
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	87	83	96	93	94	96	77	81
White	94	92	140	136	140	147	208	211
Black or African American	49	43	59	58	83	71	98	91
American Indian or Alaska Native	9	6	10	9	8	10	13	13
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	37	37	50	47	46	47	66	68
Two or More Races	17	17	23	22	26	29	31	37
Hispanic or Latino	54	51	59	61	58	56	50	53
COUNTY TYPE								
Large Metro	103	96	147	139	155	141	229	219
Small Metro	74	73	107	100	113	115	160	165
Nonmetro	52	48	71	65	75	73	100	98

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.3D Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.41	0.40	0.46	0.45	0.45	0.45	0.39	0.40
AGE								
12-13	0.76	0.73	0.83	0.82	0.76	0.78	0.73	0.72
14-15	0.69	0.60	0.83	0.73	0.76	0.75	0.61	0.69
16-17	0.61	0.61	0.68	0.68	0.75	0.80	0.54	0.58
GENDER								
Male	0.52	0.54	0.62	0.64	0.61	0.63	0.52	0.52
Female	0.59	0.56	0.67	0.63	0.64	0.64	0.54	0.56
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.45	0.44	0.50	0.49	0.49	0.51	0.41	0.43
White	0.52	0.50	0.58	0.56	0.54	0.59	0.44	0.44
Black or African American	1.06	0.98	1.14	1.14	1.23	1.21	1.05	1.15
American Indian or Alaska Native	4.74	3.95	4.46	4.61	4.05	3.74	3.80	3.87
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	2.40	2.15	2.39	2.37	2.45	2.52	1.89	1.93
Two or More Races	2.01	2.05	2.34	2.48	2.35	2.49	1.94	1.76
Hispanic or Latino	1.01	0.95	1.09	1.12	1.09	1.04	0.94	0.98
COUNTY TYPE								
Large Metro	0.60	0.54	0.68	0.63	0.66	0.64	0.57	0.54
Small Metro	0.69	0.74	0.77	0.79	0.77	0.84	0.64	0.75
Nonmetro	0.89	0.90	1.09	1.00	1.00	1.12	0.87	0.94

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.3P Perceived Great Risk of Harm Associated with Marijuana and Cocaine Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic/Geographic Characteristic	MARIJUANA				COCAINE			
	Smoke Once a Month		Smoke Once or Twice a Week		Use Once a Month		Use Once or Twice a Week	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.0001		0.0000		0.0961		0.3844	
AGE								
12-13	0.2552		0.0221		0.3918		0.7929	
14-15	0.0005		0.0000		0.6260		0.2551	
16-17	0.0061		0.0000		0.1065		0.4194	
GENDER								
Male	0.0428		0.0048		0.1157		0.6747	
Female	0.0003		0.0000		0.3910		0.0959	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.0042		0.0000		0.0347		0.6136	
White	0.0098		0.0000		0.0152		0.9800	
Black or African American	0.0949		0.0039		0.4588		0.1788	
American Indian or Alaska Native	0.3930		0.5388		0.1353		0.8839	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.8824		0.3337		0.4874		0.3452	
Two or More Races	0.6591		0.1305		0.1326		0.0853	
Hispanic or Latino	0.0069		0.0040		0.7352		0.4593	
COUNTY TYPE								
Large Metro	0.2469		0.0003		0.3503		0.4803	
Small Metro	0.0002		0.0000		0.3296		0.9377	
Nonmetro	0.0032		0.0007		0.2517		0.4628	

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.4C Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	106	111	88	89	106	109	99	104
AGE								
12-13	85	90	113	120	81	85	103	110
14-15	106	102	135	127	91	90	123	119
16-17	116	117	134	135	103	94	122	122
GENDER								
Male	76	78	61	62	76	79	73	71
Female	76	78	61	64	76	76	68	72
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	91	97	73	76	95	91	80	88
White	152	156	205	214	132	131	186	191
Black or African American	88	79	100	90	78	70	89	84
American Indian or Alaska Native	9	11	13	13	10	9	12	10
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	50	51	65	67	43	42	58	59
Two or More Races	28	30	33	37	24	25	28	31
Hispanic or Latino	58	53	48	47	54	57	54	53
COUNTY TYPE								
Large Metro	171	161	220	217	146	136	199	196
Small Metro	122	131	162	166	111	110	149	141
Nonmetro	81	82	97	101	69	70	90	95

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.4D Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.44	0.46	0.36	0.37	0.45	0.47	0.42	0.45
AGE								
12-13	0.77	0.85	0.74	0.78	0.81	0.85	0.80	0.84
14-15	0.76	0.77	0.61	0.62	0.77	0.79	0.70	0.75
16-17	0.68	0.73	0.46	0.51	0.79	0.77	0.62	0.67
GENDER								
Male	0.62	0.64	0.50	0.51	0.64	0.67	0.61	0.60
Female	0.64	0.66	0.51	0.54	0.66	0.67	0.60	0.63
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.48	0.52	0.39	0.41	0.52	0.51	0.44	0.49
White	0.54	0.59	0.44	0.43	0.60	0.58	0.50	0.50
Black or African American	1.17	1.20	0.98	1.11	1.22	1.23	1.13	1.20
American Indian or Alaska Native	3.90	4.35	3.92	4.36	4.47	4.52	4.39	4.70
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	2.49	2.41	2.04	1.98	2.57	2.33	2.09	2.51
Two or More Races	2.30	2.59	1.91	2.05	2.35	2.62	2.21	2.56
Hispanic or Latino	1.11	1.00	0.90	0.89	1.05	1.09	1.05	1.02
COUNTY TYPE								
Large Metro	0.66	0.65	0.55	0.51	0.66	0.69	0.62	0.59
Small Metro	0.72	0.83	0.59	0.72	0.84	0.86	0.78	0.80
Nonmetro	1.02	1.11	0.90	0.85	0.98	1.07	0.99	0.96

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.4P Perceived Great Risk of Harm Associated with Heroin and LSD Use among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic/Geographic Characteristic	HEROIN				LSD			
	Try Once or Twice		Use Once or Twice a Week		Try Once or Twice		Use Once or Twice a Week	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.1431		0.6762		0.9013		0.1683	
AGE								
12-13	0.1488		0.8815		0.5816		0.3465	
14-15	0.2922		0.3532		0.3817		0.0950	
16-17	0.9212		0.9864		0.1162		0.8751	
GENDER								
Male	0.0976		0.2850		0.8785		0.7780	
Female	0.6217		0.1109		0.9846		0.0220	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.4100		0.8002		0.2472		0.0906	
White	0.1464		0.5422		0.9594		0.3304	
Black or African American	0.5238		0.2075		0.0397		0.1275	
American Indian or Alaska Native	0.0511		0.4907		0.9550		0.2888	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.5204		0.2517		0.2606		0.3087	
Two or More Races	0.7199		0.3508		0.8397		0.6840	
Hispanic or Latino	0.1365		0.7683		0.0870		0.8366	
COUNTY TYPE								
Large Metro	0.6569		0.5243		0.5748		0.8610	
Small Metro	0.3599		0.7274		0.3019		0.0068	
Nonmetro	0.0838		0.4592		0.9531		0.6158	

*Low precision; no estimate reported.

NOTE: Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.