

Table 3.6C Youths Felt That Parents Would Strongly Disapprove of Youth's Substance Use Behaviors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic/Geographic Characteristic	SUBSTANCE USE BEHAVIOR							
	Smoking One or More Packs of Cigarettes Per Day		Trying Marijuana or Hashish Once or Twice		Using Marijuana or Hashish Once a Month or More		Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	54	55	67	68	61	64	68	66
AGE								
12-13	142	148	142	149	142	149	140	147
14-15	149	149	144	145	147	149	144	150
16-17	135	143	126	132	130	134	130	135
GENDER								
Male	38	38	49	51	44	47	48	50
Female	37	38	45	46	42	44	44	41
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	46	50	59	60	54	57	58	56
White	228	236	217	228	222	232	217	231
Black or African American	114	110	111	105	111	108	113	107
American Indian or Alaska Native	15	16	15	16	15	16	15	15
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	71	81	73	81	73	82	72	80
Two or More Races	38	39	35	38	36	38	36	39
Hispanic or Latino	27	27	32	34	29	32	34	32
COUNTY TYPE								
Large Metro	250	257	238	248	246	252	241	251
Small Metro	185	193	181	182	185	188	183	184
Nonmetro	117	115	117	115	117	116	114	116

*Low precision; no estimate reported.

NOTE: Response categories for the questions on Youths' Perceptions of Parents' Feelings include "Neither approve nor disapprove," "Somewhat disapprove," and "Strongly disapprove." The estimates in this table correspond to persons reporting "Strongly disapprove." Respondents with unknown Perceptions of Parents' Feelings data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.6D Youths Felt That Parents Would Strongly Disapprove of Youth's Substance Use Behaviors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic/Geographic Characteristic	SUBSTANCE USE BEHAVIOR							
	Smoking One or More Packs of Cigarettes Per Day		Trying Marijuana or Hashish Once or Twice		Using Marijuana or Hashish Once a Month or More		Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.22	0.23	0.27	0.28	0.25	0.26	0.27	0.27
AGE								
12-13	0.33	0.37	0.32	0.37	0.30	0.36	0.37	0.42
14-15	0.33	0.33	0.42	0.45	0.39	0.42	0.45	0.40
16-17	0.45	0.43	0.57	0.58	0.52	0.52	0.53	0.52
GENDER								
Male	0.30	0.31	0.39	0.41	0.35	0.38	0.38	0.40
Female	0.31	0.32	0.37	0.38	0.34	0.36	0.36	0.34
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.24	0.26	0.31	0.31	0.28	0.30	0.30	0.29
White	0.27	0.27	0.38	0.38	0.33	0.35	0.35	0.33
Black or African American	0.63	0.80	0.75	0.88	0.73	0.80	0.75	0.84
American Indian or Alaska Native	2.57	4.21	2.57	3.53	2.62	3.58	1.87	2.91
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.91	1.09	0.79	1.01	0.70	0.97	1.08	1.10
Two or More Races	1.21	1.06	1.73	1.68	1.26	1.34	1.57	1.28
Hispanic or Latino	0.50	0.49	0.59	0.63	0.54	0.58	0.63	0.60
COUNTY TYPE								
Large Metro	0.31	0.30	0.40	0.40	0.36	0.38	0.40	0.37
Small Metro	0.39	0.45	0.46	0.52	0.44	0.46	0.45	0.49
Nonmetro	0.56	0.52	0.54	0.67	0.51	0.57	0.61	0.62

*Low precision; no estimate reported.

NOTE: Response categories for the questions on Youths' Perceptions of Parents' Feelings include "Neither approve nor disapprove," "Somewhat disapprove," and "Strongly disapprove." The estimates in this table correspond to persons reporting "Strongly disapprove." Respondents with unknown Perceptions of Parents' Feelings data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.6P Youths Felt That Parents Would Strongly Disapprove of Youth's Substance Use Behaviors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic/Geographic Characteristic	SUBSTANCE USE BEHAVIOR							
	Smoking One or More Packs of Cigarettes Per Day		Trying Marijuana or Hashish Once or Twice		Using Marijuana or Hashish Once a Month or More		Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.2400		0.0251		0.0548		0.5481	
AGE								
12-13	0.4658		0.1468		0.0896		0.2244	
14-15	0.9902		0.1267		0.4630		0.0411	
16-17	0.0250		0.2103		0.2003		0.9249	
GENDER								
Male	0.6195		0.0185		0.0184		0.6497	
Female	0.0252		0.3969		0.7609		0.1366	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.3290		0.0681		0.0539		0.6385	
White	0.0463		0.5348		0.2843		0.4009	
Black or African American	0.4033		0.0212		0.0925		0.6061	
American Indian or Alaska Native	0.1525		0.7969		0.8977		0.3003	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.8758		0.2562		0.2170		0.4286	
Two or More Races	0.9718		0.8983		0.5780		0.3792	
Hispanic or Latino	0.4930		0.1691		0.6082		0.6680	
COUNTY TYPE								
Large Metro	0.0513		0.3037		0.0999		0.2068	
Small Metro	0.3542		0.0588		0.6158		0.2400	
Nonmetro	0.4731		0.1696		0.2742		0.5720	

*Low precision; no estimate reported.

NOTE: Response categories for the questions on Youths' Perceptions of Parents' Feelings include "Neither approve nor disapprove," "Somewhat disapprove," and "Strongly disapprove." The estimates in this table correspond to persons reporting "Strongly disapprove." Respondents with unknown Perceptions of Parents' Feelings data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.7C Youths Felt That Close Friends Would Strongly Disapprove or Somewhat Disapprove of Youth's Substance Use Behaviors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic/Geographic Characteristic	SUBSTANCE USE BEHAVIOR							
	Smoking One or More Packs of Cigarettes Per Day		Trying Marijuana or Hashish Once or Twice		Using Marijuana or Hashish Once a Month or More		Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	68	72	86	88	85	89	75	76
AGE								
12-13	143	143	141	144	142	143	141	143
14-15	144	146	138	138	139	140	142	142
16-17	127	135	113	119	115	119	123	132
GENDER								
Male	51	54	65	63	65	66	59	57
Female	44	48	58	60	58	60	49	50
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	56	61	72	78	72	79	62	66
White	223	224	206	211	212	213	213	222
Black or African American	111	104	100	100	101	99	110	101
American Indian or Alaska Native	15	16	15	14	14	14	15	14
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	71	81	71	78	71	78	72	77
Two or More Races	36	38	32	35	33	34	35	37
Hispanic or Latino	38	41	47	46	46	48	41	40
COUNTY TYPE								
Large Metro	243	244	225	227	230	229	236	239
Small Metro	180	185	165	166	168	163	176	181
Nonmetro	112	111	110	109	109	111	109	109

*Low precision; no estimate reported.

NOTE: Response categories for the questions on Youths' Perceptions of Close Friends' Feelings include "Neither approve nor disapprove," "Somewhat disapprove," and "Strongly disapprove." The estimates in this table correspond to persons reporting "Strongly disapprove" or "Somewhat disapprove." Respondents with unknown Perceptions of Close Friends' Feelings data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.7D Youths Felt That Close Friends Would Strongly Disapprove or Somewhat Disapprove of Youth's Substance Use Behaviors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic/Geographic Characteristic	SUBSTANCE USE BEHAVIOR							
	Smoking One or More Packs of Cigarettes Per Day		Trying Marijuana or Hashish Once or Twice		Using Marijuana or Hashish Once a Month or More		Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.28	0.30	0.35	0.36	0.35	0.36	0.30	0.31
AGE								
12-13	0.36	0.46	0.40	0.43	0.39	0.44	0.41	0.42
14-15	0.48	0.49	0.62	0.59	0.61	0.58	0.50	0.52
16-17	0.56	0.58	0.71	0.76	0.71	0.76	0.62	0.64
GENDER								
Male	0.41	0.44	0.52	0.51	0.52	0.53	0.47	0.46
Female	0.37	0.40	0.48	0.50	0.48	0.50	0.40	0.42
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.29	0.32	0.37	0.41	0.37	0.42	0.32	0.35
White	0.36	0.36	0.44	0.48	0.44	0.48	0.39	0.39
Black or African American	0.75	0.91	0.97	1.10	0.95	1.09	0.84	1.00
American Indian or Alaska Native	2.53	3.48	2.88	3.36	3.02	3.36	2.41	3.23
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.88	1.19	1.34	1.56	1.16	1.51	0.89	1.36
Two or More Races	1.49	1.48	2.12	1.93	1.95	1.96	1.73	1.62
Hispanic or Latino	0.71	0.76	0.87	0.85	0.86	0.89	0.76	0.74
COUNTY TYPE								
Large Metro	0.39	0.43	0.51	0.53	0.52	0.52	0.43	0.45
Small Metro	0.48	0.52	0.61	0.66	0.59	0.63	0.51	0.55
Nonmetro	0.70	0.68	0.73	0.80	0.72	0.78	0.71	0.71

*Low precision; no estimate reported.

NOTE: Response categories for the questions on Youths' Perceptions of Close Friends' Feelings include "Neither approve nor disapprove," "Somewhat disapprove," and "Strongly disapprove." The estimates in this table correspond to persons reporting "Strongly disapprove" or "Somewhat disapprove." Respondents with unknown Perceptions of Close Friends' Feelings data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.7P Youths Felt That Close Friends Would Strongly Disapprove or Somewhat Disapprove of Youth's Substance Use Behaviors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic/Geographic Characteristic	SUBSTANCE USE BEHAVIOR							
	Smoking One or More Packs of Cigarettes Per Day		Trying Marijuana or Hashish Once or Twice		Using Marijuana or Hashish Once a Month or More		Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.5133		0.3328		0.2034		0.4516	
AGE								
12-13	0.1571		0.2716		0.1095		1.0000	
14-15	0.5194		0.6850		0.3447		0.6668	
16-17	0.1777		0.3124		0.1258		0.4539	
GENDER								
Male	0.5928		0.6396		0.8243		0.4396	
Female	0.7218		0.3502		0.1020		0.8240	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.5952		0.2295		0.1899		0.7617	
White	0.0300		0.9720		0.8014		0.0091	
Black or African American	0.1271		0.0402		0.0173		0.0285	
American Indian or Alaska Native	0.4893		0.3320		0.4953		0.1429	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.1419		0.0616		0.0358		0.0020	
Two or More Races	0.5009		0.1916		0.7961		0.6441	
Hispanic or Latino	0.7038		0.9096		0.8148		0.3496	
COUNTY TYPE								
Large Metro	0.8457		0.8421		0.6374		0.8229	
Small Metro	0.3941		0.1552		0.1160		0.4301	
Nonmetro	0.9228		0.9692		0.8888		0.6737	

*Low precision; no estimate reported.

NOTE: Response categories for the questions on Youths' Perceptions of Close Friends' Feelings include "Neither approve nor disapprove," "Somewhat disapprove," and "Strongly disapprove." The estimates in this table correspond to persons reporting "Strongly disapprove" or "Somewhat disapprove." Respondents with unknown Perceptions of Close Friends' Feelings data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.8C Youths Strongly Disapproved or Somewhat Disapproved of Peers' Substance Use Behaviors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic/Geographic Characteristic	SUBSTANCE USE BEHAVIOR							
	Smoking One or More Packs of Cigarettes Per Day		Trying Marijuana or Hashish Once or Twice		Using Marijuana or Hashish Once a Month or More		Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	63	65	88	92	86	92	72	74
AGE								
12-13	144	147	141	145	141	147	142	148
14-15	148	146	140	137	140	138	145	144
16-17	132	139	112	121	111	118	125	134
GENDER								
Male	48	48	66	66	64	68	56	56
Female	40	44	58	61	59	61	46	47
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	52	57	76	79	73	81	60	64
White	227	235	202	210	202	213	213	226
Black or African American	113	106	106	100	104	99	114	104
American Indian or Alaska Native	16	15	16	15	16	16	15	17
Native Hawaiian or Other Pacific Islander	*	16	*	*	*	*	*	*
Asian	71	80	69	77	70	78	71	79
Two or More Races	37	39	33	35	33	35	35	38
Hispanic or Latino	35	35	46	50	48	48	39	40
COUNTY TYPE								
Large Metro	251	247	225	225	225	227	241	240
Small Metro	185	189	166	169	163	167	175	184
Nonmetro	116	112	112	108	110	107	114	112

*Low precision; no estimate reported.

NOTE: Response categories for the questions on Youths' Feelings about Peers include "Neither approve nor disapprove," "Somewhat disapprove," and "Strongly disapprove." The estimates in this table correspond to persons reporting "Strongly disapprove" or "Somewhat disapprove." Respondents with unknown Feelings about Peers data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.8D Youths Strongly Disapproved or Somewhat Disapproved of Peers' Substance Use Behaviors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic/Geographic Characteristic	SUBSTANCE USE BEHAVIOR							
	Smoking One or More Packs of Cigarettes Per Day		Trying Marijuana or Hashish Once or Twice		Using Marijuana or Hashish Once a Month or More		Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.26	0.27	0.36	0.38	0.35	0.37	0.29	0.30
AGE								
12-13	0.34	0.42	0.39	0.44	0.39	0.42	0.36	0.40
14-15	0.42	0.43	0.60	0.63	0.61	0.61	0.46	0.50
16-17	0.51	0.50	0.71	0.77	0.72	0.75	0.60	0.61
GENDER								
Male	0.38	0.38	0.53	0.53	0.51	0.54	0.44	0.45
Female	0.33	0.36	0.48	0.51	0.49	0.51	0.38	0.39
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.27	0.30	0.40	0.42	0.38	0.42	0.31	0.34
White	0.31	0.33	0.46	0.49	0.45	0.51	0.35	0.38
Black or African American	0.68	0.89	0.96	1.09	1.01	1.08	0.77	0.96
American Indian or Alaska Native	1.65	3.19	2.34	4.09	2.48	4.14	1.87	2.99
Native Hawaiian or Other Pacific Islander	*	1.74	*	*	*	*	*	*
Asian	1.38	1.21	1.58	1.47	1.63	1.64	1.41	1.25
Two or More Races	1.40	1.23	2.15	2.05	1.97	2.17	1.66	1.32
Hispanic or Latino	0.64	0.65	0.86	0.92	0.88	0.88	0.73	0.73
COUNTY TYPE								
Large Metro	0.35	0.37	0.53	0.54	0.52	0.54	0.41	0.43
Small Metro	0.48	0.46	0.56	0.67	0.58	0.65	0.50	0.49
Nonmetro	0.58	0.72	0.78	0.83	0.77	0.80	0.67	0.76

*Low precision; no estimate reported.

NOTE: Response categories for the questions on Youths' Feelings about Peers include "Neither approve nor disapprove," "Somewhat disapprove," and "Strongly disapprove." The estimates in this table correspond to persons reporting "Strongly disapprove" or "Somewhat disapprove." Respondents with unknown Feelings about Peers data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 3.8P Youths Strongly Disapproved or Somewhat Disapproved of Peers' Substance Use Behaviors among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic/Geographic Characteristic	SUBSTANCE USE BEHAVIOR							
	Smoking One or More Packs of Cigarettes Per Day		Trying Marijuana or Hashish Once or Twice		Using Marijuana or Hashish Once a Month or More		Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.8913		0.0434		0.0344		0.9302	
AGE								
12-13	0.1395		0.0733		0.1658		0.8101	
14-15	0.9555		0.3201		0.4370		0.8994	
16-17	0.1924		0.2201		0.0734		0.8654	
GENDER								
Male	0.8921		0.1968		0.2386		0.9476	
Female	0.9651		0.1030		0.0559		0.8391	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9042		0.0467		0.0438		0.9946	
White	0.5678		0.3509		0.2544		0.3638	
Black or African American	0.2451		0.0090		0.0706		0.0431	
American Indian or Alaska Native	0.0153		0.0469		0.0503		0.0608	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.9357		0.6013		0.5326		0.9894	
Two or More Races	0.2245		0.6198		0.7853		0.1629	
Hispanic or Latino	0.9392		0.5676		0.4661		0.8421	
COUNTY TYPE								
Large Metro	0.7493		0.5137		0.5372		0.7076	
Small Metro	0.3249		0.0635		0.0255		0.4417	
Nonmetro	0.1250		0.0951		0.1277		0.9882	

*Low precision; no estimate reported.

NOTE: Response categories for the questions on Youths' Feelings about Peers include "Neither approve nor disapprove," "Somewhat disapprove," and "Strongly disapprove." The estimates in this table correspond to persons reporting "Strongly disapprove" or "Somewhat disapprove." Respondents with unknown Feelings about Peers data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.