

Table 4.1D Past Year Initiation of Illicit Drug Use among Persons Aged 12 or Older, Persons Aged 12 or Older At Risk for Initiation of Illicit Drug Use, and Past Year Illicit Drug Users Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	NUMBER OF PAST YEAR INITIATES (1,000s)		PERCENTAGE OF PAST YEAR INITIATES AMONG TOTAL POPULATION		PERCENTAGE OF PAST YEAR INITIATES AMONG PERSONS AT RISK FOR INITIATION ¹		PERCENTAGE OF PAST YEAR INITIATES AMONG PAST YEAR USERS	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	106	102	0.04	0.04	0.08	0.08	0.26	0.25
AGE								
12-25	79	75	0.13	0.13	0.22	0.20	0.46	0.43
12-17	52	50	0.21	0.20	0.25	0.25	0.99	0.96
12-13	20	22	0.25	0.27	0.27	0.29	2.88	3.24
14-15	33	32	0.38	0.37	0.45	0.43	1.81	1.86
16-17	34	34	0.38	0.40	0.54	0.56	1.19	1.18
18-25	59	57	0.17	0.16	0.36	0.34	0.46	0.45
18-20	54	51	0.35	0.36	0.64	0.65	0.84	0.87
21-25	33	31	0.15	0.14	0.37	0.33	0.44	0.40
26 or Older	63	63	0.03	0.03	0.06	0.06	0.26	0.25
GENDER								
Male	75	59	0.06	0.05	0.12	0.10	0.32	0.25
Female	69	82	0.05	0.06	0.09	0.11	0.40	0.47
GENDER/AGE								
Male 12-17	36	35	0.28	0.27	0.35	0.34	1.41	1.29
Female 12-17	35	37	0.29	0.30	0.35	0.36	1.38	1.45

*Low precision; no estimate reported.

NOTE: Past Year Initiates are defined as persons who used the substance(s) for the first time in the 12 months prior to date of interview.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. These estimates do not include data from new methamphetamine initiation items added in 2007 or new methamphetamine use items added in 2005 and 2006.

¹ At Risk for Initiation is defined as persons who did not use the substance(s) in their lifetime or used the substance(s) for the first time in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 4.1P Past Year Initiation of Illicit Drug Use among Persons Aged 12 or Older, Persons Aged 12 or Older At Risk for Initiation of Illicit Drug Use, and Past Year Illicit Drug Users Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	NUMBER OF PAST YEAR INITIATES (1,000s)		PERCENTAGE OF PAST YEAR INITIATES AMONG TOTAL POPULATION		PERCENTAGE OF PAST YEAR INITIATES AMONG PERSONS AT RISK FOR INITIATION ¹		PERCENTAGE OF PAST YEAR INITIATES AMONG PAST YEAR USERS	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	N/A		0.6796		0.8510		0.7714	
AGE								
12-25	N/A		0.3929		0.2678		0.6715	
12-17	N/A		0.3436		0.2711		0.7888	
12-13	N/A		0.9759		0.9739		0.0980	
14-15	N/A		0.2020		0.1722		0.2688	
16-17	N/A		0.7229		0.6236		0.8788	
18-25	N/A		0.8236		0.6527		0.9758	
18-20	N/A		0.5935		0.8708		0.3335	
21-25	N/A		0.2891		0.2685		0.2820	
26 or Older	N/A		0.5993		0.5464		0.6118	
GENDER								
Male	N/A		0.0917		0.1061		0.1342	
Female	N/A		0.3525		0.2418		0.3919	
GENDER/AGE								
Male 12-17	N/A		0.1886		0.1904		0.1204	
Female 12-17	N/A		0.9606		0.7593		0.1673	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Past Year Initiates are defined as persons who used the substance(s) for the first time in the 12 months prior to date of interview.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. These estimates do not include data from new methamphetamine initiation items added in 2007 or new methamphetamine use items added in 2005 and 2006.

¹ At Risk for Initiation is defined as persons who did not use the substance(s) in their lifetime or used the substance(s) for the first time in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 4.2D Past Year Initiation of Marijuana Use among Persons Aged 12 or Older, Persons Aged 12 or Older At Risk for Initiation of Marijuana Use, and Past Year Marijuana Users Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	NUMBER OF PAST YEAR INITIATES (1,000s)		PERCENTAGE OF PAST YEAR INITIATES AMONG TOTAL POPULATION		PERCENTAGE OF PAST YEAR INITIATES AMONG PERSONS AT RISK FOR INITIATION ¹		PERCENTAGE OF PAST YEAR INITIATES AMONG PAST YEAR USERS	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	96	86	0.04	0.03	0.06	0.06	0.31	0.27
AGE								
12-25	77	71	0.13	0.12	0.19	0.18	0.52	0.47
12-17	49	46	0.20	0.18	0.22	0.21	1.18	1.09
12-13	16	16	0.20	0.20	0.20	0.20	4.99	4.48
14-15	30	29	0.34	0.34	0.38	0.37	2.26	2.15
16-17	34	34	0.39	0.40	0.51	0.53	1.31	1.33
18-25	57	54	0.17	0.16	0.32	0.30	0.52	0.48
18-20	52	48	0.34	0.33	0.57	0.57	0.93	0.90
21-25	30	31	0.14	0.14	0.30	0.29	0.47	0.45
26 or Older	53	44	0.03	0.02	0.05	0.04	0.30	0.24
GENDER								
Male	73	53	0.06	0.04	0.11	0.08	0.37	0.28
Female	60	67	0.04	0.05	0.07	0.08	0.49	0.54
GENDER/AGE								
Male 12-17	34	32	0.27	0.25	0.31	0.29	1.61	1.52
Female 12-17	33	35	0.27	0.29	0.31	0.32	1.68	1.71

*Low precision; no estimate reported.

NOTE: Past Year Initiates are defined as persons who used the substance(s) for the first time in the 12 months prior to date of interview.

¹ At Risk for Initiation is defined as persons who did not use the substance(s) in their lifetime or used the substance(s) for the first time in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 4.2P Past Year Initiation of Marijuana Use among Persons Aged 12 or Older, Persons Aged 12 or Older At Risk for Initiation of Marijuana Use, and Past Year Marijuana Users Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	NUMBER OF PAST YEAR INITIATES (1,000s)		PERCENTAGE OF PAST YEAR INITIATES AMONG TOTAL POPULATION		PERCENTAGE OF PAST YEAR INITIATES AMONG PERSONS AT RISK FOR INITIATION ¹		PERCENTAGE OF PAST YEAR INITIATES AMONG PAST YEAR USERS	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	N/A		0.9553		0.7162		0.5419	
AGE								
12-25	N/A		0.9188		0.8351		0.8406	
12-17	N/A		0.4446		0.4102		0.3661	
12-13	N/A		0.9642		0.9755		0.6045	
14-15	N/A		0.7039		0.6853		0.6885	
16-17	N/A		0.4167		0.3737		0.3069	
18-25	N/A		0.5526		0.6191		0.5845	
18-20	N/A		0.6279		0.7985		0.3879	
21-25	N/A		0.6104		0.6080		0.7742	
26 or Older	N/A		0.6442		0.5961		0.7806	
GENDER								
Male	N/A		0.1274		0.1955		0.0851	
Female	N/A		0.0933		0.0606		0.4666	
GENDER/AGE								
Male 12-17	N/A		0.1583		0.1562		0.0941	
Female 12-17	N/A		0.7311		0.8014		0.5833	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Past Year Initiates are defined as persons who used the substance(s) for the first time in the 12 months prior to date of interview.

¹ At Risk for Initiation is defined as persons who did not use the substance(s) in their lifetime or used the substance(s) for the first time in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 4.3D Past Year Initiation of Cigarette Use among Persons Aged 12 or Older, Persons Aged 12 or Older At Risk for Initiation of Cigarette Use, and Past Year Cigarette Users Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	NUMBER OF PAST YEAR INITIATES (1,000s)		PERCENTAGE OF PAST YEAR INITIATES AMONG TOTAL POPULATION		PERCENTAGE OF PAST YEAR INITIATES AMONG PERSONS AT RISK FOR INITIATION ¹		PERCENTAGE OF PAST YEAR INITIATES AMONG PAST YEAR USERS	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	89	81	0.03	0.03	0.09	0.08	0.13	0.12
AGE								
12-25	79	72	0.13	0.12	0.21	0.19	0.45	0.42
12-17	43	41	0.17	0.16	0.20	0.19	1.20	1.27
12-13	13	12	0.16	0.16	0.17	0.16	4.34	5.14
14-15	27	24	0.31	0.27	0.35	0.31	2.23	2.33
16-17	33	32	0.37	0.37	0.48	0.47	1.49	1.61
18-25	65	57	0.19	0.17	0.40	0.36	0.46	0.41
18-20	62	51	0.41	0.36	0.70	0.63	1.02	0.93
21-25	28	26	0.13	0.12	0.34	0.32	0.30	0.29
26 or Older	28	32	0.01	0.02	0.04	0.05	0.06	0.06
GENDER								
Male	59	56	0.05	0.04	0.14	0.13	0.16	0.16
Female	61	55	0.05	0.04	0.11	0.09	0.20	0.19
GENDER/AGE								
Male 12-17	31	30	0.24	0.23	0.28	0.27	1.67	1.81
Female 12-17	30	28	0.25	0.23	0.28	0.26	1.73	1.78

*Low precision; no estimate reported.

NOTE: Past Year Initiates are defined as persons who used the substance(s) for the first time in the 12 months prior to date of interview.

¹ At Risk for Initiation is defined as persons who did not use the substance(s) in their lifetime or used the substance(s) for the first time in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 4.3P Past Year Initiation of Cigarette Use among Persons Aged 12 or Older, Persons Aged 12 or Older At Risk for Initiation of Cigarette Use, and Past Year Cigarette Users Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	NUMBER OF PAST YEAR INITIATES (1,000s)		PERCENTAGE OF PAST YEAR INITIATES AMONG TOTAL POPULATION		PERCENTAGE OF PAST YEAR INITIATES AMONG PERSONS AT RISK FOR INITIATION ¹		PERCENTAGE OF PAST YEAR INITIATES AMONG PAST YEAR USERS	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	N/A		0.0141		0.0144		0.0668	
AGE								
12-25	N/A		0.0080		0.0023		0.0912	
12-17	N/A		0.0882		0.0493		0.4113	
12-13	N/A		0.5594		0.5362		0.6506	
14-15	N/A		0.0673		0.0540		0.3965	
16-17	N/A		0.5842		0.3398		0.1497	
18-25	N/A		0.0356		0.0118		0.0970	
18-20	N/A		0.0266		0.0071		0.1095	
21-25	N/A		0.7973		0.6848		0.9365	
26 or Older	N/A		0.8756		0.8611		0.8280	
GENDER								
Male	N/A		0.0771		0.0499		0.2232	
Female	N/A		0.0753		0.1028		0.1475	
GENDER/AGE								
Male 12-17	N/A		0.2539		0.1667		0.2447	
Female 12-17	N/A		0.2030		0.1620		0.9115	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Past Year Initiates are defined as persons who used the substance(s) for the first time in the 12 months prior to date of interview.

¹ At Risk for Initiation is defined as persons who did not use the substance(s) in their lifetime or used the substance(s) for the first time in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 4.4D Past Year Initiation of Alcohol Use among Persons Aged 12 or Older, Persons Aged 12 or Older At Risk for Initiation of Alcohol Use, and Past Year Alcohol Users Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	NUMBER OF PAST YEAR INITIATES (1,000s)		PERCENTAGE OF PAST YEAR INITIATES AMONG TOTAL POPULATION		PERCENTAGE OF PAST YEAR INITIATES AMONG PERSONS AT RISK FOR INITIATION ¹		PERCENTAGE OF PAST YEAR INITIATES AMONG PAST YEAR USERS	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	130	113	0.05	0.04	0.26	0.23	0.08	0.07
AGE								
12-25	105	103	0.18	0.17	0.38	0.37	0.31	0.31
12-17	72	67	0.29	0.27	0.37	0.34	0.85	0.88
12-13	25	20	0.30	0.25	0.32	0.26	2.92	3.23
14-15	49	43	0.54	0.48	0.65	0.57	1.56	1.57
16-17	46	51	0.50	0.55	0.81	0.86	0.97	1.07
18-25	77	76	0.22	0.22	0.90	0.87	0.29	0.28
18-20	71	68	0.45	0.44	1.20	1.08	0.65	0.67
21-25	46	48	0.21	0.20	1.37	1.43	0.25	0.24
26 or Older	56	26	0.03	0.01	0.23	0.10	0.04	0.02
GENDER								
Male	86	76	0.07	0.06	0.40	0.37	0.10	0.09
Female	89	83	0.07	0.06	0.30	0.29	0.11	0.10
GENDER/AGE								
Male 12-17	48	45	0.37	0.35	0.48	0.45	1.21	1.24
Female 12-17	49	50	0.40	0.41	0.52	0.51	1.19	1.26

*Low precision; no estimate reported.

NOTE: Past Year Initiates are defined as persons who used the substance(s) for the first time in the 12 months prior to date of interview.

¹ At Risk for Initiation is defined as persons who did not use the substance(s) in their lifetime or used the substance(s) for the first time in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 4.4P Past Year Initiation of Alcohol Use among Persons Aged 12 or Older, Persons Aged 12 or Older At Risk for Initiation of Alcohol Use, and Past Year Alcohol Users Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	NUMBER OF PAST YEAR INITIATES (1,000s)		PERCENTAGE OF PAST YEAR INITIATES AMONG TOTAL POPULATION		PERCENTAGE OF PAST YEAR INITIATES AMONG PERSONS AT RISK FOR INITIATION ¹		PERCENTAGE OF PAST YEAR INITIATES AMONG PAST YEAR USERS	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	N/A		0.6673		0.1511		0.8066	
AGE								
12-25	N/A		0.6375		0.8213		0.3038	
12-17	N/A		0.7790		0.4622		0.0960	
12-13	N/A		0.0570		0.0585		0.2774	
14-15	N/A		0.0729		0.0293		0.7580	
16-17	N/A		0.0279		0.1349		0.0024	
18-25	N/A		0.3479		0.8572		0.2695	
18-20	N/A		0.1223		0.6258		0.0472	
21-25	N/A		0.7958		0.7288		0.8177	
26 or Older	N/A		0.0744		0.0587		0.0757	
GENDER								
Male	N/A		0.0736		0.0131		0.1069	
Female	N/A		0.2816		0.8041		0.2425	
GENDER/AGE								
Male 12-17	N/A		0.0546		0.0380		0.5536	
Female 12-17	N/A		0.1463		0.3608		0.0032	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Past Year Initiates are defined as persons who used the substance(s) for the first time in the 12 months prior to date of interview.

¹ At Risk for Initiation is defined as persons who did not use the substance(s) in their lifetime or used the substance(s) for the first time in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.