

**Table 5.27A Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Numbers in Thousands, 2012 and 2013**

Age Category	Illicit Drugs <sup>1</sup> (2012)	Illicit Drugs <sup>1</sup> (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2013)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2013)
<b>TOTAL</b>	1,532	1,483	1,492	1,421	633	547	2,496	2,466
12	*	*	1	2	*	*	1	2
13	3	6	1	7	1	5	5	9
14	10	4	9	7	6	2	17	11
15	34 <sup>a</sup>	15	10	9	10	5	38	21
16	26	33	16	26	12	21	32	40
17	49	33	39	22	24	16	64	40
18	26	43	21	29	9	15	39	57
19	43	41	20	26	9	12	53	56
20	50	29	24	21	14	15	62	37
21	35	40	24	31	11	23	52	55
22	50	40	25	21	15	15	61	52
23	58	52	21	44	9	19	73	79
24	50	39	19	27	10	11	59	57
25	54	56	26	35	14	28	66	63
26-29	230	244	174	187	104	97	334	343
30-34	164	231	208	182	71	98	306	317
35-39	176	130	111	142	63	62	230	209
40-44	94	116	168	121	27	27	237	236
45-49	151	82	136	111	69	20	227	180
50-54	140	66	225	96	93	20	295	142
55-59	74	84	142	53	47	9	169	149
60-64	15	98	62	150	15	28	62 <sup>a</sup>	239
65 or Older	2	*	9	72	*	*	11	72

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.27B Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Percentages, 2012 and 2013**

Age Category	Illicit Drugs <sup>1</sup> (2012)	Illicit Drugs <sup>1</sup> (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2013)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2013)
<b>TOTAL</b>	0.6	0.6	0.6	0.5	0.2	0.2	1.0	0.9
12	*	*	0.0	0.1	*	*	0.0	0.1
13	0.1	0.1	0.0	0.2	0.0	0.1	0.1	0.2
14	0.2	0.1	0.2	0.2	0.1	0.0	0.4	0.2
15	0.8	0.4	0.2	0.2	0.2	0.1	0.9	0.5
16	0.6	0.8	0.4	0.6	0.3	0.5	0.8	0.9
17	1.1	0.8	0.9	0.5	0.6	0.4	1.5	1.0
18	0.5	0.9	0.5	0.6	0.2	0.3	0.8	1.2
19	1.0	1.0	0.5	0.6	0.2	0.3	1.3	1.4
20	1.2	0.7	0.6	0.5	0.3	0.3	1.4	0.9
21	0.8	0.9	0.5	0.7	0.3	0.5	1.2	1.3
22	1.1	0.9	0.6	0.5	0.3	0.3	1.4	1.2
23	1.3	1.2	0.5	1.0	0.2	0.4	1.7	1.8
24	1.2	0.9	0.5	0.6	0.2	0.3	1.4	1.3
25	1.4	1.4	0.7	0.8	0.3	0.7	1.7	1.5
26-29	1.3	1.4	1.0	1.1	0.6	0.6	1.9	2.0
30-34	0.8	1.1	1.1	0.9	0.4	0.5	1.6	1.6
35-39	0.9	0.7	0.6	0.7	0.3	0.3	1.2	1.1
40-44	0.5	0.5	0.8	0.6	0.1	0.1	1.2	1.1
45-49	0.7	0.4	0.6	0.6	0.3	0.1	1.1	0.9
50-54	0.6	0.3	1.0	0.4	0.4	0.1	1.3	0.6
55-59	0.4	0.4	0.7	0.3	0.2	0.0	0.8	0.7
60-64	0.1	0.6	0.4	0.8	0.1	0.2	0.4 <sup>a</sup>	1.3
65 or Older	0.0	*	0.0	0.2	*	*	0.0	0.2

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.28A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Illicit Drugs<sup>1</sup> (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2013)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2013)</b>
<b>TOTAL</b>	1,532	1,483	1,492	1,421	633	547	2,496	2,466
<b>AGE</b>								
12-17	121	90	76	73	52	49	157	122
18-25	365	341	180	233	92	137	467	458
26 or Older	1,046	1,051	1,236	1,115	489	361	1,872	1,886
<b>GENDER</b>								
Male	921	824	1,048	948	447	287	1,616	1,546
Female	611	659	444	473	186	259	880	920
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1,352	1,258	1,291	1,203	549	478	2,196	2,069
White	1,009	1,011	988	880	397	349	1,680	1,615
Black or African American	231	185	243	202	136	77	359	310
American Indian or Alaska Native	25	20	30	30	4	18	52	33
Native Hawaiian or Other Pacific Islander	*	6	1	6	0	6	*	6
Asian	5	26	8	43	4	23	9	46
Two or More Races	58	11	21	42	8	5	73	58
Hispanic or Latino	181	224	200	218	85	69	300	397

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.28B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Illicit Drugs<sup>1</sup> (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2013)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2013)</b>
<b>TOTAL</b>	0.6	0.6	0.6	0.5	0.2	0.2	1.0	0.9
<b>AGE</b>								
12-17	0.5	0.4	0.3	0.3	0.2	0.2	0.6	0.5
18-25	1.1	1.0	0.5	0.7	0.3	0.4	1.3	1.3
26 or Older	0.5	0.5	0.6	0.5	0.2	0.2	0.9	0.9
<b>GENDER</b>								
Male	0.7	0.6	0.8	0.7	0.4	0.2	1.3	1.2
Female	0.5	0.5	0.3	0.3	0.1	0.2	0.7	0.7
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.6	0.6	0.6	0.5	0.2	0.2	1.0	0.9
White	0.6	0.6	0.6	0.5	0.2	0.2	1.0	1.0
Black or African American	0.8	0.6	0.8	0.6	0.4	0.2	1.2	1.0
American Indian or Alaska Native	1.7	1.4	2.1	2.2	0.3	1.3	3.6	2.4
Native Hawaiian or Other Pacific Islander	*	0.7	0.1	0.7	0.0	0.7	*	0.7
Asian	0.0	0.2	0.1	0.3	0.0	0.2	0.1	0.3
Two or More Races	1.4	0.2	0.5	1.0	0.2	0.1	1.7	1.4
Hispanic or Latino	0.4	0.5	0.5	0.5	0.2	0.2	0.7	1.0

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.29A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Illicit Drugs<sup>1</sup> (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2013)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2013)</b>
<b>TOTAL</b>	121	90	76	73	52	49	157	122
<b>GENDER</b>								
Male	72	47	48	44	31	27	99	68
Female	49	43	28	29	22	22	58	55
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	105 <sup>a</sup>	67	68	54	46	34	137 <sup>a</sup>	90
White	88 <sup>a</sup>	53	52	37	37	25	107 <sup>a</sup>	69
Black or African American	8	6	9	8	3	3	19	10
American Indian or Alaska Native	1	3	1	4	1	*	2	5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	3	*	3	*	3	*	3	*
Two or More Races	5	3	3	3	1	2	6	4
Hispanic or Latino	16	23	7	19	6	15	20	33
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	53	30	30	27	21	18	65	40
Female, White, Not Hispanic	35	23	22	10	16	7	42	28
Male, Black, Not Hispanic	4	4	7	6	2	1	13	9
Female, Black, Not Hispanic	4	2	2	2	1	2	6	2
Male, Hispanic	10	9	5	6	4	5	14	13
Female, Hispanic	6	14	2 <sup>a</sup>	13	2	9	6 <sup>a</sup>	20

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.29B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Illicit Drugs<sup>1</sup> (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2013)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2013)</b>
<b>TOTAL</b>	0.5	0.4	0.3	0.3	0.2	0.2	0.6	0.5
<b>GENDER</b>								
Male	0.6	0.4	0.4	0.3	0.2	0.2	0.8	0.5
Female	0.4	0.4	0.2	0.2	0.2	0.2	0.5	0.4
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.5 <sup>a</sup>	0.3	0.4	0.3	0.2	0.2	0.7 <sup>a</sup>	0.5
White	0.6 <sup>a</sup>	0.4	0.4	0.3	0.3	0.2	0.8 <sup>a</sup>	0.5
Black or African American	0.2	0.2	0.3	0.2	0.1	0.1	0.5	0.3
American Indian or Alaska Native	1.0	2.1	0.9	2.8	0.8	*	1.1	3.2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.3	*	0.3	*	0.3	*	0.3	*
Two or More Races	0.6	0.4	0.4	0.3	0.2	0.2	0.8	0.5
Hispanic or Latino	0.3	0.4	0.1	0.3	0.1	0.3	0.4	0.6
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	0.7	0.4	0.4	0.4	0.3	0.3	0.9	0.6
Female, White, Not Hispanic	0.5	0.3	0.3	0.2	0.2	0.1	0.6	0.4
Male, Black, Not Hispanic	0.2	0.2	0.4	0.3	0.1	0.0	0.7	0.5
Female, Black, Not Hispanic	0.3	0.1	0.1	0.1	0.1	0.1	0.3	0.1
Male, Hispanic	0.4	0.3	0.2	0.2	0.1	0.2	0.5	0.5
Female, Hispanic	0.2	0.5	0.1 <sup>a</sup>	0.5	0.1	0.3	0.2 <sup>a</sup>	0.7

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.30A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Illicit Drugs<sup>1</sup> (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2013)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2013)</b>
<b>TOTAL</b>	365	341	180	233	92	137	467	458
<b>GENDER</b>								
Male	237	231	121 <sup>a</sup>	177	64	100	305	324
Female	129	110	59	57	28	37	162	134
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	323	298	150	190	80	117	405	388
White	268	265	130	155	68	103	341	334
Black or African American	30	19	10	15	8	4	34	30
American Indian or Alaska Native	*	1	4	5	*	1	*	6
Native Hawaiian or Other Pacific Islander	0	*	1	*	0	*	1	*
Asian	1	8	1	6	1	6	1	8
Two or More Races	6	5	3	9	0	3	10	10
Hispanic or Latino	43	42	30	44	12	20	61	69
<b>EDUCATION</b>								
< High School	114	75	55	58	28	19	146	129
High School Graduate	117	166	59 <sup>a</sup>	108	31 <sup>a</sup>	79	148	198
Some College	126	94	54	55	28	39	156	113
College Graduate	8	5	13	12	5	0	17	17
<b>CURRENT EMPLOYMENT</b>								
Full-Time	118	99	80	83	42	44	161	145
Part-Time	103	89	38	56	25	33	119	122
Unemployed	83	95	25 <sup>a</sup>	60	11 <sup>b</sup>	44	102	111
Other <sup>3</sup>	61	57	37	34	14	16	84	79

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.30B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2012 and 2013**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2012)	Illicit Drugs <sup>1</sup> (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2013)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2013)
<b>TOTAL</b>	1.1	1.0	0.5	0.7	0.3	0.4	1.3	1.3
<b>GENDER</b>								
Male	1.4	1.3	0.7 <sup>a</sup>	1.0	0.4	0.6	1.8	1.9
Female	0.7	0.6	0.3	0.3	0.2	0.2	0.9	0.8
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1.2	1.1	0.5	0.7	0.3	0.4	1.5	1.4
White	1.4	1.4	0.7	0.8	0.3	0.5	1.7	1.7
Black or African American	0.6	0.4	0.2	0.3	0.2	0.1	0.7	0.6
American Indian or Alaska Native	*	0.6	1.6	2.4	*	0.6	*	2.4
Native Hawaiian or Other Pacific Islander	0.2	*	0.6	*	0.2	*	0.6	*
Asian	0.1	0.4	0.0	0.3	0.0	0.3	0.1	0.4
Two or More Races	0.8	0.6	0.4	1.2	0.1	0.5	1.3	1.4
Hispanic or Latino	0.6	0.6	0.4	0.6	0.2	0.3	0.9	1.0
<b>EDUCATION</b>								
< High School	2.1	1.3	1.0	1.0	0.5	0.3	2.8	2.3
High School Graduate	1.0	1.4	0.5 <sup>a</sup>	0.9	0.3 <sup>a</sup>	0.7	1.3	1.7
Some College	1.0	0.8	0.4	0.5	0.2	0.3	1.3	0.9
College Graduate	0.2	0.1	0.3	0.2	0.1	0.0	0.3	0.3
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.9	0.7	0.6	0.6	0.3	0.3	1.2	1.1
Part-Time	1.1	0.9	0.4	0.6	0.3	0.3	1.3	1.3
Unemployed	2.0	2.3	0.6 <sup>a</sup>	1.5	0.3 <sup>b</sup>	1.1	2.5	2.7
Other <sup>3</sup>	0.8	0.8	0.5	0.5	0.2	0.2	1.1	1.1

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.31A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Illicit Drugs<sup>1</sup> (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2013)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2013)</b>
<b>TOTAL</b>	1,046	1,051	1,236	1,115	489	361	1,872	1,886
<b>GENDER</b>								
Male	612	546	879	728	352 <sup>a</sup>	160	1,213	1,154
Female	434	506	356	387	137	201	660	732
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	924	893	1,073	959	423	327	1,654	1,591
White	654	694	806	688	293	222	1,233	1,213
Black or African American	193	159	223	180	124	70	306	269
American Indian or Alaska Native	*	*	25	20	*	*	31	22
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	17	4	38	*	17	4	38
Two or More Races	47	3	15	30	6	*	57	44
Hispanic or Latino	122	159	163	155	66	34	218	295
<b>EDUCATION</b>								
< High School	219	293	328	192	157	77	434	443
High School Graduate	441	327	456	315	191	128	717	514
Some College	312	315	297	376	114	133	521	603
College Graduate	73	115	155	232	27	22	201	325
<b>CURRENT EMPLOYMENT</b>								
Full-Time	342	211	513 <sup>a</sup>	289	177 <sup>a</sup>	63	736 <sup>b</sup>	438
Part-Time	120	167	146	132	59	76	216	229
Unemployed	155	260	167	215	67	128	255	358
Other <sup>3</sup>	429	413	410	479	186	93	666	862

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.31B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Illicit Drugs<sup>1</sup> (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2013)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2013)</b>
<b>TOTAL</b>	0.5	0.5	0.6	0.5	0.2	0.2	0.9	0.9
<b>GENDER</b>								
Male	0.6	0.6	0.9	0.8	0.4 <sup>a</sup>	0.2	1.3	1.2
Female	0.4	0.5	0.3	0.4	0.1	0.2	0.6	0.7
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.5	0.5	0.6	0.6	0.2	0.2	1.0	0.9
White	0.5	0.5	0.6	0.5	0.2	0.2	0.9	0.9
Black or African American	0.9	0.7	1.0	0.8	0.6	0.3	1.4	1.2
American Indian or Alaska Native	*	*	2.4	2.0	*	*	3.0	2.2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	*	0.2	0.0	0.4	*	0.2	0.0	0.4
Two or More Races	1.8	0.1	0.6	1.1	0.2	*	2.1	1.6
Hispanic or Latino	0.4	0.6	0.6	0.5	0.2	0.1	0.8	1.0
<b>EDUCATION</b>								
< High School	0.8	1.1	1.1	0.7	0.5	0.3	1.5	1.7
High School Graduate	0.8	0.6	0.8	0.5	0.3	0.2	1.2	0.9
Some College	0.6	0.6	0.6	0.7	0.2	0.3	1.0	1.2
College Graduate	0.1	0.2	0.2	0.3	0.0	0.0	0.3	0.5
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.3	0.2	0.5 <sup>a</sup>	0.3	0.2 <sup>a</sup>	0.1	0.7 <sup>b</sup>	0.4
Part-Time	0.5	0.7	0.6	0.5	0.3	0.3	0.9	0.9
Unemployed	1.6	3.4	1.8	2.8	0.7	1.7	2.7	4.7
Other <sup>3</sup>	0.7	0.6	0.6	0.7	0.3	0.1	1.0	1.3

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.32A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Illicit Drugs<sup>1</sup> (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2013)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2013)</b>
<b>TOTAL</b>	1,411	1,392	1,416	1,348	581	498	2,339	2,343
<b>GENDER</b>								
Male	849	776	1,000	904	416	260	1,517	1,478
Female	562	616	416	444	164	238	822	866
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	1,246	1,191	1,223	1,149	503	444	2,060	1,979
White	921	959	936	842	360	325	1,573	1,547
Black or African American	223	179	234	195	132	74	340	300
American Indian or Alaska Native	24	17	29	26	3	*	50	28
Native Hawaiian or Other Pacific Islander	*	*	1	*	0	*	*	*
Asian	1	26	5	43	1	23	5	46
Two or More Races	53	8	19	39	6	3	66	55
Hispanic or Latino	165	201	193	199	78	54	280	365
<b>EDUCATION</b>								
< High School	333	369	383	250	185	96	581	572
High School Graduate	558	493	515	423	222	207	865	713
Some College	439	410	351	431	142	173	676	716
College Graduate	82	121	168	245	32	23	218	343
<b>CURRENT EMPLOYMENT</b>								
Full-Time	460 <sup>a</sup>	310	593 <sup>a</sup>	372	219 <sup>a</sup>	107	897 <sup>b</sup>	583
Part-Time	223	256	184	188	84	110	335	351
Unemployed	239	355	192	275	78	172	357	469
Other <sup>3</sup>	490	471	448	513	200	109	750	941

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.32B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2012 and 2013**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2012)	Illicit Drugs <sup>1</sup> (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol <sup>1</sup> (2012)	Both Illicit Drugs and Alcohol <sup>1</sup> (2013)	Illicit Drugs or Alcohol <sup>1,2</sup> (2012)	Illicit Drugs or Alcohol <sup>1,2</sup> (2013)
<b>TOTAL</b>	0.6	0.6	0.6	0.6	0.2	0.2	1.0	1.0
<b>GENDER</b>								
Male	0.8	0.7	0.9	0.8	0.4	0.2	1.3	1.3
Female	0.5	0.5	0.3	0.4	0.1	0.2	0.7	0.7
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.6	0.6	0.6	0.6	0.3	0.2	1.0	1.0
White	0.6	0.6	0.6	0.5	0.2	0.2	1.0	1.0
Black or African American	0.8	0.6	0.9	0.7	0.5	0.3	1.3	1.1
American Indian or Alaska Native	1.8	1.3	2.2	2.1	0.2	*	3.9	2.3
Native Hawaiian or Other Pacific Islander	*	*	0.1	*	0.0	*	*	*
Asian	0.0	0.2	0.0	0.4	0.0	0.2	0.0	0.4
Two or More Races	1.6	0.2	0.5	1.1	0.2	0.1	1.9	1.5
Hispanic or Latino	0.5	0.6	0.6	0.6	0.2	0.2	0.8	1.0
<b>EDUCATION</b>								
< High School	1.0	1.1	1.1	0.8	0.5	0.3	1.7	1.8
High School Graduate	0.8	0.7	0.7	0.6	0.3	0.3	1.2	1.0
Some College	0.7	0.6	0.6	0.7	0.2	0.3	1.1	1.1
College Graduate	0.1	0.2	0.2	0.3	0.0	0.0	0.3	0.5
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.4 <sup>a</sup>	0.3	0.5 <sup>a</sup>	0.3	0.2 <sup>a</sup>	0.1	0.8 <sup>b</sup>	0.5
Part-Time	0.7	0.8	0.6	0.6	0.3	0.3	1.0	1.0
Unemployed	1.8	3.0	1.4	2.3	0.6	1.5	2.6	4.0
Other <sup>3</sup>	0.7	0.6	0.6	0.7	0.3	0.1	1.1	1.3

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.33A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Illicit Drugs<sup>1</sup> (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2013)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2013)</b>
<b>TOTAL</b>	1,532	1,483	1,492	1,421	633	547	2,496	2,466
<b>GEOGRAPHIC DIVISION</b>								
Northeast	341	345	281	298	109	74	524	576
New England	101	98	112	57	29	11	187	144
Middle Atlantic	239	248	169	241	80	64	337	432
Midwest	339	299	352	243	150	87	551	482
East North Central	233	195	239	163	111 <sup>a</sup>	56	368	302
West North Central	105	105	113	81	38	31	183	179
South	470	494	450	531	206	209	766	864
South Atlantic	271	275	253	278	106	119	456	463
East South Central	58	108	48	88	14	25	95	180
West South Central	141	110	149	165	86	65	214	221
West	383	344	409	350	168	176	655	545
Mountain	130	99	151	99	71	22	222	187
Pacific	252	245	259	251	97	154	433	358
<b>COUNTY TYPE</b>								
Large Metro	758	822	662	744	261	295	1,234	1,326
Small Metro	592 <sup>a</sup>	375	583	458	291	147	886	728
250K – 1 Mil. Pop.	355	231	374	345	172	99	559	495
< 250K Pop.	237	145	209	112	119	48	326	232
Nonmetro	183	285	247	220	82	104	376	412
Urbanized	106	103	127	78	43	31	214	153
Less Urbanized	63	171	84	111	25	72	125	218
Completely Rural	14	10	35	31	14	1	37	40

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.33B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2012)</b>	<b>Illicit Drugs<sup>1</sup> (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2012)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2013)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2013)</b>
<b>TOTAL</b>	0.6	0.6	0.6	0.5	0.2	0.2	1.0	0.9
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.7	0.7	0.6	0.6	0.2	0.2	1.1	1.2
New England	0.8	0.8	0.9	0.5	0.2	0.1	1.5	1.2
Middle Atlantic	0.7	0.7	0.5	0.7	0.2	0.2	1.0	1.2
Midwest	0.6	0.5	0.6	0.4	0.3	0.2	1.0	0.9
East North Central	0.6	0.5	0.6	0.4	0.3 <sup>a</sup>	0.1	0.9	0.8
West North Central	0.6	0.6	0.7	0.5	0.2	0.2	1.1	1.0
South	0.5	0.5	0.5	0.5	0.2	0.2	0.8	0.9
South Atlantic	0.5	0.5	0.5	0.5	0.2	0.2	0.9	0.9
East South Central	0.4	0.7	0.3	0.6	0.1	0.2	0.6	1.2
West South Central	0.5	0.4	0.5	0.5	0.3	0.2	0.7	0.7
West	0.6	0.6	0.7	0.6	0.3	0.3	1.1	0.9
Mountain	0.7	0.5	0.8	0.5	0.4	0.1	1.2	1.0
Pacific	0.6	0.6	0.6	0.6	0.2	0.4	1.0	0.8
<b>COUNTY TYPE</b>								
Large Metro	0.5	0.6	0.5	0.5	0.2	0.2	0.9	0.9
Small Metro	0.8 <sup>a</sup>	0.5	0.7	0.6	0.4	0.2	1.1	0.9
250K – 1 Mil. Pop.	0.7	0.4	0.7	0.6	0.3	0.2	1.1	0.9
< 250K Pop.	0.9	0.6	0.8	0.4	0.5	0.2	1.3	0.9
Nonmetro	0.4	0.7	0.6	0.5	0.2	0.2	0.9	1.0
Urbanized	0.6	0.5	0.7	0.4	0.2	0.2	1.2	0.8
Less Urbanized	0.3	0.9	0.4	0.6	0.1	0.4	0.7	1.1
Completely Rural	0.3	0.2	0.7	0.7	0.3	0.0	0.8	0.9

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.