

**Table 5.43A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category:
Numbers in Thousands and Percentages, 2012 and 2013**

Age Category	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	8,040	7,608	1,532	1,483	6,508	6,126	19.1	19.5
12	24	21	*	*	24	21	*	*
13	54	48	3	6	51	42	*	*
14	117	110	10	4	107	106	8.2	*
15	208	188	34 ^a	15	174	173	16.4	8.1
16	295	266	26	33	269	233	8.7	12.4
17	344 ^a	274	49	33	295	241	14.3	11.9
18	495 ^a	382	26	43	469 ^a	339	5.2 ^a	11.3
19	416	346	43	41	374	305	10.2	11.9
20	421	352	50	29	371	323	12.0	8.4
21	337	380	35	40	302	341	10.5	10.4
22	364	332	50	40	315	292	13.6	11.9
23	304	314	58	52	246	262	*	16.6
24	282	313	50	39	232	274	17.8	12.6
25	230	251	54	56	176	194	*	22.4
26-29	874	824	230	244	644	580	26.3	29.6
30-34	907	976	164	231	743	745	18.1	23.6
35-39	553	513	176	130	377	384	*	*
40-44	472	412	94	116	378	296	*	*
45-49	524	329	151	82	373	246	*	*
50-54	345	437	140	66	205	371	*	*
55-59	302	205	74	84	228	121	*	*
60-64	145	171	15	98	130	72	*	*
65 or Older	27 ^a	163	2	*	25 ^a	163	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.43B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Percentages, 2012 and 2013

Age Category	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	3.1	2.9	0.6	0.6	2.5	2.3	19.1	19.5
12	0.6	0.6	*	*	0.6	0.6	*	*
13	1.3	1.1	0.1	0.1	1.3	1.0	*	*
14	2.8	2.5	0.2	0.1	2.5	2.4	8.2	*
15	5.0	4.6	0.8	0.4	4.1	4.2	16.4	8.1
16	7.0	6.2	0.6	0.8	6.4	5.5	8.7	12.4
17	8.0	6.6	1.1	0.8	6.9	5.8	14.3	11.9
18	10.5 ^a	8.1	0.5	0.9	10.0 ^b	7.2	5.2 ^a	11.3
19	9.8	8.3	1.0	1.0	8.8	7.3	10.2	11.9
20	9.8	8.2	1.2	0.7	8.6	7.5	12.0	8.4
21	7.6	9.0	0.8	0.9	6.8	8.0	10.5	10.4
22	8.2	7.4	1.1	0.9	7.1	6.5	13.6	11.9
23	7.0	7.2	1.3	1.2	5.6	6.0	*	16.6
24	6.9	7.1	1.2	0.9	5.7	6.2	17.8	12.6
25	5.8	6.1	1.4	1.4	4.4	4.7	*	22.4
26-29	5.1	4.8	1.3	1.4	3.8	3.4	26.3	29.6
30-34	4.6	4.8	0.8	1.1	3.8	3.7	18.1	23.6
35-39	2.8	2.7	0.9	0.7	1.9	2.0	*	*
40-44	2.3	1.9	0.5	0.5	1.9	1.4	*	*
45-49	2.4	1.6	0.7	0.4	1.7	1.2	*	*
50-54	1.5	1.9	0.6	0.3	0.9	1.6	*	*
55-59	1.5	1.0	0.4	0.4	1.1	0.6	*	*
60-64	0.9	1.0	0.1	0.6	0.8	0.4	*	*
65 or Older	0.1 ^a	0.4	0.0	*	0.1 ^a	0.4	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.44A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	8,040	7,608	1,532	1,483	6,508	6,126	19.1	19.5
AGE								
12-17	1,041 ^a	908	121	90	920	817	11.6	10.0
18-25	2,849	2,671	365	341	2,483	2,330	12.8	12.8
26 or Older	4,150	4,030	1,046	1,051	3,104	2,978	25.2	26.1
GENDER								
Male	5,200	4,714	921	824	4,279	3,890	17.7	17.5
Female	2,840	2,895	611	659	2,229	2,236	21.5	22.8
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	6,842	6,418	1,352	1,258	5,490	5,160	19.8	19.6
White	5,001	4,766	1,009	1,011	3,992	3,755	20.2	21.2
Black or African American	1,398	1,151	231	185	1,167	966	16.5	16.0
American Indian or Alaska Native	111	86	25	20	86	66	*	*
Native Hawaiian or Other Pacific Islander	49	32	*	6	25	27	*	*
Asian	81 ^a	176	5	26	76	151	*	*
Two or More Races	202	206	58	11	144	195	*	5.2
Hispanic or Latino	1,198	1,190	181	224	1,017	966	15.1	18.9

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.44B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	3.1	2.9	0.6	0.6	2.5	2.3	19.1	19.5
AGE								
12-17	4.2 ^a	3.6	0.5	0.4	3.7	3.3	11.6	10.0
18-25	8.2	7.7	1.1	1.0	7.2	6.7	12.8	12.8
26 or Older	2.1	2.0	0.5	0.5	1.5	1.5	25.2	26.1
GENDER								
Male	4.1	3.7	0.7	0.6	3.4	3.1	17.7	17.5
Female	2.1	2.1	0.5	0.5	1.7	1.7	21.5	22.8
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	3.1	2.9	0.6	0.6	2.5	2.3	19.8	19.6
White	2.9	2.8	0.6	0.6	2.4	2.2	20.2	21.2
Black or African American	4.6	3.7	0.8	0.6	3.8	3.1	16.5	16.0
American Indian or Alaska Native	7.7	6.2	1.7	1.4	5.9	4.7	*	*
Native Hawaiian or Other Pacific Islander	4.5	3.7	*	0.7	2.3	3.0	*	*
Asian	0.6	1.3	0.0	0.2	0.6	1.1	*	*
Two or More Races	4.9	4.8	1.4	0.2	3.5	4.6	*	5.2
Hispanic or Latino	3.0	2.9	0.4	0.5	2.5	2.3	15.1	18.9

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.45A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	6,999	6,700	1,411	1,392	5,588	5,308	20.2	20.8
GENDER								
Male	4,637	4,214	849	776	3,788	3,438	18.3	18.4
Female	2,362	2,486	562	616	1,800	1,871	23.8	24.8
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	6,049	5,722	1,246	1,191	4,803	4,531	20.6	20.8
White	4,388	4,263	921	959	3,467	3,304	21.0	22.5
Black or African American	1,288	1,010	223	179	1,065	831	17.3	17.7
American Indian or Alaska Native	102	76	24	17	78	60	*	*
Native Hawaiian or Other Pacific Islander	*	27	*	*	20	24	*	*
Asian	68 ^a	164	1	26	67	138	*	*
Two or More Races	160	181	53	8	106	174	*	*
Hispanic or Latino	949	978	165	201	785	777	17.4	*
EDUCATION								
< High School	1,496	1,434	333	369	1,163	1,066	22.2	25.7
High School Graduate	2,626	2,245	558	493	2,067	1,752	21.3	22.0
Some College	1,923	2,147	439	410	1,484	1,738	22.8	19.1
College Graduate	954	874	82	121	873	753	8.5	13.8
CURRENT EMPLOYMENT								
Full-Time	2,838	2,667	460 ^a	310	2,378	2,357	16.2	11.6
Part-Time	1,325	1,257	223	256	1,102	1,001	16.8	20.4
Unemployed	1,123	1,074	239	355	884	718	21.3 ^a	33.1
Other ¹	1,713	1,702	490	471	1,223	1,232	28.6	27.7

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.45B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	3.0	2.8	0.6	0.6	2.4	2.2	20.2	20.8
GENDER								
Male	4.1	3.7	0.8	0.7	3.3	3.0	18.3	18.4
Female	1.9	2.0	0.5	0.5	1.5	1.5	23.8	24.8
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	3.0	2.8	0.6	0.6	2.4	2.2	20.6	20.8
White	2.8	2.7	0.6	0.6	2.2	2.1	21.0	22.5
Black or African American	4.7 ^a	3.6	0.8	0.6	3.9	3.0	17.3	17.7
American Indian or Alaska Native	7.9	6.2	1.8	1.3	6.0	4.8	*	*
Native Hawaiian or Other Pacific Islander	*	3.5	*	*	2.0	3.1	*	*
Asian	0.6 ^a	1.4	0.0	0.2	0.6	1.1	*	*
Two or More Races	4.7	5.1	1.6	0.2	3.1	4.9	*	*
Hispanic or Latino	2.7	2.7	0.5	0.6	2.3	2.2	17.4	*
EDUCATION								
< High School	4.4	4.5	1.0	1.1	3.4	3.3	22.2	25.7
High School Graduate	3.8	3.2	0.8	0.7	3.0	2.5	21.3	22.0
Some College	3.1	3.4	0.7	0.6	2.4	2.7	22.8	19.1
College Graduate	1.4	1.2	0.1	0.2	1.3	1.0	8.5	13.8
CURRENT EMPLOYMENT								
Full-Time	2.4	2.2	0.4 ^a	0.3	2.0	2.0	16.2	11.6
Part-Time	4.0	3.7	0.7	0.8	3.4	3.0	16.8	20.4
Unemployed	8.3	9.1	1.8	3.0	6.5	6.1	21.3 ^a	33.1
Other ¹	2.4	2.3	0.7	0.6	1.7	1.7	28.6	27.7

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.46A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands and Percentages, 2012 and 2013

Geographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	8,040	7,608	1,532	1,483	6,508	6,126	19.1	19.5
GEOGRAPHIC DIVISION								
Northeast	1,421	1,450	341	345	1,081	1,105	24.0	23.8
New England	354	456	101	98	252	359	*	*
Middle Atlantic	1,068	994	239	248	828	746	22.4	24.9
Midwest	1,556	1,482	339	299	1,217	1,182	21.8	20.2
East North Central	1,162	1,045	233	195	929	851	20.1	18.6
West North Central	393	436	105	105	288	331	*	*
South	2,911	2,692	470	494	2,441	2,198	16.2	18.3
South Atlantic	1,752	1,507	271	275	1,482	1,232	15.5	18.3
East South Central	415	510	58	108	356	402	14.0	*
West South Central	744	675	141	110	603	565	19.0	16.3
West	2,152	1,985	383	344	1,769	1,641	17.8	17.3
Mountain	566	666	130	99	436	567	*	*
Pacific	1,586	1,319	252	245	1,333	1,073	15.9	18.6
COUNTY TYPE								
Large Metro	4,413	4,160	758	822	3,656	3,338	17.2	19.8
Small Metro	2,557	2,398	592 ^a	375	1,964	2,023	23.2 ^a	15.6
250K – 1 Mil. Pop.	1,670	1,551	355	231	1,315	1,321	21.3	14.9
< 250K Pop.	887	847	237	145	650	702	26.7	17.1
Nonmetro	1,070	1,049	183	285	887	764	17.1	27.2
Urbanized	513	512	106	103	408	409	20.6	20.2
Less Urbanized	464	455	63	171	401	283	13.5	*
Completely Rural	93	83	14	10	79	72	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.46B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	3.1	2.9	0.6	0.6	2.5	2.3	19.1	19.5
GEOGRAPHIC DIVISION								
Northeast	3.0	3.1	0.7	0.7	2.3	2.3	24.0	23.8
New England	2.9	3.7	0.8	0.8	2.0	2.9	*	*
Middle Atlantic	3.1	2.8	0.7	0.7	2.4	2.1	22.4	24.9
Midwest	2.8	2.6	0.6	0.5	2.2	2.1	21.8	20.2
East North Central	3.0	2.7	0.6	0.5	2.4	2.2	20.1	18.6
West North Central	2.3	2.5	0.6	0.6	1.7	1.9	*	*
South	3.0	2.8	0.5	0.5	2.5	2.3	16.2	18.3
South Atlantic	3.4	2.9	0.5	0.5	2.9	2.4	15.5	18.3
East South Central	2.7	3.3	0.4	0.7	2.3	2.6	14.0	*
West South Central	2.5	2.2	0.5	0.4	2.0	1.8	19.0	16.3
West	3.6	3.2	0.6	0.6	2.9	2.7	17.8	17.3
Mountain	3.1	3.6	0.7	0.5	2.4	3.0	*	*
Pacific	3.8	3.1	0.6	0.6	3.2 ^a	2.5	15.9	18.6
COUNTY TYPE								
Large Metro	3.2	2.9	0.5	0.6	2.6	2.4	17.2	19.8
Small Metro	3.3	3.0	0.8 ^a	0.5	2.5	2.6	23.2 ^a	15.6
250K – 1 Mil. Pop.	3.2	2.9	0.7	0.4	2.5	2.5	21.3	14.9
< 250K Pop.	3.5	3.3	0.9	0.6	2.5	2.8	26.7	17.1
Nonmetro	2.5	2.5	0.4	0.7	2.1	1.8	17.1	27.2
Urbanized	2.8	2.7	0.6	0.5	2.2	2.2	20.6	20.2
Less Urbanized	2.4	2.4	0.3	0.9	2.1	1.5	13.5	*
Completely Rural	2.0	1.8	0.3	0.2	1.7	1.6	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.47A Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Felt Need for Treatment ¹ (2012)	Felt Need for Treatment ¹ (2013)	Felt Need and Made Effort to Get Treatment ¹ (2012)	Felt Need and Made Effort to Get Treatment ¹ (2013)	Felt Need and Made No Effort to Get Treatment ¹ (2012)	Felt Need and Made No Effort to Get Treatment ¹ (2013)	Did Not Feel Need for Treatment ¹ (2012)	Did Not Feel Need for Treatment ¹ (2013)
TOTAL	6,508	6,126	588 ^a	395	204	148	385	247	5,919	5,731
AGE										
12-17	920	817	31	24	5	7	25	17	889	793
18-25	2,483	2,330	141 ^a	88	57	33	83	55	2,343	2,242
26 or Older	3,104	2,978	417	283	141	108	276	175	2,687	2,695
GENDER										
Male	4,279	3,890	411	257	161	103	249	154	3,869	3,633
Female	2,229	2,236	178	138	42	46	136	93	2,051	2,097

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.47B Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Felt Need for Treatment ¹ (2012)	Felt Need for Treatment ¹ (2013)	Felt Need and Made Effort to Get Treatment ¹ (2012)	Felt Need and Made Effort to Get Treatment ¹ (2013)	Felt Need and Made No Effort to Get Treatment ¹ (2012)	Felt Need and Made No Effort to Get Treatment ¹ (2013)	Did Not Feel Need for Treatment ¹ (2012)	Did Not Feel Need for Treatment ¹ (2013)
TOTAL	100.0	100.0	9.0	6.4	3.1	2.4	5.9	4.0	91.0	93.6
AGE										
12-17	100.0	100.0	3.3	2.9	0.6	0.9	2.8	2.1	96.7	97.1
18-25	100.0	100.0	5.7	3.8	2.3	1.4	3.4	2.3	94.3	96.2
26 or Older	100.0	100.0	13.4	9.5	4.5	3.6	8.9	5.9	86.6	90.5
GENDER										
Male	100.0	100.0	9.6	6.6	3.8	2.6	5.8	4.0	90.4	93.4
Female	100.0	100.0	8.0	6.2	1.9	2.0	6.1	4.1	92.0	93.8

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.