

**Table 5.48A Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	18,291	18,049	1,492	1,421	16,800	16,628	8.2	7.9
<b>AGE</b>								
12-17	889 <sup>b</sup>	735	76	73	814 <sup>b</sup>	662	8.5	10.0
18-25	5,038 <sup>a</sup>	4,633	180	233	4,858 <sup>b</sup>	4,400	3.6 <sup>a</sup>	5.0
26 or Older	12,364	12,681	1,236	1,115	11,128	11,567	10.0	8.8
<b>GENDER</b>								
Male	12,000	11,600	1,048	948	10,952	10,652	8.7	8.2
Female	6,292	6,449	444	473	5,848	5,976	7.1	7.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	15,270	14,926	1,291	1,203	13,979	13,723	8.5	8.1
White	12,312	11,970	988	880	11,324	11,090	8.0	7.4
Black or African American	1,990	1,781	243	202	1,747	1,579	12.2	11.4
American Indian or Alaska Native	252	207	30	30	222	177	*	*
Native Hawaiian or Other Pacific Islander	40	*	1	6	39	*	*	*
Asian	376	505	8	43	368	462	2.1	*
Two or More Races	301	382	21	42	279	341	7.1	10.9
Hispanic or Latino	3,021	3,124	200	218	2,821	2,905	6.6	7.0

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.48B Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	7.0	6.9	0.6	0.5	6.5	6.3	8.2	7.9
<b>AGE</b>								
12-17	3.6 <sup>b</sup>	3.0	0.3	0.3	3.3 <sup>b</sup>	2.7	8.5	10.0
18-25	14.6 <sup>b</sup>	13.3	0.5	0.7	14.0 <sup>b</sup>	12.6	3.6 <sup>a</sup>	5.0
26 or Older	6.2	6.3	0.6	0.5	5.5	5.7	10.0	8.8
<b>GENDER</b>								
Male	9.5	9.1	0.8	0.7	8.7	8.4	8.7	8.2
Female	4.7	4.8	0.3	0.3	4.4	4.4	7.1	7.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	6.9	6.7	0.6	0.5	6.4	6.2	8.5	8.1
White	7.3	7.0	0.6	0.5	6.7	6.5	8.0	7.4
Black or African American	6.5	5.7	0.8	0.6	5.7	5.1	12.2	11.4
American Indian or Alaska Native	17.4	14.8	2.1	2.2	15.3	12.6	*	*
Native Hawaiian or Other Pacific Islander	3.7	*	0.1	0.7	3.6	*	*	*
Asian	2.9	3.8	0.1	0.3	2.9	3.5	2.1	*
Two or More Races	7.2	8.9	0.5	1.0	6.7	7.9	7.1	10.9
Hispanic or Latino	7.5	7.6	0.5	0.5	7.0	7.0	6.6	7.0

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.49A Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	17,402	17,314	1,416	1,348	15,986	15,966	8.1	7.8
<b>GENDER</b>								
Male	11,563	11,267	1,000	904	10,562	10,363	8.7	8.0
Female	5,839	6,047	416	444	5,424	5,604	7.1	7.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	14,610	14,347	1,223	1,149	13,387	13,198	8.4	8.0
White	11,776	11,482	936	842	10,840	10,639	7.9	7.3
Black or African American	1,926	1,731	234	195	1,692	1,537	12.1	11.2
American Indian or Alaska Native	244	198	29	26	215	172	*	*
Native Hawaiian or Other Pacific Islander	28	*	1	*	27	*	*	*
Asian	364	499	5	43	359	456	*	*
Two or More Races	272	363	19	39	253	324	6.9	10.7
Hispanic or Latino	2,792	2,967	193	199	2,599	2,768	6.9	6.7
<b>EDUCATION</b>								
< High School	2,896 <sup>a</sup>	2,329	383	250	2,513 <sup>a</sup>	2,079	13.2	10.7
High School Graduate	4,830	4,613	515	423	4,315	4,190	10.7	9.2
Some College	5,215	5,087	351	431	4,864	4,656	6.7	8.5
College Graduate	4,461 <sup>a</sup>	5,285	168	245	4,293 <sup>a</sup>	5,041	3.8	4.6
<b>CURRENT EMPLOYMENT</b>								
Full-Time	9,360	10,019	593 <sup>a</sup>	372	8,767	9,647	6.3 <sup>b</sup>	3.7
Part-Time	2,716	2,580	184	188	2,532	2,392	6.8	7.3
Unemployed	1,732 <sup>a</sup>	1,340	192	275	1,540 <sup>b</sup>	1,064	11.1 <sup>a</sup>	20.5
Other <sup>f</sup>	3,594	3,376	448	513	3,146	2,862	12.5	15.2

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>f</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.49B Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2012 and 2013**

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
<b>TOTAL</b>	7.4	7.3	0.6	0.6	6.8	6.7	8.1	7.8
<b>GENDER</b>								
Male	10.2	9.8	0.9	0.8	9.3	9.1	8.7	8.0
Female	4.8	4.9	0.3	0.4	4.4	4.6	7.1	7.3
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	7.3	7.1	0.6	0.6	6.7	6.5	8.4	8.0
White	7.6	7.3	0.6	0.5	7.0	6.8	7.9	7.3
Black or African American	7.1	6.2	0.9	0.7	6.2	5.5	12.1	11.2
American Indian or Alaska Native	18.9	15.9	2.2	2.1	16.6	13.8	*	*
Native Hawaiian or Other Pacific Islander	2.9	*	0.1	*	2.8	*	*	*
Asian	3.1	4.1	0.0	0.4	3.1	3.8	*	*
Two or More Races	8.0	10.3	0.5	1.1	7.4	9.2	6.9	10.7
Hispanic or Latino	8.0	8.3	0.6	0.6	7.5	7.8	6.9	6.7
<b>EDUCATION</b>								
< High School	8.5	7.2	1.1	0.8	7.3	6.5	13.2	10.7
High School Graduate	6.9	6.6	0.7	0.6	6.2	6.0	10.7	9.2
Some College	8.3	8.0	0.6	0.7	7.8	7.3	6.7	8.5
College Graduate	6.5	7.3	0.2	0.3	6.3	7.0	3.8	4.6
<b>CURRENT EMPLOYMENT</b>								
Full-Time	8.0	8.4	0.5 <sup>a</sup>	0.3	7.5	8.1	6.3 <sup>b</sup>	3.7
Part-Time	8.3	7.6	0.6	0.6	7.7	7.1	6.8	7.3
Unemployed	12.8	11.3	1.4	2.3	11.3 <sup>a</sup>	9.0	11.1 <sup>a</sup>	20.5
Other <sup>f</sup>	5.1	4.6	0.6	0.7	4.4	3.9	12.5	15.2

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>f</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.50A Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013**

Demographic Characteristic	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Felt Need for Treatment <sup>1</sup> (2012)	Felt Need for Treatment <sup>1</sup> (2013)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2012)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2013)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2012)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2013)	Did Not Feel Need for Treatment <sup>1</sup> (2012)	Did Not Feel Need for Treatment <sup>1</sup> (2013)
<b>TOTAL</b>	16,800	16,628	665	554	174	201	490	353	16,135	16,074
<b>AGE</b>										
12-17	814 <sup>b</sup>	662	7	13	1	7	6	6	807 <sup>b</sup>	649
18-25	4,858 <sup>a</sup>	4,400	112	77	35	38	78 <sup>a</sup>	39	4,745 <sup>a</sup>	4,322
26 or Older	11,128	11,567	545	464	138	156	407	308	10,583	11,103
<b>GENDER</b>										
Male	10,952	10,652	473	400	126	152	347	248	10,479	10,252
Female	5,848	5,976	192	154	48	49	144	105	5,656	5,822

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.50B Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Felt Need for Treatment<sup>1</sup> (2012)</b>	<b>Felt Need for Treatment<sup>1</sup> (2013)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2013)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2013)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2012)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2013)</b>
<b>TOTAL</b>	100.0	100.0	4.0	3.3	1.0	1.2	2.9	2.1	96.0	96.7
<b>AGE</b>										
12-17	100.0	100.0	0.9	1.9	0.2	1.0	0.7	0.9	99.1	98.1
18-25	100.0	100.0	2.3	1.8	0.7	0.9	1.6	0.9	97.7	98.2
26 or Older	100.0	100.0	4.9	4.0	1.2	1.4	3.7	2.7	95.1	96.0
<b>GENDER</b>										
Male	100.0	100.0	4.3	3.8	1.2	1.4	3.2	2.3	95.7	96.2
Female	100.0	100.0	3.3	2.6	0.8	0.8	2.5	1.8	96.7	97.4

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.