

Table 5.51A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	23,061	22,687	2,496	2,466	20,565	20,221	10.8	10.9
AGE								
12-17	1,563 ^b	1,340	157	122	1,407 ^b	1,218	10.0	9.1
18-25	6,681 ^b	6,146	467	458	6,215 ^b	5,689	7.0	7.4
26 or Older	14,817	15,200	1,872	1,886	12,944	13,314	12.6	12.4
GENDER								
Male	15,048	14,476	1,616	1,546	13,432	12,931	10.7	10.7
Female	8,013	8,210	880	920	7,134	7,290	11.0	11.2
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	19,358	18,909	2,196	2,069	17,162	16,841	11.3	10.9
White	15,270	14,967	1,680	1,615	13,590	13,351	11.0	10.8
Black or African American	2,826	2,478	359	310	2,467	2,168	12.7	12.5
American Indian or Alaska Native	318	232	52	33	266	199	*	*
Native Hawaiian or Other Pacific Islander	81	100	*	6	57	*	*	*
Asian	412 ^a	631	9	46	403	585	2.1	*
Two or More Races	452	501	73	58	379	442	*	11.7
Hispanic or Latino	3,703	3,777	300	397	3,403	3,380	8.1	10.5

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.51B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	8.9	8.6	1.0	0.9	7.9	7.7	10.8	10.9
AGE								
12-17	6.3 ^b	5.4	0.6	0.5	5.6 ^b	4.9	10.0	9.1
18-25	19.3 ^b	17.7	1.3	1.3	18.0 ^b	16.4	7.0	7.4
26 or Older	7.4	7.5	0.9	0.9	6.5	6.6	12.6	12.4
GENDER								
Male	12.0	11.4	1.3	1.2	10.7	10.2	10.7	10.7
Female	6.0	6.1	0.7	0.7	5.3	5.4	11.0	11.2
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	8.8	8.6	1.0	0.9	7.8	7.6	11.3	10.9
White	9.0	8.8	1.0	1.0	8.0	7.9	11.0	10.8
Black or African American	9.2	7.9	1.2	1.0	8.0	6.9	12.7	12.5
American Indian or Alaska Native	22.0	16.6	3.6	2.4	18.4	14.2	*	*
Native Hawaiian or Other Pacific Islander	7.5	11.5	*	0.7	5.3	*	*	*
Asian	3.2	4.7	0.1	0.3	3.2	4.4	2.1	*
Two or More Races	10.9	11.7	1.7	1.4	9.1	10.3	*	11.7
Hispanic or Latino	9.2	9.2	0.7	1.0	8.4	8.2	8.1	10.5

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.52A Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	21,498	21,346	2,339	2,343	19,159	19,003	10.9	11.0
GENDER								
Male	14,240	13,785	1,517	1,478	12,722	12,307	10.7	10.7
Female	7,258	7,561	822	866	6,437	6,696	11.3	11.4
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	18,196	17,874	2,060	1,979	16,136	15,896	11.3	11.1
White	14,370	14,167	1,573	1,547	12,796	12,620	10.9	10.9
Black or African American	2,670	2,314	340	300	2,330	2,015	12.7	12.9
American Indian or Alaska Native	305	219	50	28	255	191	*	*
Native Hawaiian or Other Pacific Islander	68	*	*	*	43	*	*	*
Asian	391 ^a	613	5	46	386	567	*	*
Two or More Races	391	467	66	55	325	413	*	11.7
Hispanic or Latino	3,302	3,472	280	365	3,023	3,107	8.5	10.5
EDUCATION								
< High School	3,685	3,255	581	572	3,104	2,683	15.8	17.6
High School Graduate	6,466	5,822	865	713	5,602	5,110	13.4	12.2
Some College	6,320	6,424	676	716	5,644	5,707	10.7	11.2
College Graduate	5,026 ^a	5,845	218	343	4,809	5,503	4.3	5.9
CURRENT EMPLOYMENT								
Full-Time	11,059	11,561	897 ^b	583	10,162	10,978	8.1 ^b	5.0
Part-Time	3,447	3,291	335	351	3,112	2,940	9.7	10.7
Unemployed	2,362	1,998	357	469	2,005 ^b	1,529	15.1 ^a	23.5
Other ^f	4,630	4,497	750	941	3,880	3,556	16.2	20.9

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.52B Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	9.1	9.0	1.0	1.0	8.1	8.0	10.9	11.0
GENDER								
Male	12.6	12.0	1.3	1.3	11.2	10.8	10.7	10.7
Female	6.0	6.1	0.7	0.7	5.3	5.4	11.3	11.4
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	9.1	8.9	1.0	1.0	8.1	7.9	11.3	11.1
White	9.2	9.1	1.0	1.0	8.2	8.1	10.9	10.9
Black or African American	9.8	8.3	1.3	1.1	8.6	7.2	12.7	12.9
American Indian or Alaska Native	23.6	17.6	3.9	2.3	19.7	15.4	*	*
Native Hawaiian or Other Pacific Islander	6.9	*	*	*	4.4	*	*	*
Asian	3.4	5.1	0.0	0.4	3.3	4.7	*	*
Two or More Races	11.4	13.2	1.9	1.5	9.5	11.7	*	11.7
Hispanic or Latino	9.5	9.7	0.8	1.0	8.7	8.7	8.5	10.5
EDUCATION								
< High School	10.8	10.1	1.7	1.8	9.1	8.3	15.8	17.6
High School Graduate	9.3	8.3	1.2	1.0	8.0	7.3	13.4	12.2
Some College	10.1	10.1	1.1	1.1	9.0	9.0	10.7	11.2
College Graduate	7.3	8.1	0.3	0.5	7.0	7.6	4.3	5.9
CURRENT EMPLOYMENT								
Full-Time	9.4	9.7	0.8 ^b	0.5	8.6	9.2	8.1 ^b	5.0
Part-Time	10.5	9.8	1.0	1.0	9.5	8.7	9.7	10.7
Unemployed	17.4	16.9	2.6	4.0	14.8	13.0	15.1 ^a	23.5
Other ^f	6.5	6.2	1.1	1.3	5.5	4.9	16.2	20.9

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

^f The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.53A Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Felt Need for Treatment ¹ (2012)	Felt Need for Treatment ¹ (2013)	Felt Need and Made Effort to Get Treatment ¹ (2012)	Felt Need and Made Effort to Get Treatment ¹ (2013)	Felt Need and Made No Effort to Get Treatment ¹ (2012)	Felt Need and Made No Effort to Get Treatment ¹ (2013)	Did Not Feel Need for Treatment ¹ (2012)	Did Not Feel Need for Treatment ¹ (2013)
TOTAL	20,565	20,221	1,106	908	347	316	760	592	19,459	19,313
AGE										
12-17	1,407 ^a	1,218	39	31	8	11	31	20	1,367 ^a	1,187
18-25	6,215 ^a	5,689	242 ^a	159	90	63	151 ^a	96	5,973 ^a	5,530
26 or Older	12,944	13,314	825	718	248	242	578	477	12,119	12,596
GENDER										
Male	13,432	12,931	750	622	256	224	494	399	12,682	12,308
Female	7,134	7,290	357	286	91	92	266	193	6,777	7,005

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.53B Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Felt Need for Treatment ¹ (2012)	Felt Need for Treatment ¹ (2013)	Felt Need and Made Effort to Get Treatment ¹ (2012)	Felt Need and Made Effort to Get Treatment ¹ (2013)	Felt Need and Made No Effort to Get Treatment ¹ (2012)	Felt Need and Made No Effort to Get Treatment ¹ (2013)	Did Not Feel Need for Treatment ¹ (2012)	Did Not Feel Need for Treatment ¹ (2013)
TOTAL	100.0	100.0	5.4	4.5	1.7	1.6	3.7	2.9	94.6	95.5
AGE										
12-17	100.0	100.0	2.8	2.5	0.6	0.9	2.2	1.6	97.2	97.5
18-25	100.0	100.0	3.9	2.8	1.5	1.1	2.4	1.7	96.1	97.2
26 or Older	100.0	100.0	6.4	5.4	1.9	1.8	4.5	3.6	93.6	94.6
GENDER										
Male	100.0	100.0	5.6	4.8	1.9	1.7	3.7	3.1	94.4	95.2
Female	100.0	100.0	5.0	3.9	1.3	1.3	3.7	2.7	95.0	96.1

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.