

Table 5.14C Substance Dependence for Specific Substances in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013

Past Year Dependence	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
ILLICIT DRUGS¹	215	211	32	29	78	73	197	197
Marijuana and Hashish	136	164	29	27	64	61	113	152
Cocaine	99	73	5	4	22	24	96	68
Heroin	70	57	5	2	21	20	66	52
Hallucinogens	27	20	7	8	10	12	23	14
Inhalants	10	10	5	5	3	7	*	*
Nonmedical Use of Psychotherapeutics ^{2,3}	135	129	13	12	46	40	127	121
Pain Relievers	125	121	12	11	41	35	117	115
Tranquilizers	58	47	8	7	21	17	54	42
Stimulants ²	55	71	7	5	18	21	53	68
Sedatives	35	23	4	2	5	9	34	21
ALCOHOL	300	286	25	22	77	78	288	278
BOTH ILLICIT DRUGS AND ALCOHOL¹	121	87	12	13	38	38	112	78
ILLICIT DRUGS OR ALCOHOL¹	353	336	39	35	104	102	330	319

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.14D Substance Dependence for Specific Substances in the Past Year, by Age Group: Standard Errors of Percentages, 2012 and 2013

Past Year Dependence	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
ILLICIT DRUGS¹	0.08	0.08	0.13	0.12	0.22	0.21	0.10	0.10
Marijuana and Hashish	0.05	0.06	0.12	0.11	0.19	0.18	0.06	0.07
Cocaine	0.04	0.03	0.02	0.01	0.07	0.07	0.05	0.03
Heroin	0.03	0.02	0.02	0.01	0.06	0.06	0.03	0.03
Hallucinogens	0.01	0.01	0.03	0.03	0.03	0.04	0.01	0.01
Inhalants	0.00	0.00	0.02	0.02	0.01	0.02	*	*
Nonmedical Use of Psychotherapeutics ^{2,3}	0.05	0.05	0.05	0.05	0.13	0.11	0.06	0.06
Pain Relievers	0.05	0.05	0.05	0.04	0.12	0.10	0.06	0.06
Tranquilizers	0.02	0.02	0.03	0.03	0.06	0.05	0.03	0.02
Stimulants ²	0.02	0.03	0.03	0.02	0.05	0.06	0.03	0.03
Sedatives	0.01	0.01	0.02	0.01	0.01	0.03	0.02	0.01
ALCOHOL	0.12	0.11	0.10	0.09	0.22	0.22	0.14	0.14
BOTH ILLICIT DRUGS AND ALCOHOL¹	0.05	0.03	0.05	0.05	0.11	0.11	0.06	0.04
ILLICIT DRUGS OR ALCOHOL¹	0.14	0.13	0.15	0.14	0.30	0.29	0.16	0.16

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.14P Substance Dependence for Specific Substances in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Past Year Dependence	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
ILLCIT DRUGS¹	0.5474		0.6597		0.2523		0.9019	
Marijuana and Hashish	0.6653		0.7565		0.8701		0.5161	
Cocaine	0.1085		0.9492		0.9245		0.0909	
Heroin	0.9375		0.3949		0.9485		0.9956	
Hallucinogens	0.4984		0.7436		0.8683		0.4272	
Inhalants	0.7196		0.5681		0.2363		*	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.3231		0.4087		0.0461		0.7870	
Pain Relievers	0.5932		0.8323		0.0238		0.8342	
Tranquilizers	0.2716		0.4628		0.7362		0.3587	
Stimulants ²	0.8638		0.3083		0.5104		0.7717	
Sedatives	0.2240		0.1920		0.4258		0.1887	
ALCOHOL	0.0907		0.1371		0.1211		0.2248	
BOTH ILLICIT DRUGS AND ALCOHOL¹	0.2365		0.8941		0.7960		0.1573	
ILLCIT DRUGS OR ALCOHOL¹	0.1413		0.1821		0.0338		0.4756	

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

³ Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.