

**Table 5.23C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Location of Treatment<sup>1</sup></b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL POPULATION</b>	142	156	22	17	46	38	133	148
Hospital - Inpatient	70	65	6	6	24	19	65	61
Rehabilitation Facility - Inpatient	71	83	8	6	27	23	64	77
Rehabilitation Facility - Outpatient	97	104	14	10	29	29	95	97
Mental Health Center - Outpatient	72	70	8	9	20	20	68	66
Emergency Room	54	44	4	5	18	10	51	42
Private Doctor's Office	67	66	6	5	18	17	64	64
Self-Help Group	104	116	16	9	37	28	97	111
Prison/Jail	54	33	7	3	8	10	53	31

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.23D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2012 and 2013**

Location of Treatment <sup>1</sup>	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL POPULATION</b>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospital - Inpatient	2.67	2.60	2.60	3.46	3.54	3.11	3.82	3.63
Rehabilitation Facility - Inpatient	2.68	3.15	3.49	3.30	3.67	3.48	3.78	4.31
Rehabilitation Facility - Outpatient	3.09	3.31	5.12	4.59	3.58	3.49	4.44	4.61
Mental Health Center - Outpatient	2.75	2.68	3.46	4.38	3.07	3.20	3.99	3.71
Emergency Room	2.27	1.89	1.99	2.86	2.93	1.91	3.26	2.65
Private Doctor's Office	2.63	2.68	2.68	2.84	2.83	2.90	3.81	3.68
Self-Help Group	3.17	3.33	5.35	4.33	4.07	3.49	4.50	4.61
Prison/Jail	2.30	1.47	3.17	1.82	1.44	1.83	3.38	2.02

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.23P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Location of Treatment <sup>1</sup>	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL POPULATION</b>	N/A		N/A		N/A		N/A	
Hospital - Inpatient	0.8713		0.5186		0.9701		0.9600	
Rehabilitation Facility - Inpatient	0.3663		0.7397		0.6209		0.4108	
Rehabilitation Facility - Outpatient	0.4122		0.3169		0.0535		0.6800	
Mental Health Center - Outpatient	0.6150		0.3523		0.7862		0.7851	
Emergency Room	0.7586		0.2539		0.1801		0.5844	
Private Doctor's Office	0.8173		0.9521		0.5980		0.7460	
Self-Help Group	0.5753		0.2827		0.6640		0.6249	
Prison/Jail	0.1673		0.1883		0.6461		0.1641	

\*Low precision; no estimate reported.

N/A: Not Applicable.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.24C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Location of Treatment<sup>1</sup></b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL POPULATION</b>	175	173	20	16	33	36	170	168
Hospital - Inpatient	86	80	5	8	10	18	85	78
Rehabilitation Facility - Inpatient	81	86	8	8	12	17	80	83
Rehabilitation Facility - Outpatient	88	110	10	10	15	23	88	107
Mental Health Center - Outpatient	70	84	5	*	10	16	70	82
Emergency Room	72	58	4	*	7	10	71	57
Private Doctor's Office	71	65	7	6	15	13	69	63
Self-Help Group	131	151	*	10	24	25	127	148
Prison/Jail	53	33	5	5	7	9	53	31

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.24D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2012 and 2013**

<b>Location of Treatment<sup>1</sup></b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL POPULATION</b>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospital - Inpatient	2.87	2.62	2.95	4.96	2.36	3.23	3.62	3.31
Rehabilitation Facility - Inpatient	2.69	2.76	4.61	4.81	2.61	3.18	3.36	3.45
Rehabilitation Facility - Outpatient	2.91	3.16	5.33	5.76	3.21	3.83	3.68	3.98
Mental Health Center - Outpatient	2.47	2.80	3.38	*	2.32	3.02	3.12	3.51
Emergency Room	2.50	2.02	2.22	*	1.71	2.08	3.17	2.57
Private Doctor's Office	2.52	2.23	3.77	4.00	3.30	2.63	3.15	2.80
Self-Help Group	3.03	3.08	*	5.52	3.98	3.75	3.77	3.74
Prison/Jail	1.95	1.18	3.12	3.64	1.74	1.80	2.46	1.42

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.24P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Location of Treatment <sup>1</sup>	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL POPULATION</b>	N/A		N/A		N/A		N/A	
Hospital - Inpatient	0.8647		0.1534		0.0797		0.5592	
Rehabilitation Facility - Inpatient	0.8931		0.6274		0.1938		0.6842	
Rehabilitation Facility - Outpatient	0.1129		0.5029		0.0557		0.2426	
Mental Health Center - Outpatient	0.4680		*		0.2975		0.7053	
Emergency Room	0.5246		*		0.7889		0.4081	
Private Doctor's Office	0.7557		0.6058		0.9024		0.7994	
Self-Help Group	0.4458		*		0.4275		0.3736	
Prison/Jail	0.0773		0.6902		0.6697		0.0751	

\*Low precision; no estimate reported.

N/A: Not Applicable.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.25C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Location of Treatment<sup>1</sup></b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL POPULATION</b>	200	210	24	20	54	47	192	203
Hospital - Inpatient	101	93	7	9	26	22	98	91
Rehabilitation Facility - Inpatient	101	107	10	9	28	24	97	101
Rehabilitation Facility - Outpatient	116	134	16	13	31	31	114	128
Mental Health Center - Outpatient	95	109	9	11	21	22	93	105
Emergency Room	88	74	6	9	19	16	86	71
Private Doctor's Office	93	86	7	7	23	19	90	83
Self-Help Group	148	172	17	12	42	31	141	169
Prison/Jail	65	42	8	6	9	11	64	40

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.25D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2012 and 2013**

<b>Location of Treatment<sup>1</sup></b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL POPULATION</b>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospital - Inpatient	2.18	2.04	2.30	3.54	2.62	2.42	2.91	2.65
Rehabilitation Facility - Inpatient	2.17	2.29	3.12	3.56	2.74	2.60	2.90	2.89
Rehabilitation Facility - Outpatient	2.33	2.47	4.27	4.29	2.77	2.91	3.14	3.17
Mental Health Center - Outpatient	2.09	2.29	2.90	4.04	2.21	2.41	2.82	2.95
Emergency Room	2.02	1.69	2.13	3.42	2.09	1.94	2.71	2.19
Private Doctor's Office	2.08	1.91	2.41	2.86	2.36	2.13	2.79	2.48
Self-Help Group	2.41	2.44	4.54	4.31	3.18	2.79	3.19	3.07
Prison/Jail	1.54	1.03	2.61	2.52	1.10	1.37	2.09	1.30

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.25P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Location of Treatment<sup>1</sup></b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL POPULATION</b>	N/A		N/A		N/A		N/A	
Hospital - Inpatient	0.9536		0.2212		0.5546		0.7918	
Rehabilitation Facility - Inpatient	0.8815		0.9546		0.4982		0.9675	
Rehabilitation Facility - Outpatient	0.0945		0.5897		0.0269		0.2071	
Mental Health Center - Outpatient	0.1905		0.1068		0.3118		0.3764	
Emergency Room	0.9879		0.0601		0.9184		0.8187	
Private Doctor's Office	0.8239		0.7789		0.5837		0.7806	
Self-Help Group	0.2696		0.8622		0.6623		0.2648	
Prison/Jail	0.0909		0.9688		0.5586		0.0648	

\*Low precision; no estimate reported.

N/A: Not Applicable.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.