

**Table 5.38C Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

Location of Treatment <sup>1</sup>	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL POPULATION</b>	118	122	15	*	35	31	114	114
Hospital - Inpatient	70	65	6	*	24	19	65	61
Rehabilitation Facility - Inpatient	71	83	8	*	27	23	64	77
Rehabilitation Facility - Outpatient	97	104	*	*	29	29	95	97
Mental Health Center - Outpatient	72	70	8	*	20	20	68	66
Emergency Room <sup>2</sup>	54	44	4	*	17	10	51	42
Private Doctor's Office <sup>2</sup>	54	56	5	*	16	15	51	55
Self-Help Group <sup>2</sup>	92	100	*	*	26	26	88	95
Prison/Jail <sup>2</sup>	53	29	*	*	7	9	53	27

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Emergency Room, Private Doctor's Office, Self-Help Group, and Prison/Jail are not considered specialty facilities.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.38D Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2012 and 2013**

Location of Treatment <sup>1</sup>	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL POPULATION</b>	0.00	0.00	0.00	*	0.00	0.00	0.00	0.00
Hospital - Inpatient	3.59	3.65	4.47	*	4.82	4.31	4.92	4.92
Rehabilitation Facility - Inpatient	3.63	4.12	5.66	*	4.65	4.54	4.91	5.48
Rehabilitation Facility - Outpatient	3.41	3.45	*	*	4.03	3.03	4.69	4.73
Mental Health Center - Outpatient	3.73	3.66	5.75	*	4.57	4.32	5.20	4.95
Emergency Room <sup>2</sup>	3.18	2.76	3.57	*	4.11	2.57	4.39	3.78
Private Doctor's Office <sup>2</sup>	3.13	3.27	4.05	*	4.03	3.80	4.29	4.45
Self-Help Group <sup>2</sup>	3.86	3.75	*	*	4.84	4.32	5.26	4.97
Prison/Jail <sup>2</sup>	3.24	1.93	*	*	1.88	2.49	4.55	2.58

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Emergency Room, Private Doctor's Office, Self-Help Group, and Prison/Jail are not considered specialty facilities.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.38P Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Location of Treatment <sup>1</sup>	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL POPULATION</b>	N/A		N/A		N/A		N/A	
Hospital - Inpatient	0.7454		*		0.9282		0.8052	
Rehabilitation Facility - Inpatient	0.2372		*		0.6146		0.2612	
Rehabilitation Facility - Outpatient	0.1468		*		0.0059		0.3255	
Mental Health Center - Outpatient	0.4617		*		0.8217		0.5936	
Emergency Room <sup>2</sup>	0.7072		*		0.1194		0.4831	
Private Doctor's Office <sup>2</sup>	0.7416		*		0.4060		0.5404	
Self-Help Group <sup>2</sup>	0.5381		*		0.1544		0.8493	
Prison/Jail <sup>2</sup>	0.1212		*		0.7297		0.1179	

\*Low precision; no estimate reported.

N/A: Not Applicable.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Emergency Room, Private Doctor's Office, Self-Help Group, and Prison/Jail are not considered specialty facilities.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.39C Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Location of Treatment<sup>1</sup></b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL POPULATION</b>	127	125	*	*	19	26	127	121
Hospital - Inpatient	86	80	*	*	10	18	85	78
Rehabilitation Facility - Inpatient	81	86	*	*	12	17	80	83
Rehabilitation Facility - Outpatient	88	110	*	*	15	23	88	107
Mental Health Center - Outpatient	70	84	*	*	10	16	70	82
Emergency Room <sup>2</sup>	68	58	*	*	7	8	68	57
Private Doctor's Office <sup>2</sup>	50	53	*	*	5	*	50	52
Self-Help Group <sup>2</sup>	104	109	*	*	14	19	103	107
Prison/Jail <sup>2</sup>	53	21	*	*	6	8	53	18

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Emergency Room, Private Doctor's Office, Self-Help Group, and Prison/Jail are not considered specialty facilities.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.39D Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2012 and 2013**

Location of Treatment <sup>1</sup>	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL POPULATION</b>	0.00	0.00	*	*	0.00	0.00	0.00	0.00
Hospital - Inpatient	4.40	4.25	*	*	4.78	5.28	5.21	5.34
Rehabilitation Facility - Inpatient	4.06	4.42	*	*	4.95	5.23	4.78	5.47
Rehabilitation Facility - Outpatient	4.25	3.67	*	*	5.02	4.80	5.07	4.52
Mental Health Center - Outpatient	3.99	4.40	*	*	4.53	5.29	4.77	5.47
Emergency Room <sup>2</sup>	3.88	3.67	*	*	3.62	3.32	4.65	4.58
Private Doctor's Office <sup>2</sup>	3.18	3.39	*	*	2.48	*	3.81	4.21
Self-Help Group <sup>2</sup>	3.93	4.09	*	*	5.03	5.34	4.61	4.92
Prison/Jail <sup>2</sup>	3.29	1.50	*	*	3.14	3.26	3.91	1.61

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Emergency Room, Private Doctor's Office, Self-Help Group, and Prison/Jail are not considered specialty facilities.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.39P Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Location of Treatment <sup>1</sup>	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL POPULATION</b>	N/A		N/A		N/A		N/A	
Hospital - Inpatient	0.7002		*		0.1293		0.9216	
Rehabilitation Facility - Inpatient	0.6343		*		0.3728		0.7137	
Rehabilitation Facility - Outpatient	0.0015		*		0.0902		0.0037	
Mental Health Center - Outpatient	0.1415		*		0.5885		0.2051	
Emergency Room <sup>2</sup>	0.9698		*		0.4529		0.9720	
Private Doctor's Office <sup>2</sup>	0.3284		*		*		0.4193	
Self-Help Group <sup>2</sup>	0.7555		*		0.6012		0.6173	
Prison/Jail <sup>2</sup>	0.0107		*		0.6850		0.0081	

\*Low precision; no estimate reported.

N/A: Not Applicable.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Emergency Room, Private Doctor's Office, Self-Help Group, and Prison/Jail are not considered specialty facilities.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.40C Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Location of Treatment<sup>1</sup></b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL POPULATION</b>	157	158	17	15	37	36	154	151
Hospital - Inpatient	101	93	7	9	26	22	98	91
Rehabilitation Facility - Inpatient	101	107	10	9	28	24	97	101
Rehabilitation Facility - Outpatient	116	134	16	*	31	31	114	128
Mental Health Center - Outpatient	95	109	9	11	21	22	93	105
Emergency Room <sup>2</sup>	85	73	6	*	18	14	83	71
Private Doctor's Office <sup>2</sup>	68	70	6	6	17	16	65	68
Self-Help Group <sup>2</sup>	122	133	11	10	28	28	119	128
Prison/Jail <sup>2</sup>	63	34	6	*	8	10	62	31

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Emergency Room, Private Doctor's Office, Self-Help Group, and Prison/Jail are not considered specialty facilities.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.40D Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Standard Errors of Percentages, 2012 and 2013**

Location of Treatment <sup>1</sup>	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL POPULATION</b>	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hospital - Inpatient	3.17	3.02	4.05	5.78	4.12	3.63	4.04	3.88
Rehabilitation Facility - Inpatient	3.16	3.26	5.14	5.75	4.05	3.74	4.04	4.10
Rehabilitation Facility - Outpatient	3.07	2.92	4.49	*	3.54	3.15	3.97	3.69
Mental Health Center - Outpatient	3.04	3.15	5.02	5.87	3.66	3.55	3.93	4.01
Emergency Room <sup>2</sup>	2.97	2.62	3.88	*	3.43	2.75	3.83	3.36
Private Doctor's Office <sup>2</sup>	2.49	2.51	3.42	4.46	3.26	2.98	3.17	3.24
Self-Help Group <sup>2</sup>	3.04	3.08	5.62	5.83	4.05	3.62	3.86	3.81
Prison/Jail <sup>2</sup>	2.35	1.36	3.79	*	1.70	2.08	3.05	1.67

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Emergency Room, Private Doctor's Office, Self-Help Group, and Prison/Jail are not considered specialty facilities.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.



**Table 5.40P Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012**

Location of Treatment <sup>1</sup>	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL POPULATION</b>	N/A		N/A		N/A		N/A	
Hospital - Inpatient	0.7984		0.1216		0.8325		0.9633	
Rehabilitation Facility - Inpatient	0.7047		0.7786		0.8466		0.7506	
Rehabilitation Facility - Outpatient	0.0139		*		0.0383		0.0287	
Mental Health Center - Outpatient	0.0786		0.0348		0.5802		0.1481	
Emergency Room <sup>2</sup>	0.8135		*		0.3330		0.7665	
Private Doctor's Office <sup>2</sup>	0.5120		0.7066		0.4867		0.4296	
Self-Help Group <sup>2</sup>	0.5479		0.8824		0.3916		0.7261	
Prison/Jail <sup>2</sup>	0.0327		*		0.7995		0.0257	

\*Low precision; no estimate reported.

N/A: Not Applicable.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

<sup>2</sup> Emergency Room, Private Doctor's Office, Self-Help Group, and Prison/Jail are not considered specialty facilities.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.