

**Table 5.41C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse Status: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Dependence or Abuse Status</b>	<b>Illicit Drugs (2012)</b>	<b>Illicit Drugs (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Both Illicit Drugs and Alcohol (2012)</b>	<b>Both Illicit Drugs and Alcohol (2013)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2012)</b>	<b>Illicit Drugs or Alcohol<sup>1</sup> (2013)</b>
<b>TOTAL</b>	117	123	127	125	83	75	155	160
<b>DEPENDENCE</b>								
None	78	95	80	93	49	55	103	120
Both Illicit Drugs and Alcohol	62	42	63	38	62	37	68	44
Illicit Drugs or Alcohol	91	72	104	82	70	49	122	100
Illicit Drugs	86	69	67	50	64	48	91	73
Alcohol	70	47	101	75	67	39	106	80
<b>DEPENDENCE OR ABUSE</b>								
None	64	94	64	90	29	55	88	118
Both Illicit Drugs and Alcohol	64	48	66	46	63	41	72	53
Illicit Drugs or Alcohol	100	74	114	86	79	50	132	105
Illicit Drugs	87	72	71	54	65	49	95	79
Alcohol	81	51	109	81	77	42	116	87

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.41D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse Status: Standard Errors of Percentages, 2012 and 2013**

Dependence or Abuse Status	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol (2012)	Both Illicit Drugs and Alcohol (2013)	Illicit Drugs or Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1</sup> (2013)
<b>TOTAL</b>	0.04	0.05	0.05	0.05	0.03	0.03	0.06	0.06
<b>DEPENDENCE</b>								
None	0.03	0.04	0.03	0.04	0.02	0.02	0.04	0.05
Both Illicit Drugs and Alcohol	4.24	3.46	4.21	3.21	4.24	3.11	4.26	3.55
Illicit Drugs or Alcohol	0.71	0.60	0.81	0.68	0.55	0.41	0.92	0.82
Illicit Drugs	1.56	1.34	1.26	1.00	1.22	0.95	1.61	1.42
Alcohol	0.79	0.58	1.11	0.91	0.76	0.48	1.16	0.96
<b>DEPENDENCE OR ABUSE</b>								
None	0.03	0.04	0.03	0.04	0.01	0.02	0.04	0.05
Both Illicit Drugs and Alcohol	2.08	1.74	2.12	1.67	2.06	1.51	2.22	1.88
Illicit Drugs or Alcohol	0.44	0.34	0.50	0.39	0.35	0.23	0.57	0.48
Illicit Drugs	1.11	1.00	0.92	0.77	0.86	0.70	1.18	1.08
Alcohol	0.45	0.29	0.60	0.46	0.43	0.24	0.63	0.49

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.41P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse Status: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Dependence or Abuse Status	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol (2012)	Both Illicit Drugs and Alcohol (2013)	Illicit Drugs or Alcohol <sup>1</sup> (2012)	Illicit Drugs or Alcohol <sup>1</sup> (2013)
<b>TOTAL</b>	0.7080		0.6302		0.4119		0.8084	
<b>DEPENDENCE</b>								
None	0.6760		0.5352		0.8192		0.4582	
Both Illicit Drugs and Alcohol	0.3798		0.1627		0.1493		0.2483	
Illicit Drugs or Alcohol	0.5294		0.3553		0.2849		0.5048	
Illicit Drugs	0.5121		0.3187		0.3556		0.4647	
Alcohol	0.2851		0.2646		0.1040		0.3423	
<b>DEPENDENCE OR ABUSE</b>								
None	0.1628		0.1239		0.1542		0.1034	
Both Illicit Drugs and Alcohol	0.8643		0.3934		0.3121		0.6768	
Illicit Drugs or Alcohol	0.1209		0.1136		0.0733		0.1356	
Illicit Drugs	0.7836		0.4628		0.5799		0.6341	
Alcohol	0.0795		0.0865		0.0246		0.1195	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.42C Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Numbers in Thousands, 2012 and 2013**

Past Year Dependence or Abuse <sup>1</sup>	Illicit Drugs <sup>2</sup> (2012)	Illicit Drugs <sup>2</sup> (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol <sup>2</sup> (2012)	Both Illicit Drugs and Alcohol <sup>2</sup> (2013)	Illicit Drugs or Alcohol <sup>2,3</sup> (2012)	Illicit Drugs or Alcohol <sup>2,3</sup> (2013)
<b>ILLCIT DRUGS<sup>2</sup></b>	87	72	71	54	65	49	95	79
Marijuana and Hashish	53	41	50	33	46	29	58	47
Cocaine	50	35	38	28	37	25	56	37
Heroin	*	*	*	19	*	19	*	*
Hallucinogens	*	*	*	*	*	*	*	*
Inhalants	*	*	*	*	*	*	*	*
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	67	53	51	38	47	36	70	55
Pain Relievers	64	50	47	36	46	35	65	51
Tranquilizers	*	*	*	*	*	*	*	*
Stimulants <sup>4</sup>	*	20	*	15	*	13	*	21
Sedatives	*	*	*	*	*	*	*	*
<b>ALCOHOL</b>	81	51	109	81	77	42	116	87
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>2</sup></b>	64	48	66	46	63	41	72	53
<b>ILLCIT DRUGS OR ALCOHOL<sup>2</sup></b>	100	74	114	86	79	50	132	105

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

<sup>5</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.42D Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Standard Errors of Percentages, 2012 and 2013**

Past Year Dependence or Abuse <sup>1</sup>	Illicit Drugs <sup>2</sup> (2012)	Illicit Drugs <sup>2</sup> (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol <sup>2</sup> (2012)	Both Illicit Drugs and Alcohol <sup>2</sup> (2013)	Illicit Drugs or Alcohol <sup>2,3</sup> (2012)	Illicit Drugs or Alcohol <sup>2,3</sup> (2013)
<b>ILLCIT DRUGS<sup>2</sup></b>	1.11	1.00	0.92	0.77	0.86	0.70	1.18	1.08
Marijuana and Hashish	1.17	0.94	1.11	0.77	1.02	0.68	1.25	1.07
Cocaine	4.00	3.96	3.20	3.02	3.16	2.75	4.18	4.13
Heroin	*	*	*	3.36	*	3.31	*	*
Hallucinogens	*	*	*	*	*	*	*	*
Inhalants	*	*	*	*	*	*	*	*
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	2.32	2.12	1.84	1.58	1.72	1.51	2.38	2.19
Pain Relievers	2.76	2.47	2.15	1.83	2.11	1.81	2.79	2.49
Tranquilizers	*	*	*	*	*	*	*	*
Stimulants <sup>4</sup>	*	4.40	*	3.21	*	2.87	*	4.65
Sedatives	*	*	*	*	*	*	*	*
<b>ALCOHOL</b>	0.45	0.29	0.60	0.46	0.43	0.24	0.63	0.49
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>2</sup></b>	2.08	1.74	2.12	1.67	2.06	1.51	2.22	1.88
<b>ILLCIT DRUGS OR ALCOHOL<sup>2</sup></b>	0.44	0.34	0.50	0.39	0.35	0.23	0.57	0.48

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

<sup>5</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.42P Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Past Year Dependence or Abuse <sup>1</sup>	Illicit Drugs <sup>2</sup> (2012)	Illicit Drugs <sup>2</sup> (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol <sup>2</sup> (2012)	Both Illicit Drugs and Alcohol <sup>2</sup> (2013)	Illicit Drugs or Alcohol <sup>2,3</sup> (2012)	Illicit Drugs or Alcohol <sup>2,3</sup> (2013)
<b>ILLCIT DRUGS<sup>2</sup></b>	0.7836		0.4628		0.5799		0.6341	
Marijuana and Hashish	0.8575		0.3061		0.5145		0.9938	
Cocaine	0.5227		0.6184		0.3209		0.4840	
Heroin	*		*		*		*	
Hallucinogens	*		*		*		*	
Inhalants	*		*		*		*	
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	0.7286		0.3952		0.4701		0.6456	
Pain Relievers	0.5098		0.3853		0.4295		0.4694	
Tranquilizers	*		*		*		*	
Stimulants <sup>4</sup>	*		*		*		*	
Sedatives	*		*		*		*	
<b>ALCOHOL</b>	0.0795		0.0865		0.0246		0.1195	
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>2</sup></b>	0.8643		0.3934		0.3121		0.6768	
<b>ILLCIT DRUGS OR ALCOHOL<sup>2</sup></b>	0.1209		0.1136		0.0733		0.1356	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient only), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

<sup>5</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.