

**Table 5.43C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category:  
Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013**

Age Category	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
<b>TOTAL</b>	264	261	117	123	243	226	1.34	1.41
12	7	5	*	*	7	5	*	*
13	10	10	2	3	9	9	*	*
14	15	16	4	2	14	16	3.20	*
15	20	19	9	5	18	19	3.71	2.48
16	26	21	6	8	26	20	2.15	2.74
17	27	21	10	7	25	20	2.71	2.36
18	43	35	7	11	42	33	1.41	2.64
19	38	34	11	10	37	32	2.53	2.72
20	39	32	12	8	36	30	2.64	2.20
21	33	35	8	11	32	33	2.25	2.82
22	34	31	10	10	32	29	2.60	2.67
23	32	31	19	13	26	28	*	3.68
24	28	31	11	9	25	30	3.52	2.69
25	27	26	15	12	23	23	*	4.31
26-29	95	94	55	47	78	79	5.18	4.84
30-34	101	105	37	45	94	97	3.82	4.28
35-39	83	76	50	45	65	65	*	*
40-44	86	62	27	32	81	53	*	*
45-49	82	53	44	25	70	46	*	*
50-54	75	130	46	31	56	126	*	*
55-59	91	58	31	40	86	41	*	*
60-64	48	52	15	43	45	29	*	*
65 or Older	25	50	2	*	25	50	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.43D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category:  
Standard Errors of Percentages, 2012 and 2013**

Age Category	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
<b>TOTAL</b>	0.10	0.10	0.04	0.05	0.09	0.09	1.34	1.41
12	0.16	0.14	*	*	0.16	0.14	*	*
13	0.24	0.23	0.06	0.08	0.23	0.21	*	*
14	0.35	0.36	0.09	0.05	0.34	0.36	3.20	*
15	0.46	0.46	0.20	0.12	0.42	0.44	3.71	2.48
16	0.59	0.48	0.15	0.18	0.58	0.45	2.15	2.74
17	0.60	0.50	0.24	0.17	0.55	0.47	2.71	2.36
18	0.78	0.70	0.15	0.22	0.77	0.67	1.41	2.64
19	0.80	0.78	0.26	0.23	0.77	0.75	2.53	2.72
20	0.83	0.71	0.27	0.19	0.78	0.67	2.64	2.20
21	0.72	0.77	0.17	0.27	0.70	0.73	2.25	2.82
22	0.71	0.68	0.22	0.22	0.69	0.63	2.60	2.67
23	0.70	0.67	0.42	0.29	0.56	0.62	*	3.68
24	0.65	0.69	0.26	0.19	0.60	0.67	3.52	2.69
25	0.64	0.62	0.36	0.29	0.55	0.56	*	4.31
26-29	0.53	0.53	0.31	0.27	0.44	0.45	5.18	4.84
30-34	0.49	0.50	0.19	0.22	0.46	0.46	3.82	4.28
35-39	0.42	0.40	0.25	0.24	0.34	0.34	*	*
40-44	0.42	0.28	0.13	0.15	0.40	0.24	*	*
45-49	0.38	0.26	0.20	0.13	0.32	0.23	*	*
50-54	0.32	0.56	0.19	0.14	0.24	0.54	*	*
55-59	0.44	0.28	0.15	0.19	0.41	0.20	*	*
60-64	0.28	0.30	0.09	0.25	0.27	0.17	*	*
65 or Older	0.06	0.12	0.01	*	0.06	0.12	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.43P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Age Category	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
<b>TOTAL</b>	0.1775		0.7080		0.1904		0.8263	
12	0.8670		*		0.8670		*	
13	0.5408		0.4586		0.3883		*	
14	0.5890		0.1907		0.8021		*	
15	0.5407		0.0502		0.9402		0.0538	
16	0.2945		0.5060		0.1890		0.2917	
17	0.0730		0.2202		0.1386		0.5050	
18	0.0189		0.1817		0.0054		0.0435	
19	0.1849		0.9745		0.1717		0.6536	
20	0.1501		0.1412		0.2932		0.2851	
21	0.2048		0.6695		0.2339		0.9862	
22	0.4340		0.4497		0.5636		0.6506	
23	0.8133		0.8098		0.6734		*	
24	0.8085		0.3017		0.5447		0.2418	
25	0.6973		0.9760		0.6727		*	
26-29	0.6945		0.8491		0.5528		0.6394	
30-34	0.7137		0.2764		0.9247		0.3261	
35-39	0.7956		0.5005		0.8794		*	
40-44	0.4051		0.7042		0.2857		*	
45-49	0.0852		0.2389		0.2010		*	
50-54	0.5103		0.1855		0.2112		*	
55-59	0.3711		0.8389		0.2593		*	
60-64	0.8185		0.0749		0.2418		*	
65 or Older	0.0177		*		0.0156		*	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.44C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	264	261	117	123	243	226	1.34	1.41
<b>AGE</b>								
12-17	45	41	14	12	43	39	1.34	1.27
18-25	95	90	34	31	90	83	1.14	1.08
26 or Older	242	238	113	115	221	209	2.51	2.52
<b>GENDER</b>								
Male	218	185	95	87	201	163	1.69	1.62
Female	136	181	67	83	117	163	2.04	2.58
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	237	240	108	107	216	212	1.44	1.48
White	197	217	93	101	174	190	1.63	1.85
Black or African American	114	96	47	37	117	86	3.40	2.91
American Indian or Alaska Native	29	21	16	12	23	17	*	*
Native Hawaiian or Other Pacific Islander	25	10	*	4	10	9	*	*
Asian	22	43	3	18	21	39	*	*
Two or More Races	35	35	25	3	24	35	*	1.81
Hispanic or Latino	105	97	42	57	98	80	3.26	4.13

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.44D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	0.10	0.10	0.04	0.05	0.09	0.09	1.34	1.41
<b>AGE</b>								
12-17	0.18	0.17	0.06	0.05	0.17	0.16	1.34	1.27
18-25	0.28	0.26	0.10	0.09	0.26	0.24	1.14	1.08
26 or Older	0.12	0.12	0.06	0.06	0.11	0.10	2.51	2.52
<b>GENDER</b>								
Male	0.17	0.15	0.08	0.07	0.16	0.13	1.69	1.62
Female	0.10	0.13	0.05	0.06	0.09	0.12	2.04	2.58
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.11	0.11	0.05	0.05	0.10	0.10	1.44	1.48
White	0.12	0.13	0.05	0.06	0.10	0.11	1.63	1.85
Black or African American	0.37	0.31	0.15	0.12	0.38	0.28	3.40	2.91
American Indian or Alaska Native	1.88	1.30	1.09	0.85	1.59	1.05	*	*
Native Hawaiian or Other Pacific Islander	2.34	1.14	*	0.48	0.95	1.01	*	*
Asian	0.17	0.32	0.03	0.14	0.17	0.29	*	*
Two or More Races	0.85	0.83	0.59	0.08	0.61	0.83	*	1.81
Hispanic or Latino	0.26	0.24	0.10	0.14	0.24	0.19	3.26	4.13

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.44P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	0.1775		0.7080		0.1904		0.8263	
<b>AGE</b>								
12-17	0.0288		0.1058		0.0754		0.3558	
18-25	0.1456		0.5595		0.1861		0.9661	
26 or Older	0.6266		0.9722		0.6025		0.8034	
<b>GENDER</b>								
Male	0.0630		0.4049		0.1004		0.9165	
Female	0.8888		0.6911		0.9552		0.7095	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.1647		0.4977		0.2332		0.9414	
White	0.3947		1.0000		0.3367		0.6719	
Black or African American	0.0688		0.4185		0.1292		0.9182	
American Indian or Alaska Native	0.5168		0.8223		0.5499		*	
Native Hawaiian or Other Pacific Islander	0.7549		*		0.6040		*	
Asian	0.0573		0.2684		0.1100		*	
Two or More Races	0.9504		0.0548		0.2837		*	
Hispanic or Latino	0.8041		0.5853		0.5571		0.4748	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.45C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	259	257	117	122	238	223	1.53	1.59
<b>GENDER</b>								
Male	214	181	95	86	198	159	1.89	1.80
Female	131	180	66	82	112	162	2.39	3.00
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	234	236	108	107	213	209	1.62	1.65
White	199	215	93	99	174	191	1.84	2.05
Black or African American	118	96	47	37	119	87	3.69	3.33
American Indian or Alaska Native	28	20	16	12	23	16	*	*
Native Hawaiian or Other Pacific Islander	*	9	*	*	9	9	*	*
Asian	20	43	1	18	20	39	*	*
Two or More Races	33	35	24	3	23	35	*	*
Hispanic or Latino	101	94	42	57	93	77	4.06	*
<b>EDUCATION</b>								
< High School	114	109	53	64	100	87	3.11	3.62
High School Graduate	176	129	72	62	166	114	2.62	2.47
Some College	119	172	65	67	99	157	2.86	2.84
College Graduate	99	88	29	37	95	81	2.93	3.91
<b>CURRENT EMPLOYMENT</b>								
Full-Time	165	178	63	42	158	172	2.14	1.55
Part-Time	102	98	45	44	91	88	3.06	3.13
Unemployed	86	97	44	68	75	65	3.44	4.56
Other <sup>1</sup>	141	132	69	73	126	108	3.63	3.52

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.45D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	0.11	0.11	0.05	0.05	0.10	0.09	1.53	1.59
<b>GENDER</b>								
Male	0.19	0.16	0.08	0.08	0.17	0.14	1.89	1.80
Female	0.11	0.15	0.05	0.07	0.09	0.13	2.39	3.00
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.12	0.12	0.05	0.05	0.11	0.10	1.62	1.65
White	0.12	0.14	0.06	0.06	0.11	0.12	1.84	2.05
Black or African American	0.42	0.34	0.17	0.13	0.42	0.31	3.69	3.33
American Indian or Alaska Native	2.08	1.42	1.22	0.95	1.76	1.13	*	*
Native Hawaiian or Other Pacific Islander	*	1.24	*	*	0.97	1.13	*	*
Asian	0.17	0.35	0.01	0.15	0.17	0.32	*	*
Two or More Races	0.99	1.01	0.71	0.09	0.68	1.00	*	*
Hispanic or Latino	0.29	0.26	0.12	0.16	0.27	0.21	4.06	*
<b>EDUCATION</b>								
< High School	0.33	0.33	0.15	0.20	0.29	0.27	3.11	3.62
High School Graduate	0.25	0.18	0.10	0.09	0.23	0.16	2.62	2.47
Some College	0.19	0.26	0.10	0.11	0.16	0.24	2.86	2.84
College Graduate	0.15	0.12	0.04	0.05	0.14	0.11	2.93	3.91
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.14	0.15	0.05	0.04	0.13	0.14	2.14	1.55
Part-Time	0.30	0.29	0.14	0.13	0.27	0.26	3.06	3.13
Unemployed	0.62	0.80	0.33	0.57	0.54	0.54	3.44	4.56
Other <sup>1</sup>	0.20	0.18	0.10	0.10	0.18	0.15	3.63	3.52

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.45P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	0.3143		0.8448		0.3105		0.7821	
<b>GENDER</b>								
Male	0.0944		0.5219		0.1282		0.9647	
Female	0.6455		0.6531		0.7846		0.8059	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.2623		0.6681		0.3105		0.9268	
White	0.6251		0.7998		0.4931		0.5907	
Black or African American	0.0380		0.4327		0.0746		0.9348	
American Indian or Alaska Native	0.5078		0.7517		0.5739		*	
Native Hawaiian or Other Pacific Islander	*		*		0.4981		*	
Asian	0.0495		0.1864		0.1150		*	
Two or More Races	0.7385		0.0616		0.1268		*	
Hispanic or Latino	0.9738		0.6547		0.8220		*	
<b>EDUCATION</b>								
< High School	0.8501		0.4864		0.8346		0.4716	
High School Graduate	0.0681		0.4845		0.1024		0.8457	
Some College	0.3284		0.7071		0.1974		0.3494	
College Graduate	0.3581		0.4631		0.2136		0.2801	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.4056		0.0422		0.8382		0.0802	
Part-Time	0.4377		0.6736		0.2875		0.4190	
Unemployed	0.4223		0.0594		0.5784		0.0409	
Other <sup>1</sup>	0.7814		0.7571		0.8899		0.8537	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.46C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	264	261	117	123	243	226	1.34	1.41
<b>GEOGRAPHIC DIVISION</b>								
Northeast	97	101	52	56	82	83	3.13	3.21
New England	35	58	25	27	34	52	*	*
Middle Atlantic	91	83	46	49	75	64	3.60	3.95
Midwest	90	95	43	43	81	82	2.48	2.51
East North Central	75	79	34	33	67	70	2.62	2.79
West North Central	51	51	26	27	44	43	*	*
South	177	181	67	70	169	166	2.21	2.40
South Atlantic	152	157	55	53	148	145	3.10	3.33
East South Central	54	69	17	37	49	59	3.80	*
West South Central	75	60	32	27	67	54	3.92	3.59
West	133	129	74	69	113	108	3.01	3.04
Mountain	59	67	37	39	43	55	*	*
Pacific	118	108	64	58	104	92	3.61	3.81
<b>COUNTY TYPE</b>								
Large Metro	203	185	83	93	185	160	1.73	1.94
Small Metro	144	172	85	48	123	164	2.88	1.97
250K – 1 Mil. Pop.	106	111	61	33	98	105	3.34	2.02
< 250K Pop.	95	132	59	36	70	126	5.20	4.26
Nonmetro	117	89	27	61	113	61	2.74	4.45
Urbanized	81	56	21	26	77	48	4.32	4.35
Less Urbanized	80	68	15	55	80	34	3.79	*
Completely Rural	25	22	7	8	23	20	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.46D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	0.10	0.10	0.04	0.05	0.09	0.09	1.34	1.41
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.21	0.21	0.11	0.12	0.17	0.17	3.13	3.21
New England	0.28	0.46	0.20	0.22	0.27	0.42	*	*
Middle Atlantic	0.26	0.24	0.13	0.14	0.22	0.18	3.60	3.95
Midwest	0.16	0.17	0.08	0.08	0.15	0.15	2.48	2.51
East North Central	0.19	0.20	0.09	0.09	0.17	0.18	2.62	2.79
West North Central	0.30	0.29	0.15	0.16	0.26	0.25	*	*
South	0.18	0.19	0.07	0.07	0.17	0.17	2.21	2.40
South Atlantic	0.30	0.30	0.11	0.10	0.29	0.28	3.10	3.33
East South Central	0.35	0.44	0.11	0.24	0.32	0.38	3.80	*
West South Central	0.25	0.20	0.11	0.09	0.22	0.18	3.92	3.59
West	0.22	0.21	0.12	0.11	0.19	0.18	3.01	3.04
Mountain	0.32	0.36	0.20	0.21	0.23	0.29	*	*
Pacific	0.28	0.25	0.15	0.14	0.25	0.22	3.61	3.81
<b>COUNTY TYPE</b>								
Large Metro	0.14	0.13	0.06	0.07	0.13	0.11	1.73	1.94
Small Metro	0.17	0.21	0.11	0.06	0.15	0.20	2.88	1.97
250K – 1 Mil. Pop.	0.19	0.21	0.12	0.06	0.18	0.19	3.34	2.02
< 250K Pop.	0.33	0.49	0.23	0.14	0.24	0.47	5.20	4.26
Nonmetro	0.26	0.21	0.06	0.14	0.26	0.14	2.74	4.45
Urbanized	0.42	0.29	0.11	0.14	0.40	0.25	4.32	4.35
Less Urbanized	0.40	0.35	0.08	0.29	0.40	0.17	3.79	*
Completely Rural	0.49	0.46	0.15	0.17	0.47	0.42	*	*

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.46P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Geographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	0.1775		0.7080		0.1904		0.8263	
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.8749		0.9690		0.8657		0.9714	
New England	0.1418		0.9027		0.0705		*	
Middle Atlantic	0.5265		0.9123		0.3784		0.6383	
Midwest	0.5139		0.5038		0.7195		0.6701	
East North Central	0.2608		0.4050		0.4029		0.7075	
West North Central	0.5374		0.9779		0.4819		*	
South	0.3333		0.8604		0.2701		0.5187	
South Atlantic	0.2390		0.9873		0.2126		0.5360	
East South Central	0.2955		0.2623		0.5860		*	
West South Central	0.4135		0.4327		0.5970		0.6162	
West	0.3038		0.6674		0.3446		0.9155	
Mountain	0.3309		0.5402		0.0804		*	
Pacific	0.0730		0.9096		0.0489		0.5970	
<b>COUNTY TYPE</b>								
Large Metro	0.2454		0.6452		0.1313		0.3035	
Small Metro	0.4278		0.0274		0.8051		0.0331	
250K – 1 Mil. Pop.	0.3687		0.0645		0.9650		0.1038	
< 250K Pop.	0.8080		0.2028		0.6735		0.1646	
Nonmetro	0.8594		0.1349		0.3239		0.0603	
Urbanized	0.8814		0.8807		0.9146		0.9515	
Less Urbanized	0.9281		0.0552		0.1578		*	
Completely Rural	0.8802		0.7542		0.9593		*	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.47C Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Felt Need for Treatment<sup>1</sup> (2012)</b>	<b>Felt Need for Treatment<sup>1</sup> (2013)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2013)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2013)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2012)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2013)</b>
<b>TOTAL</b>	250	231	78	52	45	35	64	38	226	227
<b>AGE</b>										
12-17	45	40	8	7	2	3	8	5	44	40
18-25	103	87	20	15	13	8	15	12	97	86
26 or Older	224	213	75	49	43	33	62	35	201	209
<b>GENDER</b>										
Male	206	164	71	45	43	31	56	32	188	160
Female	119	166	33	25	12	15	31	20	115	166

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.47D Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Felt Need for Treatment<sup>1</sup> (2012)</b>	<b>Felt Need for Treatment<sup>1</sup> (2013)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2013)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2013)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2012)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2013)</b>
<b>TOTAL</b>	0.00	0.00	1.09	0.84	0.67	0.56	0.92	0.62	1.09	0.84
<b>AGE</b>										
12-17	0.00	0.00	0.88	0.81	0.23	0.37	0.85	0.58	0.88	0.81
18-25	0.00	0.00	0.75	0.63	0.50	0.36	0.58	0.52	0.75	0.63
26 or Older	0.00	0.00	2.16	1.65	1.36	1.13	1.82	1.19	2.16	1.65
<b>GENDER</b>										
Male	0.00	0.00	1.52	1.12	0.98	0.79	1.24	0.81	1.52	1.12
Female	0.00	0.00	1.45	1.19	0.53	0.70	1.35	0.92	1.45	1.19

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.47P Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Felt Need for Treatment<sup>1</sup> (2012)</b>	<b>Felt Need for Treatment<sup>1</sup> (2013)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2013)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2013)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2012)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2013)</b>
<b>TOTAL</b>	N/A		0.0632		0.4160		0.0940		0.0632	
<b>AGE</b>										
12-17	N/A		0.7426		0.4633		0.4910		0.7426	
18-25	N/A		0.0562		0.1540		0.2072		0.0562	
26 or Older	N/A		0.1526		0.5980		0.1693		0.1526	
<b>GENDER</b>										
Male	N/A		0.1191		0.3695		0.2206		0.1191	
Female	N/A		0.3296		0.8718		0.2314		0.3296	

\*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.