

Table 5.48C Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	424	429	127	125	406	406	0.67	0.65
AGE								
12-17	40	37	12	13	39	35	1.26	1.61
18-25	115	123	19	26	114	120	0.37	0.55
26 or Older	392	405	127	121	372	385	0.97	0.91
GENDER								
Male	354	351	111	100	342	336	0.89	0.82
Female	224	251	68	77	212	238	1.04	1.14
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	377	375	120	113	360	357	0.75	0.72
White	344	351	105	99	328	336	0.82	0.79
Black or African American	129	125	51	44	120	117	2.41	2.29
American Indian or Alaska Native	53	47	15	13	50	45	*	*
Native Hawaiian or Other Pacific Islander	9	*	1	4	9	*	*	*
Asian	63	75	5	23	63	71	1.37	*
Two or More Races	53	59	8	14	52	57	2.84	3.49
Hispanic or Latino	174	194	51	56	166	182	1.62	1.69

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.48D Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	0.16	0.16	0.05	0.05	0.16	0.15	0.67	0.65
AGE								
12-17	0.16	0.15	0.05	0.05	0.15	0.14	1.26	1.61
18-25	0.33	0.35	0.05	0.07	0.33	0.35	0.37	0.55
26 or Older	0.20	0.20	0.06	0.06	0.19	0.19	0.97	0.91
GENDER								
Male	0.28	0.28	0.09	0.08	0.27	0.26	0.89	0.82
Female	0.17	0.19	0.05	0.06	0.16	0.18	1.04	1.14
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.17	0.17	0.05	0.05	0.16	0.16	0.75	0.72
White	0.20	0.21	0.06	0.06	0.19	0.20	0.82	0.79
Black or African American	0.42	0.40	0.17	0.14	0.39	0.38	2.41	2.29
American Indian or Alaska Native	3.21	3.01	1.01	0.91	3.07	2.91	*	*
Native Hawaiian or Other Pacific Islander	0.97	*	0.09	0.48	0.96	*	*	*
Asian	0.49	0.56	0.04	0.17	0.49	0.53	1.37	*
Two or More Races	1.26	1.34	0.20	0.32	1.25	1.29	2.84	3.49
Hispanic or Latino	0.43	0.47	0.13	0.14	0.41	0.44	1.62	1.69

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.48P Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	0.4944		0.6302		0.5716		0.7585	
AGE								
12-17	0.0055		0.8926		0.0041		0.4710	
18-25	0.0092		0.1052		0.0029		0.0268	
26 or Older	0.7474		0.4347		0.5580		0.3563	
GENDER								
Male	0.3001		0.4529		0.3998		0.6391	
Female	0.7570		0.8040		0.8040		0.8535	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.4030		0.5617		0.4938		0.7044	
White	0.4421		0.4456		0.5722		0.5537	
Black or African American	0.1727		0.5067		0.2392		0.7972	
American Indian or Alaska Native	0.5882		0.9556		0.5581		*	
Native Hawaiian or Other Pacific Islander	*		0.2708		*		*	
Asian	0.2516		0.1400		0.4143		*	
Two or More Races	0.3559		0.2277		0.4913		0.4072	
Hispanic or Latino	0.9067		0.8601		0.9451		0.8773	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.49C Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	418	428	127	124	401	404	0.70	0.68
GENDER								
Male	351	350	111	99	339	336	0.92	0.84
Female	222	249	68	77	211	237	1.11	1.21
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	373	373	120	112	356	355	0.78	0.74
White	368	374	105	98	352	359	0.85	0.82
Black or African American	135	132	51	44	125	122	2.47	2.35
American Indian or Alaska Native	52	47	14	13	50	45	*	*
Native Hawaiian or Other Pacific Islander	7	*	1	*	7	*	*	*
Asian	63	75	4	23	62	71	*	*
Two or More Races	53	59	8	13	52	57	3.06	3.66
Hispanic or Latino	171	193	51	56	164	180	1.75	1.77
EDUCATION								
< High School	178	157	62	47	167	145	2.01	1.88
High School Graduate	208	234	81	64	193	224	1.56	1.32
Some College	227	238	63	76	216	219	1.15	1.39
College Graduate	242	293	42	59	234	287	0.91	1.09
CURRENT EMPLOYMENT								
Full-Time	310	356	77	59	302	351	0.81	0.58
Part-Time	157	156	47	31	147	153	1.62	1.20
Unemployed	130	109	44	59	123	89	2.40	3.71
Other ¹	214	219	76	86	201	203	1.99	2.36

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.49D Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	0.18	0.18	0.05	0.05	0.17	0.17	0.70	0.68
GENDER								
Male	0.31	0.31	0.10	0.09	0.30	0.29	0.92	0.84
Female	0.18	0.20	0.06	0.06	0.17	0.19	1.11	1.21
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.19	0.18	0.06	0.06	0.18	0.18	0.78	0.74
White	0.22	0.22	0.07	0.06	0.21	0.21	0.85	0.82
Black or African American	0.48	0.45	0.19	0.16	0.44	0.42	2.47	2.35
American Indian or Alaska Native	3.56	3.34	1.12	1.01	3.42	3.23	*	*
Native Hawaiian or Other Pacific Islander	0.85	*	0.10	*	0.83	*	*	*
Asian	0.54	0.62	0.03	0.19	0.54	0.58	*	*
Two or More Races	1.53	1.65	0.24	0.38	1.51	1.58	3.06	3.66
Hispanic or Latino	0.49	0.54	0.15	0.16	0.47	0.51	1.75	1.77
EDUCATION								
< High School	0.51	0.47	0.18	0.15	0.48	0.44	2.01	1.88
High School Graduate	0.29	0.33	0.12	0.09	0.27	0.31	1.56	1.32
Some College	0.35	0.36	0.10	0.12	0.33	0.33	1.15	1.39
College Graduate	0.33	0.38	0.06	0.08	0.31	0.37	0.91	1.09
CURRENT EMPLOYMENT								
Full-Time	0.25	0.28	0.07	0.05	0.25	0.28	0.81	0.58
Part-Time	0.46	0.45	0.14	0.09	0.43	0.44	1.62	1.20
Unemployed	0.91	0.90	0.32	0.50	0.87	0.74	2.40	3.71
Other ¹	0.29	0.30	0.11	0.12	0.28	0.27	1.99	2.36

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.49P Need for and Receipt of Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Needed Treatment (2012)	Needed Treatment (2013)	Needed and Received Treatment (2012)	Needed and Received Treatment (2013)	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Percentage Who Received Treatment among Persons Who Needed Treatment (2012)	Percentage Who Received Treatment among Persons Who Needed Treatment (2013)
TOTAL	0.6568		0.6341		0.7500		0.7111	
GENDER								
Male	0.3945		0.4619		0.5114		0.6094	
Female	0.6501		0.8136		0.6856		0.8927	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.4793		0.6151		0.5653		0.7381	
White	0.4886		0.5035		0.6068		0.6060	
Black or African American	0.1840		0.5115		0.2508		0.7935	
American Indian or Alaska Native	0.5925		0.9261		0.5906		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.2226		0.1019		0.3927		*	
Two or More Races	0.2985		0.2224		0.4183		0.4234	
Hispanic or Latino	0.6863		0.9888		0.6780		0.9332	
EDUCATION								
< High School	0.0773		0.1444		0.1765		0.3699	
High School Graduate	0.4454		0.3623		0.6284		0.4666	
Some College	0.5359		0.4424		0.3570		0.3281	
College Graduate	0.0902		0.3505		0.1235		0.5414	
CURRENT EMPLOYMENT								
Full-Time	0.2195		0.0192		0.0762		0.0074	
Part-Time	0.3264		0.9728		0.3092		0.7990	
Unemployed	0.2845		0.1250		0.0470		0.0340	
Other ¹	0.3007		0.6339		0.1993		0.3696	

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.50C Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Felt Need for Treatment¹ (2012)	Felt Need for Treatment¹ (2013)	Felt Need and Made Effort to Get Treatment¹ (2012)	Felt Need and Made Effort to Get Treatment¹ (2013)	Felt Need and Made No Effort to Get Treatment¹ (2012)	Felt Need and Made No Effort to Get Treatment¹ (2013)	Did Not Feel Need for Treatment¹ (2012)	Did Not Feel Need for Treatment¹ (2013)
TOTAL	433	436	93	81	42	46	81	67	416	429
AGE										
12-17	40	35	3	4	1	3	3	2	39	35
18-25	148	142	17	15	10	12	15	9	146	141
26 or Older	390	408	90	80	41	44	80	66	375	400
GENDER										
Male	361	354	85	69	39	42	75	55	346	350
Female	215	248	35	42	16	18	31	38	215	243

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.50D Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Felt Need for Treatment¹ (2012)	Felt Need for Treatment¹ (2013)	Felt Need and Made Effort to Get Treatment¹ (2012)	Felt Need and Made Effort to Get Treatment¹ (2013)	Felt Need and Made No Effort to Get Treatment¹ (2012)	Felt Need and Made No Effort to Get Treatment¹ (2013)	Did Not Feel Need for Treatment¹ (2012)	Did Not Feel Need for Treatment¹ (2013)
TOTAL	0.00	0.00	0.53	0.48	0.25	0.27	0.47	0.40	0.53	0.48
AGE										
12-17	0.00	0.00	0.39	0.56	0.08	0.46	0.39	0.33	0.39	0.56
18-25	0.00	0.00	0.35	0.34	0.20	0.27	0.30	0.21	0.35	0.34
26 or Older	0.00	0.00	0.78	0.67	0.36	0.38	0.70	0.56	0.78	0.67
GENDER										
Male	0.00	0.00	0.75	0.64	0.35	0.39	0.67	0.51	0.75	0.64
Female	0.00	0.00	0.60	0.70	0.28	0.31	0.54	0.63	0.60	0.70

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.50P Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Felt Need for Treatment ¹ (2012)	Felt Need for Treatment ¹ (2013)	Felt Need and Made Effort to Get Treatment ¹ (2012)	Felt Need and Made Effort to Get Treatment ¹ (2013)	Felt Need and Made No Effort to Get Treatment ¹ (2012)	Felt Need and Made No Effort to Get Treatment ¹ (2013)	Did Not Feel Need for Treatment ¹ (2012)	Did Not Feel Need for Treatment ¹ (2013)
TOTAL	N/A		0.3886		0.6533		0.1981		0.3886	
AGE										
12-17	N/A		0.1362		0.0750		0.7076		0.1362	
18-25	N/A		0.2700		0.6671		0.0564		0.2700	
26 or Older	N/A		0.3969		0.8403		0.2696		0.3969	
GENDER										
Male	N/A		0.5678		0.6185		0.3171		0.5678	
Female	N/A		0.4526		0.9906		0.4022		0.4526	

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center).

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility.

¹ Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.