

**Table 5.51C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	477	477	155	160	453	444	0.64	0.66
<b>AGE</b>								
12-17	55	51	16	15	53	49	1.01	1.06
18-25	134	138	37	35	131	133	0.54	0.55
26 or Older	434	443	153	153	409	418	0.97	0.95
<b>GENDER</b>								
Male	394	376	129	127	380	354	0.83	0.83
Female	249	284	89	99	234	268	1.05	1.13
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	419	424	147	143	395	397	0.71	0.71
White	375	398	126	129	352	375	0.78	0.81
Black or African American	159	146	59	56	158	132	2.08	2.04
American Indian or Alaska Native	58	48	22	13	53	46	*	*
Native Hawaiian or Other Pacific Islander	27	36	*	4	13	*	*	*
Asian	64	84	5	23	64	80	1.26	*
Two or More Races	62	64	26	18	57	61	*	3.42
Hispanic or Latino	192	206	57	77	183	188	1.47	1.88

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.51D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	0.18	0.18	0.06	0.06	0.17	0.17	0.64	0.66
<b>AGE</b>								
12-17	0.22	0.21	0.07	0.06	0.21	0.19	1.01	1.06
18-25	0.39	0.40	0.11	0.10	0.38	0.38	0.54	0.55
26 or Older	0.22	0.22	0.08	0.08	0.20	0.21	0.97	0.95
<b>GENDER</b>								
Male	0.31	0.30	0.10	0.10	0.30	0.28	0.83	0.83
Female	0.19	0.21	0.07	0.07	0.17	0.20	1.05	1.13
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.19	0.19	0.07	0.06	0.18	0.18	0.71	0.71
White	0.22	0.23	0.07	0.08	0.21	0.22	0.78	0.81
Black or African American	0.52	0.47	0.19	0.18	0.51	0.42	2.08	2.04
American Indian or Alaska Native	3.40	2.99	1.46	0.92	3.22	2.88	*	*
Native Hawaiian or Other Pacific Islander	2.54	3.81	*	0.48	1.39	*	*	*
Asian	0.50	0.63	0.04	0.17	0.50	0.60	1.26	*
Two or More Races	1.48	1.48	0.61	0.42	1.37	1.40	*	3.42
Hispanic or Latino	0.48	0.50	0.14	0.19	0.45	0.46	1.47	1.88

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.51P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	0.3808		0.8084		0.4023		0.9586	
<b>AGE</b>								
12-17	0.0032		0.1260		0.0090		0.5434	
18-25	0.0027		0.8170		0.0024		0.5471	
26 or Older	0.7188		0.9740		0.6968		0.8634	
<b>GENDER</b>								
Male	0.1890		0.6233		0.2265		0.9555	
Female	0.7255		0.8046		0.7818		0.8827	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.3281		0.4893		0.4401		0.6893	
White	0.5270		0.7049		0.5948		0.8542	
Black or African American	0.0660		0.5098		0.1001		0.9517	
American Indian or Alaska Native	0.2865		0.4871		0.3797		*	
Native Hawaiian or Other Pacific Islander	0.3462		*		*		*	
Asian	0.0567		0.1235		0.1093		*	
Two or More Races	0.6930		0.6070		0.5331		*	
Hispanic or Latino	0.9620		0.3405		0.6985		0.3052	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.52C Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands and Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	470	472	155	159	448	439	0.69	0.69
<b>GENDER</b>								
Male	389	374	129	126	375	352	0.88	0.86
Female	246	282	89	98	231	266	1.15	1.22
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	416	421	146	142	392	394	0.76	0.74
White	406	426	126	127	382	403	0.83	0.85
Black or African American	169	153	60	56	165	138	2.18	2.20
American Indian or Alaska Native	57	48	22	13	53	46	*	*
Native Hawaiian or Other Pacific Islander	26	*	*	*	12	*	*	*
Asian	63	83	4	23	63	80	*	*
Two or More Races	61	64	25	18	56	61	*	3.64
Hispanic or Latino	188	203	57	77	179	185	1.65	2.04
<b>EDUCATION</b>								
< High School	196	186	74	77	178	164	1.83	2.11
High School Graduate	263	250	95	78	249	237	1.40	1.27
Some College	248	284	84	94	230	262	1.23	1.34
College Graduate	258	304	49	67	249	295	0.94	1.12
<b>CURRENT EMPLOYMENT</b>								
Full-Time	339	393	96	67	330	384	0.84	0.56
Part-Time	177	169	56	46	164	164	1.51	1.37
Unemployed	146	131	56	74	137	106	2.24	3.04
Other <sup>1</sup>	238	243	92	112	222	217	1.84	2.23

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.52D Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	0.20	0.20	0.07	0.07	0.19	0.18	0.69	0.69
<b>GENDER</b>								
Male	0.34	0.33	0.11	0.11	0.33	0.31	0.88	0.86
Female	0.20	0.23	0.07	0.08	0.19	0.22	1.15	1.22
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.21	0.21	0.07	0.07	0.20	0.20	0.76	0.74
White	0.24	0.25	0.08	0.08	0.22	0.24	0.83	0.85
Black or African American	0.58	0.52	0.22	0.20	0.58	0.48	2.18	2.20
American Indian or Alaska Native	3.77	3.29	1.63	1.02	3.59	3.19	*	*
Native Hawaiian or Other Pacific Islander	2.71	*	*	*	1.35	*	*	*
Asian	0.54	0.69	0.03	0.19	0.54	0.66	*	*
Two or More Races	1.78	1.82	0.74	0.51	1.63	1.73	*	3.64
Hispanic or Latino	0.54	0.57	0.16	0.22	0.52	0.52	1.65	2.04
<b>EDUCATION</b>								
< High School	0.56	0.55	0.22	0.24	0.51	0.49	1.83	2.11
High School Graduate	0.36	0.35	0.13	0.11	0.35	0.33	1.40	1.27
Some College	0.38	0.42	0.13	0.15	0.35	0.39	1.23	1.34
College Graduate	0.35	0.39	0.07	0.09	0.34	0.38	0.94	1.12
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.27	0.31	0.08	0.06	0.27	0.30	0.84	0.56
Part-Time	0.50	0.48	0.17	0.14	0.47	0.47	1.51	1.37
Unemployed	1.01	1.06	0.41	0.62	0.95	0.87	2.24	3.04
Other <sup>1</sup>	0.33	0.33	0.13	0.15	0.31	0.29	1.84	2.23

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.52P Need for and Receipt of Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2012)</b>	<b>Needed Treatment (2013)</b>	<b>Needed and Received Treatment (2012)</b>	<b>Needed and Received Treatment (2013)</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2012)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2013)</b>
<b>TOTAL</b>	0.5762		0.9287		0.5782		0.9186	
<b>GENDER</b>								
Male	0.2598		0.7483		0.2848		0.9570	
Female	0.5240		0.7867		0.5688		0.9407	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.4333		0.6373		0.5166		0.8167	
White	0.6400		0.8616		0.6659		0.9808	
Black or African American	0.0531		0.5634		0.0765		0.9477	
American Indian or Alaska Native	0.2932		0.4070		0.4129		*	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.0519		0.0878		0.1089		*	
Two or More Races	0.4728		0.6617		0.3476		*	
Hispanic or Latino	0.7596		0.4112		0.9775		0.4327	
<b>EDUCATION</b>								
< High School	0.4118		0.7980		0.3078		0.5178	
High School Graduate	0.0548		0.2006		0.1290		0.5519	
Some College	0.9544		0.8025		0.9743		0.8007	
College Graduate	0.1257		0.1755		0.2069		0.2940	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.4429		0.0052		0.1448		0.0021	
Part-Time	0.2817		0.9372		0.2486		0.6394	
Unemployed	0.7471		0.0763		0.1629		0.0302	
Other <sup>1</sup>	0.4498		0.2393		0.1699		0.1051	

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.53C Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Needed but Did Not Receive Treatment (2012)</b>	<b>Needed but Did Not Receive Treatment (2013)</b>	<b>Felt Need for Treatment<sup>1</sup> (2012)</b>	<b>Felt Need for Treatment<sup>1</sup> (2013)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made Effort to Get Treatment<sup>1</sup> (2013)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2012)</b>	<b>Felt Need and Made No Effort to Get Treatment<sup>1</sup> (2013)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2012)</b>	<b>Did Not Feel Need for Treatment<sup>1</sup> (2013)</b>
<b>TOTAL</b>	486	481	115	96	59	55	94	78	464	470
<b>AGE</b>										
12-17	56	50	9	7	3	4	9	5	55	50
18-25	177	162	26	21	16	14	21	16	170	160
26 or Older	430	448	110	93	57	53	91	76	413	436
<b>GENDER</b>										
Male	405	376	103	82	56	49	83	65	388	368
Female	237	283	48	49	20	24	43	43	234	278

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.53D Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

Demographic Characteristic	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Felt Need for Treatment <sup>1</sup> (2012)	Felt Need for Treatment <sup>1</sup> (2013)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2012)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2013)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2012)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2013)	Did Not Feel Need for Treatment <sup>1</sup> (2012)	Did Not Feel Need for Treatment <sup>1</sup> (2013)
<b>TOTAL</b>	0.00	0.00	0.53	0.46	0.28	0.27	0.44	0.38	0.53	0.46
<b>AGE</b>										
12-17	0.00	0.00	0.63	0.59	0.21	0.31	0.60	0.42	0.63	0.59
18-25	0.00	0.00	0.40	0.37	0.25	0.24	0.32	0.28	0.40	0.37
26 or Older	0.00	0.00	0.82	0.68	0.44	0.40	0.69	0.56	0.82	0.68
<b>GENDER</b>										
Male	0.00	0.00	0.74	0.62	0.41	0.38	0.60	0.50	0.74	0.62
Female	0.00	0.00	0.67	0.66	0.28	0.33	0.61	0.58	0.67	0.66

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 5.53P Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Needed but Did Not Receive Treatment (2012)	Needed but Did Not Receive Treatment (2013)	Felt Need for Treatment <sup>1</sup> (2012)	Felt Need for Treatment <sup>1</sup> (2013)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2012)	Felt Need and Made Effort to Get Treatment <sup>1</sup> (2013)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2012)	Felt Need and Made No Effort to Get Treatment <sup>1</sup> (2013)	Did Not Feel Need for Treatment <sup>1</sup> (2012)	Did Not Feel Need for Treatment <sup>1</sup> (2013)
<b>TOTAL</b>	N/A		0.2201		0.7589		0.2049		0.2201	
<b>AGE</b>										
12-17	N/A		0.7749		0.4211		0.4553		0.7749	
18-25	N/A		0.0540		0.3768		0.0798		0.0540	
26 or Older	N/A		0.3703		0.8692		0.3352		0.3703	
<b>GENDER</b>										
Male	N/A		0.4391		0.7568		0.4654		0.4391	
Female	N/A		0.2406		0.9860		0.1992		0.2406	

\*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient only], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility.

<sup>1</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.