

Table 6.1A Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST YEAR USERS	31,513	32,952	3,363	3,346	10,887	11,000	17,263	18,606
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	9,661	9,967	1,237	1,232	3,135	3,255	5,288	5,480
12-49	5,509	6,133	735	687	1,825	1,970	2,949	3,475
50-99	3,042	3,230	368	349	1,064	1,064	1,610	1,816
100-299	7,948	7,894	746	779	2,706	2,544	4,497	4,571
300 or More	5,354	5,729	277	299	2,157	2,166	2,920	3,264
TOTAL PAST MONTH USERS	18,855	19,810	1,800	1,762	6,485	6,636	10,571	11,412
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	4,262	4,621	549	529	1,243	1,405	2,470	2,686
3-5	2,945	3,256	395	378	930	995	1,620	1,882
6-19	4,047	3,790	431	404	1,430	1,418	2,187	1,968
20 or More	7,601	8,144	425	451	2,882	2,817	4,293	4,875

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.1B Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Percentages, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST YEAR USERS	12.1	12.6	13.5	13.4	31.5	31.6	8.6	9.2
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	30.7	30.2	36.8	36.8	28.8	29.6	30.6	29.5
12-49	17.5	18.6	21.9	20.5	16.8	17.9	17.1	18.7
50-99	9.7	9.8	10.9	10.4	9.8	9.7	9.3	9.8
100-299	25.2	24.0	22.2	23.3	24.9	23.1	26.0	24.6
300 or More	17.0	17.4	8.2	8.9	19.8	19.7	16.9	17.5
TOTAL PAST MONTH USERS	7.3	7.5	7.2	7.1	18.7	19.1	5.3	5.6
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	22.6	23.3	30.5	30.0	19.2	21.2	23.4	23.5
3-5	15.6	16.4	21.9	21.4	14.3	15.0	15.3	16.5
6-19	21.5 ^a	19.1	23.9	22.9	22.0	21.4	20.7	17.2
20 or More	40.3	41.1	23.6	25.6	44.4	42.5	40.6	42.7

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.2A Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST YEAR USERS	4,671	4,182	180 ^a	131	1,600	1,543	2,890	2,508
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	2,303	2,418	110	89	1,013	1,032	1,180	1,298
12-49	1,163 ^a	855	31	20	360	285	772	550
50-99	538	337	15	*	110	118	412 ^a	208
100-299	555	421	24	11	97	103	434	307
300 or More	113	151	0	*	20	6	92	145
TOTAL PAST MONTH USERS	1,650	1,549	30	43	398	398	1,222	1,108
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	685	821	*	*	248	243	426	546
3-5	423	304	*	*	81	84	326	214
6-19	413	240	*	*	49	62	*	173
20 or More	129	185	*	*	20	8	107	*

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.2B Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Percentages, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST YEAR USERS	1.8	1.6	0.7 ^a	0.5	4.6	4.4	1.4	1.2
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	49.3 ^a	57.8	60.9	67.7	63.3	66.9	40.8 ^a	51.7
12-49	24.9	20.4	17.4	15.1	22.5	18.4	26.7	22.0
50-99	11.5	8.0	8.5	*	6.9	7.6	14.3	8.3
100-299	11.9	10.1	13.1	8.5	6.0	6.7	15.0	12.2
300 or More	2.4	3.6	0.1	*	1.3	0.4	3.2	5.8
TOTAL PAST MONTH USERS	0.6	0.6	0.1	0.2	1.1	1.1	0.6	0.5
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	41.5	53.0	*	*	62.3	61.1	34.8	49.3
3-5	25.6	19.6	*	*	20.4	21.1	26.7	19.3
6-19	25.0	15.5	*	*	12.3	15.7	*	15.6
20 or More	7.8	11.9	*	*	5.0	2.1	8.8	*

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.3A Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST YEAR USERS	4,306	4,430	553	482	2,236	2,338	1,516	1,610
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	3,249	3,383	379	344	1,743	1,869	1,126	1,170
12-49	645	609	107	88	330	268	208	*
50-99	242	208	28	34	111	95	103	79
100-299	154	165	30 ^a	13	45 ^a	94	79	59
300 or More	16	64	9	3	8	12	*	*
TOTAL PAST MONTH USERS	1,134	1,333	160	154	600	617	374	562
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	816	997	90	124	448	489	*	*
3-5	238	192	42 ^b	13	116	91	*	*
6-19	59	82	25	13	21	34	*	*
20 or More	21	63	3	4	14	3	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.3B Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Percentages, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST YEAR USERS	1.7	1.7	2.2	1.9	6.5	6.7	0.8	0.8
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	75.4	76.4	68.5	71.4	78.0	79.9	74.3	72.7
12-49	15.0	13.8	19.3	18.3	14.7	11.5	13.7	*
50-99	5.6	4.7	5.1	7.0	4.9	4.1	6.8	4.9
100-299	3.6	3.7	5.5	2.7	2.0	4.0	5.2	3.6
300 or More	0.4	1.4	1.6	0.6	0.3	0.5	*	*
TOTAL PAST MONTH USERS	0.4	0.5	0.6	0.6	1.7	1.8	0.2	0.3
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	72.0	74.8	56.2 ^b	80.2	74.7	79.3	*	*
3-5	21.0	14.4	26.0 ^b	8.5	19.4	14.8	*	*
6-19	5.2	6.1	15.8	8.5	3.6	5.4	*	*
20 or More	1.8	4.7	2.0	2.8	2.3	0.6	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.4A Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST YEAR USERS	1,693	1,533	647 ^b	480	473	478	573	575
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	1,011	955	379 ^a	299	324	351	*	*
12-49	453	363	151 ^b	87	95	88	*	*
50-99	109	132	54	53	21	17	*	*
100-299	104	74	57	40	23	16	*	*
300 or More	16	8	6	1	*	7	*	*
TOTAL PAST MONTH USERS	493	496	188 ^b	121	123	106	182	269
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	*	356	123 ^a	83	*	*	*	*
3-5	*	*	35	18	*	*	*	*
6-19	43	46	25	12	*	*	*	*
20 or More	*	16	5	*	*	*	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.4B Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Percentages, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST YEAR USERS	0.7	0.6	2.6 ^b	1.9	1.4	1.4	0.3	0.3
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	59.7	62.3	58.6	62.3	68.6	73.4	*	*
12-49	26.8	23.7	23.3	18.0	20.1	18.3	*	*
50-99	6.4	8.6	8.4	11.0	4.4	3.5	*	*
100-299	6.2	4.8	8.8	8.4	4.8	3.3	*	*
300 or More	1.0	0.5	0.9	0.2	*	1.5	*	*
TOTAL PAST MONTH USERS	0.2	0.2	0.8 ^b	0.5	0.4	0.3	0.1	0.1
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	*	71.8	65.6	68.5	*	*	*	*
3-5	*	*	18.4	14.6	*	*	*	*
6-19	8.8	9.2	13.5	9.9	*	*	*	*
20 or More	*	3.2	2.5	*	*	*	*	*

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.5A Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Numbers in Thousands, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST MONTH USERS	57,525	55,778	1,634 ^b	1,397	11,008	10,657	44,882	43,724
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	5,583	5,244	443	405	1,595	1,688	3,546	3,151
3-5	4,137	4,229	268	258	1,179	1,220	2,690	2,751
6-19	6,559	6,544	339 ^a	270	1,745	1,745	4,475	4,530
20-29	6,309	6,513	225	193	1,523	1,412	4,561	4,908
30	34,936	33,247	360 ^b	271	4,967 ^a	4,591	29,610	28,385
TOTAL DAILY SMOKERS¹	34,936	33,247	360 ^b	271	4,967 ^a	4,591	29,610	28,385
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	6,902	6,862	186 ^a	127	1,539	1,463	5,176	5,272
6-15 (1/2 Pack)	13,338	12,635	129	111	2,175	2,106	11,035	10,419
16-25 (1 Pack)	11,011	10,407	34	22	1,047 ^a	887	9,929	9,497
26 or More (More Than 1 Pack)	3,639	3,314	4	10	200 ^a	134	3,435	3,170
Not Reported	47	29	6	*	6	1	34	28

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.5B Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Percentages, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST MONTH USERS	22.1 ^a	21.3	6.6 ^b	5.6	31.8	30.6	22.4	21.6
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	9.7	9.4	27.1	29.0	14.5	15.8	7.9	7.2
3-5	7.2	7.6	16.4	18.5	10.7	11.5	6.0	6.3
6-19	11.4	11.7	20.7	19.3	15.9	16.4	10.0	10.4
20-29	11.0	11.7	13.8	13.8	13.8	13.2	10.2	11.2
30	60.7	59.6	22.0	19.4	45.1	43.1	66.0	64.9
TOTAL DAILY SMOKERS¹	13.4 ^a	12.7	1.4 ^b	1.1	14.4 ^a	13.2	14.8	14.0
NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS¹								
Fewer Than 6	19.8	20.6	51.8	46.8	31.0	31.9	17.5	18.6
6-15 (1/2 Pack)	38.2	38.0	35.8	40.9	43.8	45.9	37.3	36.7
16-25 (1 Pack)	31.5	31.3	9.6	8.1	21.1	19.3	33.5	33.5
26 or More (More Than 1 Pack)	10.4	10.0	1.1	3.8	4.0	2.9	11.6	11.2
Not Reported	0.1	0.1	1.7	*	0.1	0.0	0.1	0.1

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.6A Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Numbers in Thousands, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST YEAR USERS	173,573	173,966	6,555 ^b	6,133	26,778	26,707	140,240	141,126
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	38,875	37,751	3,451	3,372	5,562	5,590	29,862	28,789
12-49	45,480	45,110	1,786 ^b	1,556	7,613	7,774	36,081	35,781
50-99	26,941	26,900	735	687	4,801	4,844	21,404	21,369
100-299	51,447	53,618	538	475	8,166	7,901	42,742	45,242
300 or More	10,831	10,587	44	43	636	599	10,150	9,945
TOTAL PAST MONTH USERS	135,502	136,868	3,217 ^b	2,877	20,828	20,738	111,457	113,253
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	39,156	38,673	1,717	1,588	5,995	6,114	31,444	30,971
3-5	35,487	36,148	894	806	6,189	6,238	28,405	29,104
6-19	39,315	40,785	537 ^a	427	6,927	6,727	31,851	33,631
20 or More	21,544	21,262	69	55	1,717	1,660	19,757	19,547

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.6B Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Percentages, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
TOTAL PAST YEAR USERS	66.7	66.3	26.3 ^b	24.6	77.4	76.8	69.9	69.6
NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS								
1-11	22.4	21.7	52.7	55.0	20.8	20.9	21.3	20.4
12-49	26.2	25.9	27.3	25.4	28.4	29.1	25.7	25.4
50-99	15.5	15.5	11.2	11.2	17.9	18.1	15.3	15.1
100-299	29.6	30.8	8.2	7.7	30.5	29.6	30.5 ^a	32.1
300 or More	6.2	6.1	0.7	0.7	2.4	2.2	7.2	7.0
TOTAL PAST MONTH USERS	52.1	52.2	12.9 ^b	11.6	60.2	59.6	55.6	55.9
NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS								
1-2	28.9	28.3	53.4	55.2	28.8	29.5	28.2	27.3
3-5	26.2	26.4	27.8	28.0	29.7	30.1	25.5	25.7
6-19	29.0	29.8	16.7	14.8	33.3	32.4	28.6	29.7
20 or More	15.9	15.5	2.2	1.9	8.2	8.0	17.7	17.3

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.