

Table 6.94A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Numbers in Thousands, 2012 and 2013

Age Category	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Illicit Drugs or Alcohol (2012)	Illicit Drugs or Alcohol (2013)
TOTAL	10,269	9,929	29,103	28,671	31,981	31,432
12-20	2,275 ^b	1,915	2,175 ^b	1,787	3,033 ^b	2,564
12	*	2	*	0	*	2
13	12	8	10	1	12	8
14	25	17	21	16	30	23
15	43	37	45 ^a	23	58	43
16	160	122	133 ^a	95	207 ^a	156
17	342	289	267	221	448 ^a	360
18	517	465	477	385	653	595
19	548	490	550	486	743	638
20	628 ^a	485	671	560	882	739
21-25	2,433	2,261	4,670 ^a	4,245	5,231 ^a	4,825
21	546	548	905	808	1,036	967
22	577	507	1,003	887	1,131	1,009
23	475	436	996	858	1,115	979
24	449	429	928	874	1,037	983
25	386	340	838	817	913	888
26-29	1,319	1,390	3,365	3,556	3,687	3,837
30-34	1,147	1,284	3,221	3,535	3,514	3,769
35-39	852	742	2,491	2,720	2,686	2,904
40-44	616	597	2,759	2,719	2,908	2,918
45-49	507	349	2,732	2,507	2,877	2,581
50-54	521	679	2,820	2,842	2,953	3,064
55-59	314	332	1,924	1,675	2,047	1,802
60-64	246	176	1,333	1,495	1,432	1,507
65 or Older	39	203	1,613	1,590	1,613	1,661

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.94B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Percentages, 2012 and 2013

Age Category	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Illicit Drugs or Alcohol (2012)	Illicit Drugs or Alcohol (2013)
TOTAL	3.9	3.8	11.2	10.9	12.3	12.0
12-20	6.0 ^b	5.0	5.7 ^b	4.7	7.9 ^b	6.7
12	*	0.0	*	0.0	*	0.0
13	0.3	0.2	0.2	0.0	0.3	0.2
14	0.6	0.4	0.5	0.4	0.7	0.5
15	1.0	0.9	1.1 ^a	0.6	1.4	1.0
16	3.8	2.9	3.2 ^a	2.2	4.9 ^a	3.6
17	8.0	7.0	6.2	5.4	10.5	8.7
18	11.0	9.8	10.1 ^a	8.1	13.9	12.6
19	12.9	11.8	12.9	11.7	17.4	15.3
20	14.6 ^a	11.3	15.6 ^a	13.0	20.5 ^a	17.2
21-25	11.4	10.5	21.9 ^b	19.7	24.5 ^b	22.3
21	12.4	12.9	20.5	19.1	23.4	22.8
22	13.0	11.3	22.5	19.8	25.4	22.5
23	10.9	10.0	22.8 ^a	19.6	25.5 ^a	22.4
24	11.0	9.8	22.7 ^a	19.9	25.4 ^a	22.4
25	9.7	8.3	21.0	19.9	22.9	21.6
26-29	7.7	8.1	19.6	20.7	21.5	22.3
30-34	5.8	6.4	16.3	17.6	17.8	18.7
35-39	4.4	3.9	12.8	14.3	13.8	15.2
40-44	3.1	2.8	13.7	12.7	14.4	13.6
45-49	2.4	1.7	12.8	12.5	13.4	12.9
50-54	2.2	2.9	12.1	12.3	12.6	13.3
55-59	1.5	1.6	9.3	8.2	9.9	8.8
60-64	1.5	1.0	8.0	8.4	8.6	8.5
65 or Older	0.1	0.5	3.9	3.7	3.9	3.8

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.95A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Illicit Drugs or Alcohol (2012)	Illicit Drugs or Alcohol (2013)
TOTAL	10,269	9,929	29,103	28,671	31,981	31,432
AGE						
12-17	582 ^a	475	477 ^b	357	755 ^b	593
18-25	4,126 ^b	3,701	6,369 ^b	5,675	7,509 ^b	6,797
26 or Older	5,561	5,753	22,257	22,639	23,717	24,043
GENDER						
Male	6,836	6,753	18,440	17,917	20,311	19,685
Female	3,433	3,177	10,662	10,754	11,670	11,747
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	8,956	8,632	25,746	25,254	28,332	27,673
White	7,272	7,123	22,125	21,599	24,227	23,632
Black or African American	1,157	964	2,319	2,231	2,651	2,457
American Indian or Alaska Native	107 ^a	46	219 ^b	94	253 ^b	108
Native Hawaiian or Other Pacific Islander	63	19	93	90	105	95
Asian	152	143	575	726	603	783
Two or More Races	205	336	414	513	493	599
Hispanic or Latino	1,313	1,298	3,357	3,417	3,649	3,759

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.95B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Illicit Drugs or Alcohol (2012)	Illicit Drugs or Alcohol (2013)
TOTAL	3.9	3.8	11.2	10.9	12.3	12.0
AGE						
12-17	2.3 ^a	1.9	1.9 ^b	1.4	3.0 ^b	2.4
18-25	11.9 ^b	10.6	18.4 ^b	16.3	21.7 ^b	19.5
26 or Older	2.8	2.8	11.1	11.2	11.8	11.9
GENDER						
Male	5.4	5.3	14.6	14.1	16.1	15.5
Female	2.6	2.3	7.9	7.9	8.7	8.7
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	4.1	3.9	11.7	11.4	12.9	12.5
White	4.3	4.2	13.0	12.7	14.3	13.9
Black or African American	3.8	3.1	7.6	7.1	8.6	7.9
American Indian or Alaska Native	7.4 ^a	3.3	15.1 ^b	6.7	17.5 ^b	7.7
Native Hawaiian or Other Pacific Islander	5.9	2.2	8.7	10.4	9.7	10.9
Asian	1.2	1.1	4.5	5.4	4.7	5.9
Two or More Races	4.9	7.8	10.0	12.0	11.9	14.0
Hispanic or Latino	3.3	3.1	8.3	8.3	9.1	9.1

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.96A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Illicit Drugs or Alcohol (2012)	Illicit Drugs or Alcohol (2013)
TOTAL	9,687	9,454	28,626	28,314	31,226	30,840
GENDER						
Male	6,508	6,457	18,191	17,731	19,893	19,337
Female	3,179	2,997	10,435	10,583	11,332	11,503
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	8,454	8,237	25,353	24,954	27,698	27,175
White	6,876	6,795	21,792	21,341	23,718	23,209
Black or African American	1,098	924	2,297	2,207	2,587	2,412
American Indian or Alaska Native	101 ^a	41	216 ^b	92	247 ^b	102
Native Hawaiian or Other Pacific Islander	57	16	93	88	98	92
Asian	146	141	569	724	592	777
Two or More Races	176	321	387	502	456	582
Hispanic or Latino	1,233	1,217	3,273	3,361	3,527	3,664
EDUCATION						
< High School	1,208	1,066	2,119 ^b	1,487	2,501 ^b	1,876
High School Graduate	3,044	2,841	7,090	6,382	7,990	7,342
Some College	3,306	3,189	8,646	8,310	9,514	9,102
College Graduate	2,128	2,358	10,770 ^a	12,135	11,220 ^a	12,519
CURRENT EMPLOYMENT						
Full-Time	5,244	5,229	18,933	19,318	20,135	20,464
Part-Time	2,018	2,000	4,049	4,320	4,710	4,928
Unemployed	1,035	876	1,630 ^b	1,211	1,919 ^b	1,464
Other ¹	1,390	1,350	4,013	3,465	4,461	3,984

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.96B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Illicit Drugs or Alcohol (2012)	Illicit Drugs or Alcohol (2013)
TOTAL	4.1	4.0	12.2	11.9	13.3	13.0
GENDER						
Male	5.8	5.6	16.1	15.5	17.6	16.9
Female	2.6	2.4	8.6	8.6	9.3	9.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	4.2	4.1	12.7	12.4	13.8	13.5
White	4.4	4.3	14.0	13.6	15.2	14.8
Black or African American	4.0	3.3	8.5	7.9	9.5	8.7
American Indian or Alaska Native	7.8 ^a	3.3	16.6 ^b	7.4	19.1 ^b	8.2
Native Hawaiian or Other Pacific Islander	5.7	2.1	9.5	11.3	10.0	11.9
Asian	1.3	1.2	4.9	6.0	5.1	6.4
Two or More Races	5.1	9.1	11.3	14.2	13.3	16.5
Hispanic or Latino	3.5	3.4	9.4	9.4	10.1	10.3
EDUCATION						
< High School	3.5	3.3	6.2 ^b	4.6	7.3 ^a	5.8
High School Graduate	4.4	4.1	10.2	9.1	11.5	10.5
Some College	5.3	5.0	13.8	13.1	15.2	14.4
College Graduate	3.1	3.3	15.7	16.9	16.4	17.4
CURRENT EMPLOYMENT						
Full-Time	4.5	4.4	16.1	16.2	17.1	17.2
Part-Time	6.2	5.9	12.4	12.8	14.4	14.6
Unemployed	7.6	7.4	12.0	10.3	14.1	12.4
Other ¹	2.0	1.8	5.6 ^a	4.7	6.3	5.5

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.97A Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Illicit Drugs or Alcohol (2012)	Illicit Drugs or Alcohol (2013)
TOTAL	9,687	9,454	28,626	28,314	31,226	30,840
GEOGRAPHIC DIVISION						
Northeast	1,652	1,535	5,049	4,865	5,526	5,287
New England	566	556	1,573	1,462	1,712	1,592
Middle Atlantic	1,086	978	3,476	3,403	3,814	3,695
Midwest	2,123	2,241	7,305	7,035	7,934	7,675
East North Central	1,540	1,468	4,973	4,722	5,396	5,105
West North Central	583	773	2,331	2,313	2,538	2,569
South	3,288	3,276	9,724	9,613	10,574	10,508
South Atlantic	1,880	1,823	4,994	5,062	5,509	5,569
East South Central	409	498	1,378	1,157	1,471	1,293
West South Central	999	955	3,352	3,394	3,594	3,646
West	2,624	2,402	6,548	6,800	7,192	7,369
Mountain	701	762	2,014	2,160	2,206	2,368
Pacific	1,923	1,640	4,534	4,641	4,986	5,001
COUNTY TYPE						
Large Metro	5,302	5,093	15,781	15,829	17,180	17,128
Small Metro	3,129	3,059	9,095	8,869	9,975	9,698
250K – 1 Mil. Pop.	2,051	2,038	6,162	6,215	6,738	6,741
< 250K Pop.	1,078	1,021	2,933	2,654	3,237	2,957
Nonmetro	1,256	1,302	3,750	3,616	4,070	4,013
Urbanized	671	702	1,829	1,912	1,976	2,079
Less Urbanized	492	483	1,564	1,360	1,721	1,554
Completely Rural	93	117	357	345	374	380

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.97B Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Illicit Drugs or Alcohol (2012)	Illicit Drugs or Alcohol (2013)
TOTAL	4.1	4.0	12.2	11.9	13.3	13.0
GEOGRAPHIC DIVISION						
Northeast	3.8	3.6	11.8	11.3	12.9	12.2
New England	5.0	4.9	13.9	12.8	15.1	14.0
Middle Atlantic	3.4	3.1	11.0	10.7	12.1	11.6
Midwest	4.2	4.4	14.5	13.8	15.7	15.1
East North Central	4.4	4.2	14.2	13.4	15.4	14.5
West North Central	3.8	5.0	15.1	14.8	16.4	16.5
South	3.8	3.7	11.2	10.9	12.1	11.9
South Atlantic	4.1	3.9	10.8	10.8	11.9	11.9
East South Central	2.9	3.6	9.9	8.3	10.6	9.2
West South Central	3.7	3.5	12.4	12.4	13.3	13.3
West	4.8	4.3	12.0	12.3	13.2	13.3
Mountain	4.2	4.5	12.2	12.8	13.3	14.1
Pacific	5.1	4.3	11.9	12.1	13.1	13.0
COUNTY TYPE						
Large Metro	4.2	4.0	12.6	12.4	13.7	13.4
Small Metro	4.4	4.3	12.8	12.4	14.0	13.6
250K – 1 Mil. Pop.	4.3	4.2	12.9	12.9	14.1	14.0
< 250K Pop.	4.6	4.4	12.6	11.4	13.9	12.8
Nonmetro	3.3	3.4	9.8	9.4	10.6	10.4
Urbanized	4.0	4.0	11.0	11.0	11.9	12.0
Less Urbanized	2.8	2.8	9.0	7.9	9.9	9.0
Completely Rural	2.1	2.9	8.2	8.6	8.6	9.4

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.