

**Table 6.1C Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	556	577	75	78	171	163	488	519
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	298	309	49	50	119	115	271	280
12-49	212	257	39	37	81	80	198	233
50-99	149	186	28	26	59	56	132	175
100-299	270	290	40	39	91	89	249	278
300 or More	227	261	22	24	96	88	199	241
<b>TOTAL PAST MONTH USERS</b>	431	442	55	56	133	135	392	407
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	211	215	33	32	64	69	202	198
3-5	164	164	29	28	55	53	154	154
6-19	178	163	29	26	69	67	163	151
20 or More	278	318	29	28	104	99	246	292

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.1D Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2012 and 2013**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	0.21	0.22	0.30	0.31	0.49	0.47	0.24	0.26
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.73	0.76	1.15	1.16	0.78	0.76	1.26	1.26
12-49	0.61	0.69	0.98	0.99	0.60	0.62	1.05	1.14
50-99	0.44	0.53	0.79	0.73	0.49	0.47	0.73	0.89
100-299	0.71	0.76	1.02	1.02	0.75	0.67	1.19	1.29
300 or More	0.62	0.71	0.63	0.67	0.72	0.72	1.02	1.17
<b>TOTAL PAST MONTH USERS</b>	0.17	0.17	0.22	0.23	0.39	0.39	0.20	0.20
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.96	0.91	1.51	1.52	0.82	0.88	1.64	1.47
3-5	0.80	0.79	1.43	1.39	0.74	0.74	1.33	1.29
6-19	0.85	0.76	1.44	1.26	0.94	0.85	1.38	1.23
20 or More	1.04	1.13	1.38	1.35	1.06	1.09	1.72	1.80

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.1P Number of Days Used Marijuana in the Past Year among Past Year Users and the Number of Days Used Marijuana in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	0.1471		0.9189		0.8187		0.1126	
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.6919		0.9937		0.4521		0.4970	
12-49	0.2221		0.3383		0.1884		0.3061	
50-99	0.8320		0.6314		0.8855		0.7095	
100-299	0.2238		0.4393		0.0828		0.3955	
300 or More	0.6786		0.4446		0.9036		0.6930	
<b>TOTAL PAST MONTH USERS</b>	0.1983		0.6640		0.5373		0.2034	
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.5713		0.8221		0.0882		0.9367	
3-5	0.4541		0.8077		0.5269		0.5292	
6-19	0.0381		0.6013		0.5994		0.0610	
20 or More	0.6083		0.3153		0.2087		0.4083	

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.2C Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	217	189	19	15	74	72	200	172
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	133	146	15	13	61	60	115	132
12-49	117	84	7	5	35	29	113	78
50-99	87	54	6	*	15	19	85	49
100-299	89	61	7	4	18	21	86	57
300 or More	33	50	0	*	8	3	32	50
<b>TOTAL PAST MONTH USERS</b>	142	133	7	9	33	34	138	129
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	76	97	*	*	26	26	72	93
3-5	64	55	*	*	16	15	62	52
6-19	93	49	*	*	11	17	*	46
20 or More	36	55	*	*	9	4	35	*

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.2D Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2012 and 2013**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	0.08	0.07	0.08	0.06	0.21	0.21	0.10	0.08
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	2.40	2.33	5.31	5.21	2.23	2.09	3.45	3.60
12-49	2.10	1.77	3.83	3.77	1.87	1.72	3.24	2.73
50-99	1.72	1.26	3.24	*	0.92	1.18	2.69	1.95
100-299	1.74	1.39	3.72	2.93	1.12	1.28	2.66	2.18
300 or More	0.71	1.16	0.10	*	0.49	0.17	1.12	1.93
<b>TOTAL PAST MONTH USERS</b>	0.05	0.05	0.03	0.04	0.09	0.10	0.07	0.06
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	4.10	4.12	*	*	4.27	4.57	5.13	5.51
3-5	3.56	3.24	*	*	3.63	3.44	4.65	4.32
6-19	4.48	3.02	*	*	2.53	3.93	*	3.98
20 or More	2.07	3.28	*	*	2.18	1.06	2.71	*

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.2P Number of Days Used Cocaine in the Past Year among Past Year Users and the Number of Days Used Cocaine in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	0.0673		0.0468		0.4989		0.1252	
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.0126		0.3600		0.2527		0.0323	
12-49	0.1101		0.6814		0.1331		0.2692	
50-99	0.1145		*		0.6223		0.0803	
100-299	0.4256		0.3321		0.6966		0.4238	
300 or More	0.3776		*		0.0801		0.2461	
<b>TOTAL PAST MONTH USERS</b>	0.5526		0.2372		0.9607		0.5019	
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.0563		*		0.8468		0.0617	
3-5	0.2112		*		0.8928		0.2387	
6-19	0.0778		*		0.4673		*	
20 or More	0.2893		*		0.2390		*	

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.3C Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	175	204	32	29	89	89	138	177
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	151	174	27	24	85	86	125	145
12-49	67	94	14	13	34	27	56	*
50-99	36	37	6	8	16	17	32	31
100-299	36	39	8	4	10	22	34	32
300 or More	6	31	5	2	3	6	*	*
<b>TOTAL PAST MONTH USERS</b>	90	132	17	17	46	48	77	123
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	79	119	12	16	37	43	*	*
3-5	41	43	10	4	20	14	*	*
6-19	12	24	8	5	7	15	*	*
20 or More	8	31	2	3	7	2	*	*

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.3D Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2012 and 2013**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	0.07	0.08	0.13	0.12	0.26	0.25	0.07	0.09
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	1.71	2.16	2.76	2.78	1.53	1.52	4.34	5.34
12-49	1.44	1.92	2.33	2.41	1.36	1.08	3.57	*
50-99	0.80	0.82	1.15	1.53	0.70	0.72	2.05	1.93
100-299	0.82	0.86	1.32	0.88	0.45	0.92	2.15	1.95
300 or More	0.13	0.69	0.85	0.39	0.15	0.24	*	*
<b>TOTAL PAST MONTH USERS</b>	0.03	0.05	0.07	0.07	0.13	0.14	0.04	0.06
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	3.33	3.98	5.66	4.03	2.90	3.03	*	*
3-5	3.18	3.07	5.31	2.49	2.81	2.20	*	*
6-19	1.12	1.81	4.36	3.00	1.11	2.39	*	*
20 or More	0.69	2.27	1.02	1.66	1.10	0.33	*	*

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.



**Table 6.3P Number of Days Used Hallucinogens in the Past Year among Past Year Users and the Number Days Used Hallucinogens in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	0.7534		0.1074		0.4596		0.7381	
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.7434		0.4756		0.3590		0.8137	
12-49	0.6313		0.7635		0.0617		*	
50-99	0.4167		0.3335		0.3670		0.5035	
100-299	0.9035		0.0792		0.0518		0.5888	
300 or More	0.1327		0.3290		0.5420		*	
<b>TOTAL PAST MONTH USERS</b>	0.2272		0.8155		0.8244		0.2079	
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.5892		0.0007		0.2875		*	
3-5	0.1374		0.0030		0.2079		*	
6-19	0.6573		0.1711		0.4789		*	
20 or More	0.2294		0.6768		0.1301		*	

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.4C Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	120	105	34	29	38	41	107	90
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	81	74	27	25	32	35	*	*
12-49	81	66	17	12	18	17	*	*
50-99	26	25	11	9	7	7	*	*
100-299	19	16	9	9	10	7	*	*
300 or More	10	5	3	1	*	5	*	*
<b>TOTAL PAST MONTH USERS</b>	65	64	19	15	22	18	56	59
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	*	56	16	12	*	*	*	*
3-5	*	*	8	5	*	*	*	*
6-19	12	17	7	4	*	*	*	*
20 or More	*	6	2	*	*	*	*	*

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.4D Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2012 and 2013**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	0.05	0.04	0.14	0.12	0.11	0.12	0.05	0.04
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	3.63	3.41	2.69	3.01	4.19	3.51	*	*
12-49	3.80	3.45	2.34	2.35	3.48	3.14	*	*
50-99	1.50	1.62	1.54	1.91	1.39	1.44	*	*
100-299	1.14	1.07	1.37	1.81	2.11	1.45	*	*
300 or More	0.62	0.31	0.39	0.17	*	0.97	*	*
<b>TOTAL PAST MONTH USERS</b>	0.02	0.02	0.08	0.06	0.06	0.05	0.03	0.03
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	*	5.38	4.60	5.66	*	*	*	*
3-5	*	*	3.73	4.14	*	*	*	*
6-19	2.45	3.28	3.28	3.46	*	*	*	*
20 or More	*	1.28	1.10	*	*	*	*	*

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.4P Number of Days Used Inhalants in the Past Year among Past Year Users and the Number of Days Used Inhalants in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	0.2732		0.0001		0.9609		0.9745	
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.6022		0.3576		0.3799		*	
12-49	0.5494		0.1133		0.7100		*	
50-99	0.3167		0.2859		0.6501		*	
100-299	0.3905		0.8512		0.5557		*	
300 or More	0.5496		0.1062		*		*	
<b>TOTAL PAST MONTH USERS</b>	0.9873		0.0048		0.5438		0.2982	
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	*		0.6982		*		*	
3-5	*		0.4956		*		*	
6-19	0.9196		0.4471		*		*	
20 or More	*		*		*		*	

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.5C Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST MONTH USERS</b>	839	798	55	51	161	162	796	770
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	227	221	29	28	83	83	211	199
3-5	199	233	22	21	61	63	187	222
6-19	292	271	26	21	78	74	279	254
20-29	273	290	17	20	71	66	261	277
30	740	707	25	21	129	115	709	691
<b>TOTAL DAILY SMOKERS<sup>1</sup></b>	691	656	25	21	124	109	662	648
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS<sup>1</sup></b>								
Fewer Than 6	303	305	19	15	68	58	298	298
6-15 (1/2 Pack)	425	395	14	13	80	78	410	385
16-25 (1 Pack)	371	393	7	5	48	45	365	388
26 or More (More Than 1 Pack)	237	216	2	5	23	16	235	215
Not Reported	17	14	3	*	3	1	16	14

\*Low precision; no estimate reported.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.5D** Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: Standard Errors of Percentages, 2012 and 2013

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL PAST MONTH USERS</b>	0.32	0.30	0.22	0.20	0.47	0.46	0.40	0.38
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.38	0.37	1.41	1.66	0.67	0.69	0.46	0.43
3-5	0.33	0.40	1.26	1.36	0.51	0.53	0.40	0.49
6-19	0.48	0.45	1.38	1.37	0.61	0.61	0.59	0.55
20-29	0.44	0.49	0.99	1.27	0.57	0.55	0.54	0.60
30	0.71	0.73	1.33	1.35	0.88	0.83	0.85	0.88
<b>TOTAL DAILY SMOKERS<sup>1</sup></b>	0.27	0.25	0.10	0.08	0.36	0.31	0.33	0.32
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS<sup>1</sup></b>								
Fewer Than 6	0.76	0.81	3.46	3.91	1.12	1.09	0.89	0.93
6-15 (1/2 Pack)	0.92	0.95	3.22	3.66	1.08	1.12	1.08	1.09
16-25 (1 Pack)	0.83	0.91	1.79	1.94	0.84	0.85	0.98	1.06
26 or More (More Than 1 Pack)	0.63	0.61	0.49	1.64	0.45	0.35	0.74	0.71
Not Reported	0.05	0.04	0.87	*	0.06	0.01	0.05	0.05

\*Low precision; no estimate reported.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.5P** Number of Days Used Cigarettes in the Past Month among Past Month Users and the Number of Cigarettes Smoked Per Day among Daily Smokers, by Age Group: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012

Frequency of Use	Total (2012)	Total (2013)	Aged 12-17 (2012)	Aged 12-17 (2013)	Aged 18-25 (2012)	Aged 18-25 (2013)	Aged 26+ (2012)	Aged 26+ (2013)
<b>TOTAL PAST MONTH USERS</b>	0.0411		0.0013		0.0600		0.1229	
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.5689		0.3888		0.1552		0.2718	
3-5	0.4469		0.2556		0.3195		0.6373	
6-19	0.6204		0.4350		0.5494		0.6300	
20-29	0.2992		0.9587		0.4688		0.2061	
30	0.2704		0.1804		0.0907		0.3927	
<b>TOTAL DAILY SMOKERS<sup>1</sup></b>	0.0332		0.0069		0.0131		0.0894	
<b>NUMBER OF CIGARETTES SMOKED PER DAY AMONG DAILY SMOKERS<sup>1</sup></b>								
Fewer Than 6	0.4251		0.3363		0.5686		0.3970	
6-15 (1/2 Pack)	0.8950		0.2935		0.1724		0.7105	
16-25 (1 Pack)	0.8592		0.5798		0.1331		0.9574	
26 or More (More Than 1 Pack)	0.6163		0.1211		0.0533		0.6777	
Not Reported	0.4757		*		0.0613		0.8012	

\*Low precision; no estimate reported.

<sup>1</sup> Daily Cigarette Use is defined as smoking on each of the past 30 days.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.6C Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	955	1,007	105	100	147	158	925	954
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	800	764	88	88	141	145	765	726
12-49	833	789	63	59	186	173	808	750
50-99	626	643	42	39	134	131	601	618
100-299	974	1,010	32	30	215	204	947	967
300 or More	436	417	8	10	43	40	433	413
<b>TOTAL PAST MONTH USERS</b>	1,016	1,076	78	73	170	183	972	1,021
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	783	738	63	56	150	146	759	711
3-5	730	698	43	41	163	149	706	679
6-19	808	833	34	29	196	179	767	794
20 or More	654	643	12	9	73	74	648	638

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.



**Table 6.6D** Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: Standard Errors of Percentages, 2012 and 2013

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	0.37	0.38	0.42	0.40	0.42	0.45	0.46	0.47
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.38	0.38	0.87	0.92	0.45	0.47	0.46	0.45
12-49	0.39	0.38	0.78	0.79	0.49	0.48	0.47	0.45
50-99	0.31	0.32	0.59	0.60	0.39	0.39	0.38	0.39
100-299	0.44	0.43	0.45	0.47	0.57	0.53	0.53	0.51
300 or More	0.24	0.23	0.13	0.16	0.16	0.15	0.29	0.28
<b>TOTAL PAST MONTH USERS</b>	0.39	0.41	0.31	0.29	0.49	0.53	0.48	0.50
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.45	0.45	1.28	1.25	0.55	0.55	0.54	0.53
3-5	0.45	0.41	1.11	1.15	0.56	0.51	0.53	0.49
6-19	0.45	0.45	0.94	0.91	0.65	0.55	0.53	0.53
20 or More	0.42	0.41	0.38	0.31	0.32	0.32	0.51	0.49

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.6P Number of Days Used Alcohol in the Past Year among Past Year Users and the Number of Days Used Alcohol in the Past Month among Past Month Users, by Age Group: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Frequency of Use</b>	<b>Total (2012)</b>	<b>Total (2013)</b>	<b>Aged 12-17 (2012)</b>	<b>Aged 12-17 (2013)</b>	<b>Aged 18-25 (2012)</b>	<b>Aged 18-25 (2013)</b>	<b>Aged 26+ (2012)</b>	<b>Aged 26+ (2013)</b>
<b>TOTAL PAST YEAR USERS</b>	0.3796		0.0055		0.3017		0.6158	
<b>NUMBER OF DAYS USED IN PAST YEAR AMONG PAST YEAR USERS</b>								
1-11	0.1802		0.0748		0.7988		0.1514	
12-49	0.6131		0.0999		0.3286		0.5610	
50-99	0.8952		0.9838		0.6994		0.8212	
100-299	0.0578		0.4774		0.2089		0.0370	
300 or More	0.6373		0.8376		0.5318		0.6327	
<b>TOTAL PAST MONTH USERS</b>	0.9167		0.0021		0.3966		0.6696	
<b>NUMBER OF DAYS USED IN PAST MONTH AMONG PAST MONTH USERS</b>								
1-2	0.3219		0.3216		0.3607		0.2591	
3-5	0.7150		0.8835		0.6363		0.7688	
6-19	0.2142		0.1754		0.3328		0.1338	
20 or More	0.5167		0.6283		0.5962		0.4891	

\*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.