

Table 6.41C Illicit Drug Dependence in the Past Year among Persons Aged 18 or Older, by Age First Used Marijuana and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Total		AGE FIRST USED MARIJUANA						Never Used Marijuana	
			14 or Younger		15-17		18 or Older			
	2012	2013	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	211	208	133	127	114	94	88	141	71	35
AGE										
18-25	78	73	49	46	57	45	26	32	9	10
26-34	111	119	85	93	64	64	27	52	23	12
35-49	109	80	69	58	56	39	56	24	9	27
50 or Older	106	137	51	33	46	46	48	125	66	16
GENDER										
Male	170	142	115	98	93	70	71	75	67	17
Female	103	160	61	85	60	63	52	123	23	30
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	194	200	124	121	110	92	79	137	67	34
White	167	188	117	111	91	79	67	132	13	21
Black or African American	101	77	39	48	46	41	41	41	65	12
Other or Two or More Races	43	45	18	22	36	25	7	25	15	25
Hispanic or Latino	70	59	45	40	33	28	38	32	22	5
EDUCATION										
< High School	97	79	65	53	37	43	43	33	11	12
High School Graduate	135	102	77	73	67	59	47	41	66	29
Some College	95	154	61	80	65	54	27	124	21	10
College Graduate	85	75	48	36	51	37	46	51	7	10

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.41D Illicit Drug Dependence in the Past Year among Persons Aged 18 or Older, by Age First Used Marijuana and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Total ¹		AGE FIRST USED MARIJUANA						Never Used Marijuana	
			14 or Younger		15-17		18 or Older			
	2012	2013	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.09	0.09	0.65	0.60	0.28	0.24	0.18	0.28	0.06	0.03
AGE										
18-25	0.22	0.21	0.92	0.98	0.67	0.54	0.45	0.53	0.05	0.06
26-34	0.30	0.32	1.60	1.69	0.74	0.73	0.38	0.65	0.14	0.07
35-49	0.18	0.13	0.98	0.93	0.46	0.33	0.46	0.20	0.03	0.09
50 or Older	0.10	0.13	1.42	0.69	0.39	0.37	0.21	0.51	0.10	0.02
GENDER										
Male	0.15	0.12	0.95	0.82	0.43	0.32	0.29	0.29	0.12	0.03
Female	0.08	0.13	0.74	0.97	0.33	0.35	0.23	0.50	0.03	0.04
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.10	0.10	0.70	0.67	0.31	0.26	0.19	0.30	0.06	0.03
White	0.11	0.12	0.78	0.73	0.31	0.27	0.19	0.36	0.02	0.03
Black or African American	0.36	0.27	1.82	2.43	1.07	0.87	0.71	0.67	0.42	0.08
Other or Two or More Races	0.25	0.26	2.15	2.28	1.78	1.52	0.33	0.97	0.12	0.20
Hispanic or Latino	0.20	0.16	1.66	1.43	0.71	0.64	0.76	0.62	0.10	0.02
EDUCATION										
< High School	0.28	0.24	1.64	1.41	0.80	0.98	1.26	0.91	0.05	0.06
High School Graduate	0.19	0.14	1.15	1.12	0.52	0.47	0.41	0.34	0.17	0.07
Some College	0.15	0.24	1.08	1.27	0.52	0.44	0.19	0.82	0.07	0.03
College Graduate	0.12	0.10	1.21	0.81	0.49	0.33	0.26	0.26	0.02	0.03

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Standard Errors in the Total column correspond to percentages among all persons aged 18 or older, regardless of whether they ever used marijuana.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.41P Illicit Drug Dependence in the Past Year among Persons Aged 18 or Older, by Age First Used Marijuana and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Demographic Characteristic	Total ¹		AGE FIRST USED MARIJUANA						Never Used Marijuana	
			14 or Younger		15-17		18 or Older			
	2012	2013	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.5842		0.2918		0.1116		0.1216		0.6301	
AGE										
18-25	0.2523		0.9777		0.0332		0.1107		0.9784	
26-34	0.5218		0.9208		0.8804		0.0730		0.5426	
35-49	0.0526		0.8771		0.1075		0.0226		0.1792	
50 or Older	0.4577		0.1159		0.8167		0.0798		0.3650	
GENDER										
Male	0.0991		0.2618		0.0164		0.2702		0.3356	
Female	0.2904		0.7837		0.6100		0.2803		0.4564	
HISPANIC ORIGIN AND RACE										
Not Hispanic or Latino	0.6400		0.3102		0.0979		0.1220		0.8805	
White	0.8428		0.1750		0.2044		0.1139		0.1204	
Black or African American	0.2749		0.6503		0.1812		0.5629		0.4534	
Other or Two or More Races	0.4149		0.5227		0.9334		0.0892		0.9434	
Hispanic or Latino	0.7425		0.7701		0.9577		0.7690		0.2398	
EDUCATION										
< High School	0.5692		0.2759		0.3209		0.8395		0.8286	
High School Graduate	0.4309		0.7391		0.2898		0.6946		0.7251	
Some College	0.3469		0.9266		0.2711		0.0325		0.3997	
College Graduate	0.4774		0.2303		0.2129		0.6653		0.3759	

*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ P Values in the Total column correspond to tests of differences of percentages among all persons aged 18 or older, regardless of whether they ever used marijuana.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.42C Alcohol Dependence in the Past Year among Persons Aged 18 or Older, by Age First Used Alcohol and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Total		AGE FIRST USED ALCOHOL					
			14 or Younger		15-17		18 or Older	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	297	286	189	161	193	191	124	141
AGE								
18-25	77	78	48	46	61	59	31	29
26-34	142	159	92	98	92	111	63	63
35-49	157	134	108	99	95	72	69	67
50 or Older	184	187	112	81	121	124	82	108
GENDER								
Male	252	231	168	132	165	156	102	118
Female	147	165	89	99	100	111	72	76
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	263	259	176	148	160	165	114	133
White	240	238	158	130	147	151	102	118
Black or African American	100	87	67	58	58	43	44	49
Other or Two or More Races	61	73	42	52	34	37	32	36
Hispanic or Latino	126	124	70	69	97	93	47	48
EDUCATION								
< High School	133	104	86	69	73	51	64	60
High School Graduate	168	155	97	85	121	97	65	82
Some College	150	138	104	77	91	87	53	75
College Graduate	141	186	81	101	93	131	69	73

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.42D Alcohol Dependence in the Past Year among Persons Aged 18 or Older, by Age First Used Alcohol and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Demographic Characteristic	Total ¹		AGE FIRST USED ALCOHOL					
			14 or Younger		15-17		18 or Older	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.13	0.12	0.46	0.41	0.25	0.24	0.13	0.16
AGE								
18-25	0.22	0.22	0.65	0.70	0.42	0.44	0.30	0.27
26-34	0.38	0.43	1.20	1.30	0.71	0.81	0.44	0.46
35-49	0.26	0.22	0.79	0.75	0.46	0.36	0.32	0.31
50 or Older	0.18	0.18	0.86	0.60	0.40	0.39	0.18	0.24
GENDER								
Male	0.22	0.20	0.66	0.54	0.40	0.36	0.26	0.31
Female	0.12	0.13	0.57	0.64	0.29	0.31	0.13	0.14
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.13	0.13	0.49	0.43	0.24	0.24	0.14	0.17
White	0.15	0.15	0.51	0.44	0.26	0.26	0.17	0.21
Black or African American	0.36	0.31	1.99	1.93	0.86	0.61	0.34	0.40
Other or Two or More Races	0.35	0.41	2.35	2.68	0.93	1.00	0.45	0.48
Hispanic or Latino	0.36	0.35	1.40	1.30	0.97	0.96	0.34	0.35
EDUCATION								
< High School	0.38	0.32	1.36	1.33	0.85	0.65	0.57	0.57
High School Graduate	0.24	0.22	0.87	0.82	0.52	0.44	0.24	0.30
Some College	0.23	0.22	0.89	0.70	0.42	0.40	0.21	0.30
College Graduate	0.20	0.25	0.67	0.76	0.40	0.50	0.24	0.26

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Standard Errors in the Total column correspond to percentages among all persons aged 18 or older, regardless of whether they ever used alcohol.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.42P Alcohol Dependence in the Past Year among Persons Aged 18 or Older, by Age First Used Alcohol and Demographic Characteristics:
P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Demographic Characteristic	Total ¹		AGE FIRST USED ALCOHOL					
			14 or Younger		15-17		18 or Older	
	2012	2013	2012	2013	2012	2013	2012	2013
TOTAL	0.1122		0.3140		0.1167		0.7375	
AGE								
18-25	0.1211		0.8374		0.3088		0.2055	
26-34	0.9496		0.7522		1.0000		0.5636	
35-49	0.0683		0.8987		0.0122		0.8512	
50 or Older	0.7895		0.0994		0.8480		0.2012	
GENDER								
Male	0.0741		0.2722		0.0809		0.6550	
Female	0.8505		0.9198		0.8409		0.9213	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.2614		0.3460		0.2551		0.5251	
White	0.4241		0.2971		0.5865		0.6235	
Black or African American	0.1163		0.7970		0.0206		0.8725	
Other or Two or More Races	0.6074		0.7353		0.7778		0.6145	
Hispanic or Latino	0.1714		0.6996		0.2623		0.4802	
EDUCATION								
< High School	0.2465		0.8380		0.1656		0.8590	
High School Graduate	0.0266		0.4648		0.0128		0.8149	
Some College	0.0865		0.0213		0.5180		0.6264	
College Graduate	0.0734		0.1949		0.2642		0.9004	

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ P Values in the Total column correspond to tests of differences of percentages among all persons aged 18 or older, regardless of whether they ever used alcohol.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.43C Alcohol Dependence in the Past Year among Persons Aged 21 or Older, by Age First Used Alcohol and Age Group: Standard Errors of Numbers in Thousands, 2012 and 2013

Age Group	Total		AGE FIRST USED ALCOHOL							
			14 or Younger		15-17		18-20		21 or Older	
	2012	2013	2012	2013	2012	2013	2012	2013	2012	2013
21 OR OLDER	299	287	186	158	188	189	101	113	78	79
21 to 25	66	72	36	37	47	50	27	23	11	10
26 or Older	288	278	182	156	183	181	98	114	77	78
26 to 49	212	209	142	137	134	133	76	77	54	46
26 to 34	142	159	92	98	92	111	50	57	38	27
35 to 49	157	134	108	99	95	72	57	57	39	37
50 or Older	184	187	112	81	121	124	61	88	55	64

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.43D Alcohol Dependence in the Past Year among Persons Aged 21 or Older, by Age First Used Alcohol and Age Group: Standard Errors of Percentages, 2012 and 2013

Age Group	Total ¹		AGE FIRST USED ALCOHOL							
			14 or Younger		15-17		18-20		21 or Older	
	2012	2013	2012	2013	2012	2013	2012	2013	2012	2013
21 OR OLDER	0.13	0.13	0.49	0.42	0.26	0.26	0.20	0.22	0.20	0.21
21 to 25	0.29	0.31	0.81	0.90	0.58	0.62	0.51	0.43	0.38	0.33
26 or Older	0.14	0.14	0.54	0.46	0.29	0.28	0.21	0.25	0.22	0.23
26 to 49	0.22	0.21	0.67	0.66	0.40	0.39	0.37	0.40	0.35	0.29
26 to 34	0.38	0.43	1.20	1.30	0.71	0.81	0.60	0.75	0.64	0.43
35 to 49	0.26	0.22	0.79	0.75	0.46	0.36	0.48	0.49	0.40	0.38
50 or Older	0.18	0.18	0.86	0.60	0.40	0.39	0.23	0.33	0.28	0.35

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ Standard Errors in the Total column correspond to percentages among all persons aged 21 or older, regardless of whether they ever used alcohol.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.43P Alcohol Dependence in the Past Year among Persons Aged 21 or Older, by Age First Used Alcohol and Age Group: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Age Group	Total ¹		AGE FIRST USED ALCOHOL							
			14 or Younger		15-17		18-20		21 or Older	
	2012	2013	2012	2013	2012	2013	2012	2013	2012	2013
21 OR OLDER	0.1465		0.3425		0.1499		0.5323		0.6522	
21 to 25	0.2095		0.6924		0.5474		0.0708		0.6932	
26 or Older	0.2248		0.2918		0.2031		0.3145		0.6788	
26 to 49	0.1914		0.8994		0.1111		0.7064		0.1703	
26 to 34	0.9496		0.7522		1.0000		0.7001		0.1207	
35 to 49	0.0683		0.8987		0.0122		0.8690		0.6047	
50 or Older	0.7895		0.0994		0.8480		0.2400		0.5930	

*Low precision; no estimate reported.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

¹ P Values in the Total column correspond to tests of differences of percentages among all persons aged 21 or older, regardless of whether they ever used alcohol.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.