

Table 6.7C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	352	372	349	355
Marijuana and Hashish	317	344	299	296
Cocaine	127	112	66	73
Crack	88	54	32	35
Heroin	44	38	26	18
Hallucinogens	85	79	32	98
LSD	30	21	9	31
PCP	6	11	11	10
Ecstasy	68	57	25	53
Inhalants	27	46	58	44
Nonmedical Use of Psychotherapeutics ^{2,3}	176	190	189	171
Pain Relievers	138	156	154	135
OxyContin [®]	43	59	14	56
Tranquilizers	115	99	112	69
Stimulants ³	77	98	65	60
Methamphetamine ³	68	76	31	37
Sedatives	22	27	44	62
ILLCIT DRUGS OTHER THAN MARIJUANA¹	219	226	205	208

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.7D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	0.53	0.58	0.17	0.17
Marijuana and Hashish	0.49	0.54	0.14	0.14
Cocaine	0.22	0.20	0.03	0.04
Crack	0.15	0.10	0.02	0.02
Heroin	0.08	0.07	0.01	0.01
Hallucinogens	0.15	0.14	0.02	0.05
LSD	0.05	0.04	0.00	0.01
PCP	0.01	0.02	0.01	0.00
Ecstasy	0.12	0.10	0.01	0.03
Inhalants	0.05	0.08	0.03	0.02
Nonmedical Use of Psychotherapeutics ^{2,3}	0.30	0.33	0.09	0.08
Pain Relievers	0.23	0.27	0.08	0.07
OxyContin [®]	0.07	0.11	0.01	0.03
Tranquilizers	0.20	0.18	0.06	0.03
Stimulants ³	0.13	0.17	0.03	0.03
Methamphetamine ³	0.12	0.14	0.02	0.02
Sedatives	0.04	0.05	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.36	0.39	0.10	0.10

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.7P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLICIT DRUGS¹	0.1399		0.6021	
Marijuana and Hashish	0.1265		0.2161	
Cocaine	0.4078		0.4941	
Crack	0.3772		0.5085	
Heroin	0.7821		0.4723	
Hallucinogens	0.9555		0.0288	
LSD	0.9309		0.1562	
PCP	0.7094		0.8006	
Ecstasy	0.6517		0.1634	
Inhalants	0.4258		0.5986	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.5397		0.0673	
Pain Relievers	0.9679		0.1285	
OxyContin [®]	0.4689		0.1325	
Tranquilizers	0.4116		0.0277	
Stimulants ³	0.0487		0.6527	
Methamphetamine ³	0.1717		0.6061	
Sedatives	0.7188		0.6653	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.5255		0.2550	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.8C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLICIT DRUGS¹	42	36	56	55
Marijuana and Hashish	39	34	45	47
Cocaine	7	7	2	6
Crack	1	1	*	1
Heroin	*	4	*	2
Hallucinogens	16	14	8	10
LSD	6	9	1	4
PCP	3	3	*	1
Ecstasy	10	7	5	6
Inhalants	12	6	15	14
Nonmedical Use of Psychotherapeutics ^{2,3}	20	17	33	28
Pain Relievers	16	15	29	26
OxyContin [®]	8	4	7	5
Tranquilizers	11	9	16	8
Stimulants ³	12	8	9	9
Methamphetamine ³	5	4	4	4
Sedatives	4	3	5	6
ILLICIT DRUGS OTHER THAN MARIJUANA¹	25	22	37	33

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.8D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Standard Errors of Percentages, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	1.61	1.70	0.22	0.22
Marijuana and Hashish	1.60	1.74	0.19	0.20
Cocaine	0.42	0.48	0.01	0.03
Crack	0.04	0.04	*	0.01
Heroin	*	0.32	*	0.01
Hallucinogens	0.92	0.93	0.04	0.04
LSD	0.34	0.63	0.01	0.02
PCP	0.17	0.22	*	0.01
Ecstasy	0.63	0.49	0.02	0.02
Inhalants	0.69	0.45	0.06	0.06
Nonmedical Use of Psychotherapeutics ^{2,3}	1.12	1.15	0.14	0.12
Pain Relievers	0.93	1.00	0.12	0.11
OxyContin [®]	0.45	0.29	0.03	0.02
Tranquilizers	0.65	0.60	0.07	0.04
Stimulants ³	0.71	0.55	0.04	0.04
Methamphetamine ³	0.30	0.31	0.02	0.02
Sedatives	0.25	0.22	0.02	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1.35	1.38	0.15	0.13

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.8P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	0.7501		0.4808	
Marijuana and Hashish	0.8582		0.3071	
Cocaine	0.7273		0.0275	
Crack	0.7596		*	
Heroin	*		*	
Hallucinogens	0.9206		0.3298	
LSD	0.0376		0.1004	
PCP	0.7425		*	
Ecstasy	0.0578		0.4499	
Inhalants	0.0251		0.1028	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2228		0.0335	
Pain Relievers	0.1836		0.0200	
OxyContin [®]	0.1673		0.5697	
Tranquilizers	0.1910		0.2362	
Stimulants ³	0.1162		0.7286	
Methamphetamine ³	0.4286		0.9312	
Sedatives	0.5818		0.7338	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.4757		0.0351	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	133	126	103	103
Marijuana and Hashish	127	120	95	94
Cocaine	31	29	12	16
Crack	8	12	5	*
Heroin	20	16	11	2
Hallucinogens	40	39	21	28
LSD	15	15	9	9
PCP	3	1	3	2
Ecstasy	35	28	16	16
Inhalants	19	15	12	10
Nonmedical Use of Psychotherapeutics ^{2,3}	66	59	40	41
Pain Relievers	57	51	32	35
OxyContin [®]	23	17	5	7
Tranquilizers	40	30	16	18
Stimulants ³	26	29	17	22
Methamphetamine ³	15	18	3	6
Sedatives	5	6	12	7
ILLCIT DRUGS OTHER THAN MARIJUANA¹	78	72	47	50

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Standard Errors of Percentages, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	0.81	0.84	0.37	0.37
Marijuana and Hashish	0.82	0.82	0.36	0.34
Cocaine	0.28	0.27	0.05	0.07
Crack	0.07	0.11	0.02	*
Heroin	0.18	0.15	0.05	0.01
Hallucinogens	0.36	0.36	0.09	0.12
LSD	0.14	0.14	0.04	0.04
PCP	0.03	0.01	0.01	0.01
Ecstasy	0.31	0.26	0.07	0.07
Inhalants	0.17	0.14	0.05	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.54	0.50	0.16	0.17
Pain Relievers	0.48	0.44	0.14	0.14
OxyContin [®]	0.21	0.16	0.02	0.03
Tranquilizers	0.35	0.27	0.07	0.07
Stimulants ³	0.23	0.27	0.07	0.09
Methamphetamine ³	0.14	0.16	0.01	0.02
Sedatives	0.05	0.06	0.05	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.63	0.59	0.19	0.20

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	0.6943		0.2858	
Marijuana and Hashish	0.4247		0.2876	
Cocaine	0.8834		0.8765	
Crack	0.4849		*	
Heroin	0.3952		0.0512	
Hallucinogens	0.6063		0.9780	
LSD	0.7624		0.6876	
PCP	0.1705		0.4026	
Ecstasy	0.8435		0.2169	
Inhalants	0.4791		0.9030	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0471		0.8626	
Pain Relievers	0.0247		0.9364	
OxyContin [®]	0.1985		0.7982	
Tranquilizers	0.0409		0.8018	
Stimulants ³	0.3967		0.1928	
Methamphetamine ³	0.5020		0.1280	
Sedatives	0.7004		0.2921	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.5703		0.8734	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.10C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Numbers in Thousands, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	325	348	329	320
Marijuana and Hashish	290	317	283	268
Cocaine	123	108	65	71
Crack	88	52	32	35
Heroin	40	35	23	18
Hallucinogens	74	68	21	94
LSD	26	12	*	29
PCP	4	11	11	10
Ecstasy	59	49	18	52
Inhalants	13	42	55	40
Nonmedical Use of Psychotherapeutics ^{2,3}	162	181	181	163
Pain Relievers	127	148	148	131
OxyContin [®]	35	55	12	55
Tranquilizers	105	93	110	65
Stimulants ³	72	92	63	53
Methamphetamine ³	65	73	31	36
Sedatives	21	27	42	62
ILLCIT DRUGS OTHER THAN MARIJUANA¹	199	213	194	199

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.10D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Standard Errors of Percentages, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	0.63	0.70	0.21	0.20
Marijuana and Hashish	0.58	0.64	0.18	0.17
Cocaine	0.27	0.25	0.04	0.04
Crack	0.20	0.12	0.02	0.02
Heroin	0.09	0.08	0.01	0.01
Hallucinogens	0.16	0.15	0.01	0.06
LSD	0.06	0.03	*	0.02
PCP	0.01	0.03	0.01	0.01
Ecstasy	0.13	0.11	0.01	0.03
Inhalants	0.03	0.10	0.04	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.35	0.40	0.12	0.10
Pain Relievers	0.28	0.33	0.10	0.08
OxyContin [®]	0.08	0.13	0.01	0.03
Tranquilizers	0.23	0.21	0.07	0.04
Stimulants ³	0.16	0.21	0.04	0.03
Methamphetamine ³	0.14	0.17	0.02	0.02
Sedatives	0.05	0.06	0.03	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.43	0.47	0.12	0.13

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.10P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLICIT DRUGS¹	0.1008		0.7070	
Marijuana and Hashish	0.1217		0.4040	
Cocaine	0.3587		0.6027	
Crack	0.3134		0.3977	
Heroin	0.9185		0.9104	
Hallucinogens	0.8476		0.0271	
LSD	0.7435		*	
PCP	0.4797		0.8610	
Ecstasy	0.9754		0.0596	
Inhalants	0.0400		0.9274	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1337		0.1123	
Pain Relievers	0.2899		0.2609	
OxyContin [®]	0.1192		0.1137	
Tranquilizers	0.9939		0.0322	
Stimulants ³	0.0415		0.3823	
Methamphetamine ³	0.1796		0.7494	
Sedatives	0.5666		0.7766	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.2986		0.4117	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.