

**Table 6.94C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2012 and 2013**

Age Category	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Illicit Drugs or Alcohol (2012)	Illicit Drugs or Alcohol (2013)
<b>TOTAL</b>	288	304	572	587	600	605
12-20	93	74	90	73	115	88
12	*	1	*	0	*	1
13	5	5	5	1	5	5
14	6	4	6	5	7	6
15	8	7	8	6	9	8
16	17	13	15	12	19	15
17	26	24	22	22	30	27
18	41	35	40	33	48	41
19	44	39	47	38	56	43
20	53	37	50	40	63	46
21-25	87	89	130	134	140	143
21	38	41	53	51	55	56
22	43	38	57	54	60	57
23	41	37	53	48	60	52
24	33	36	49	49	52	52
25	32	33	49	55	51	56
26-29	114	126	195	208	207	216
30-34	109	118	180	207	190	209
35-39	99	87	165	181	170	186
40-44	80	77	174	184	177	193
45-49	71	54	172	160	173	161
50-54	96	128	266	262	271	277
55-59	70	80	202	183	206	189
60-64	79	46	172	178	181	179
65 or Older	26	92	187	185	187	190

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.94D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2012 and 2013**

Age Category	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Illicit Drugs or Alcohol (2012)	Illicit Drugs or Alcohol (2013)
<b>TOTAL</b>	0.11	0.12	0.22	0.22	0.23	0.23
12-20	0.22	0.18	0.21	0.18	0.27	0.21
12	*	0.03	*	0.01	*	0.03
13	0.12	0.12	0.11	0.02	0.12	0.12
14	0.15	0.10	0.14	0.10	0.16	0.13
15	0.18	0.18	0.19	0.14	0.22	0.19
16	0.40	0.30	0.35	0.28	0.44	0.35
17	0.60	0.56	0.51	0.51	0.69	0.62
18	0.78	0.67	0.81	0.62	0.88	0.76
19	0.90	0.85	0.94	0.83	1.09	0.93
20	1.04	0.80	0.96	0.84	1.17	0.93
21-25	0.36	0.38	0.49	0.48	0.51	0.51
21	0.79	0.88	1.02	1.01	1.07	1.11
22	0.89	0.82	1.07	1.02	1.10	1.07
23	0.86	0.80	1.02	0.99	1.13	1.07
24	0.74	0.76	1.05	0.99	1.08	1.04
25	0.75	0.77	1.05	1.10	1.07	1.11
26-29	0.63	0.68	0.99	1.04	1.04	1.05
30-34	0.52	0.56	0.81	0.91	0.85	0.92
35-39	0.50	0.45	0.80	0.87	0.81	0.89
40-44	0.39	0.35	0.79	0.79	0.80	0.82
45-49	0.33	0.27	0.76	0.74	0.77	0.75
50-54	0.41	0.54	1.06	1.05	1.07	1.10
55-59	0.34	0.39	0.91	0.85	0.93	0.88
60-64	0.47	0.26	0.96	0.92	1.01	0.93
65 or Older	0.06	0.21	0.45	0.43	0.45	0.44

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.94P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012**

Age Category	Illicit Drugs (2012)	Illicit Drugs (2013)	Alcohol (2012)	Alcohol (2013)	Illicit Drugs or Alcohol (2012)	Illicit Drugs or Alcohol (2013)
<b>TOTAL</b>	0.3069		0.3846		0.3158	
12-20	0.0009		0.0002		0.0003	
12	*		*		*	
13	0.5177		0.0683		0.5600	
14	0.2857		0.4090		0.3590	
15	0.6234		0.0303		0.2344	
16	0.0505		0.0277		0.0158	
17	0.2199		0.2317		0.0628	
18	0.2413		0.0430		0.2524	
19	0.3674		0.3057		0.1341	
20	0.0132		0.0439		0.0309	
21-25	0.0695		0.0009		0.0018	
21	0.6272		0.3375		0.6901	
22	0.1759		0.0621		0.0587	
23	0.4530		0.0258		0.0480	
24	0.2422		0.0471		0.0384	
25	0.1698		0.4596		0.3997	
26-29	0.6791		0.4585		0.5781	
30-34	0.4531		0.2926		0.4452	
35-39	0.4789		0.2284		0.2552	
40-44	0.6004		0.3795		0.4828	
45-49	0.1465		0.8370		0.6295	
50-54	0.3032		0.8631		0.6762	
55-59	0.8637		0.3482		0.3671	
60-64	0.3742		0.7386		0.9570	
65 or Older	0.0898		0.7559		0.9619	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.95C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2012)</b>	<b>Illicit Drugs (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Illicit Drugs or Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2013)</b>
<b>TOTAL</b>	288	304	572	587	600	605
<b>AGE</b>						
12-17	33	30	29	26	38	33
18-25	105	104	128	126	139	134
26 or Older	261	282	539	563	565	580
<b>GENDER</b>						
Male	236	246	441	454	457	469
Female	149	172	334	345	343	356
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	267	280	525	526	550	539
White	237	253	481	489	494	504
Black or African American	96	85	158	144	163	148
American Indian or Alaska Native	27	9	38	20	42	20
Native Hawaiian or Other Pacific Islander	24	6	29	31	30	31
Asian	35	29	72	116	73	118
Two or More Races	28	84	61	95	64	98
Hispanic or Latino	107	117	195	219	202	229

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.95D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2012)</b>	<b>Illicit Drugs (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Illicit Drugs or Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2013)</b>
<b>TOTAL</b>	0.11	0.12	0.22	0.22	0.23	0.23
<b>AGE</b>						
12-17	0.13	0.12	0.12	0.11	0.15	0.13
18-25	0.30	0.30	0.37	0.36	0.40	0.39
26 or Older	0.13	0.14	0.27	0.28	0.28	0.29
<b>GENDER</b>						
Male	0.19	0.19	0.35	0.36	0.36	0.37
Female	0.11	0.13	0.25	0.26	0.26	0.26
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.12	0.13	0.24	0.24	0.25	0.24
White	0.14	0.15	0.28	0.29	0.29	0.30
Black or African American	0.31	0.27	0.51	0.46	0.53	0.47
American Indian or Alaska Native	1.78	0.64	2.42	1.39	2.62	1.42
Native Hawaiian or Other Pacific Islander	2.20	0.69	2.74	3.34	2.82	3.33
Asian	0.28	0.22	0.57	0.84	0.58	0.86
Two or More Races	0.72	1.86	1.45	2.04	1.53	2.10
Hispanic or Latino	0.27	0.28	0.48	0.53	0.50	0.55

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.95P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics:  
P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2012)</b>	<b>Illicit Drugs (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Illicit Drugs or Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2013)</b>
<b>TOTAL</b>	0.3069		0.3846		0.3158	
<b>AGE</b>						
12-17	0.0145		0.0021		0.0009	
18-25	0.0022		0.0000		0.0000	
26 or Older	0.7382		0.8558		0.9323	
<b>GENDER</b>						
Male	0.6639		0.2609		0.2013	
Female	0.2047		0.9942		0.9697	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.3214		0.3677		0.2680	
White	0.6278		0.3972		0.3536	
Black or African American	0.1042		0.5547		0.2840	
American Indian or Alaska Native	0.0304		0.0038		0.0015	
Native Hawaiian or Other Pacific Islander	0.1091		0.6997		0.7908	
Asian	0.7472		0.3484		0.2621	
Two or More Races	0.1364		0.4228		0.4167	
Hispanic or Latino	0.7655		0.9453		0.9382	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.96C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2012)</b>	<b>Illicit Drugs (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Illicit Drugs or Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2013)</b>
<b>TOTAL</b>	285	304	570	582	597	600
<b>GENDER</b>						
Male	235	246	439	453	454	468
Female	147	172	333	343	342	355
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	264	279	524	523	548	536
White	241	259	556	566	578	588
Black or African American	98	87	164	155	172	159
American Indian or Alaska Native	27	9	38	20	42	20
Native Hawaiian or Other Pacific Islander	23	5	29	31	30	31
Asian	35	29	72	116	73	118
Two or More Races	27	84	60	95	63	98
Hispanic or Latino	105	116	194	218	199	228
<b>EDUCATION</b>						
< High School	91	82	146	113	157	128
High School Graduate	152	161	297	265	310	287
Some College	160	154	308	328	322	337
College Graduate	151	189	413	472	426	482
<b>CURRENT EMPLOYMENT</b>						
Full-Time	216	231	516	558	531	575
Part-Time	119	144	202	232	213	245
Unemployed	84	82	121	98	125	107
Other <sup>1</sup>	121	113	249	207	258	221

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.96D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2012)</b>	<b>Illicit Drugs (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Illicit Drugs or Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2013)</b>
<b>TOTAL</b>	0.12	0.13	0.24	0.25	0.25	0.25
<b>GENDER</b>						
Male	0.21	0.22	0.39	0.40	0.40	0.41
Female	0.12	0.14	0.27	0.28	0.28	0.29
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.13	0.14	0.26	0.26	0.27	0.27
White	0.15	0.16	0.31	0.31	0.32	0.32
Black or African American	0.35	0.31	0.58	0.52	0.60	0.53
American Indian or Alaska Native	1.99	0.70	2.72	1.58	2.95	1.62
Native Hawaiian or Other Pacific Islander	2.39	0.73	3.03	3.76	3.08	3.76
Asian	0.31	0.25	0.63	0.93	0.64	0.94
Two or More Races	0.85	2.25	1.75	2.47	1.85	2.55
Hispanic or Latino	0.30	0.33	0.56	0.61	0.57	0.64
<b>EDUCATION</b>						
< High School	0.27	0.26	0.41	0.35	0.44	0.39
High School Graduate	0.21	0.23	0.41	0.37	0.42	0.40
Some College	0.25	0.24	0.46	0.48	0.48	0.49
College Graduate	0.21	0.26	0.51	0.56	0.53	0.57
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.18	0.19	0.39	0.41	0.40	0.42
Part-Time	0.36	0.41	0.56	0.64	0.59	0.67
Unemployed	0.60	0.68	0.85	0.81	0.89	0.88
Other <sup>1</sup>	0.17	0.15	0.34	0.28	0.35	0.30

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.



**Table 6.96P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Illicit Drugs (2012)</b>	<b>Illicit Drugs (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Illicit Drugs or Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2013)</b>
<b>TOTAL</b>	0.4339		0.4502		0.3976	
<b>GENDER</b>						
Male	0.7214		0.2898		0.2264	
Female	0.3456		0.9146		0.8940	
<b>HISPANIC ORIGIN AND RACE</b>						
Not Hispanic or Latino	0.4635		0.4176		0.3337	
White	0.7595		0.4449		0.4032	
Black or African American	0.1281		0.5151		0.3006	
American Indian or Alaska Native	0.0330		0.0047		0.0019	
Native Hawaiian or Other Pacific Islander	0.1427		0.7099		0.6941	
Asian	0.8056		0.3317		0.2414	
Two or More Races	0.0965		0.3398		0.3168	
Hispanic or Latino	0.7624		0.9881		0.8763	
<b>EDUCATION</b>						
< High School	0.5591		0.0034		0.0111	
High School Graduate	0.3291		0.0589		0.0968	
Some College	0.4693		0.2782		0.2065	
College Graduate	0.6030		0.1257		0.1824	
<b>CURRENT EMPLOYMENT</b>						
Full-Time	0.8159		0.7948		0.8798	
Part-Time	0.6620		0.6018		0.7956	
Unemployed	0.8238		0.1372		0.1698	
Other <sup>1</sup>	0.6437		0.0417		0.0739	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.97C Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Illicit Drugs (2012)</b>	<b>Illicit Drugs (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Illicit Drugs or Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2013)</b>
<b>TOTAL</b>	285	304	570	582	597	600
<b>GEOGRAPHIC DIVISION</b>						
Northeast	100	103	229	215	229	224
New England	52	63	95	111	92	115
Middle Atlantic	85	83	208	184	209	194
Midwest	109	141	262	225	271	238
East North Central	87	91	205	181	211	185
West North Central	66	109	162	131	169	153
South	174	174	357	392	379	401
South Atlantic	136	140	274	301	292	312
East South Central	54	61	110	121	111	125
West South Central	96	84	205	202	215	205
West	168	175	297	322	308	333
Mountain	72	78	137	168	142	174
Pacific	149	156	263	275	273	282
<b>COUNTY TYPE</b>						
Large Metro	232	231	487	537	510	558
Small Metro	157	174	361	348	384	369
250K – 1 Mil. Pop.	131	148	316	324	335	341
< 250K Pop.	94	96	187	186	199	199
Nonmetro	92	121	189	202	197	214
Urbanized	72	96	142	154	145	160
Less Urbanized	50	63	122	127	129	135
Completely Rural	22	37	55	59	56	67

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.97D Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Geographic Characteristic</b>	<b>Illicit Drugs (2012)</b>	<b>Illicit Drugs (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Illicit Drugs or Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2013)</b>
<b>TOTAL</b>	0.12	0.13	0.24	0.25	0.25	0.25
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.23	0.24	0.53	0.50	0.53	0.52
New England	0.46	0.55	0.84	0.98	0.81	1.01
Middle Atlantic	0.27	0.26	0.66	0.58	0.66	0.61
Midwest	0.22	0.28	0.52	0.44	0.54	0.47
East North Central	0.25	0.26	0.59	0.52	0.60	0.53
West North Central	0.43	0.70	1.05	0.84	1.09	0.98
South	0.20	0.20	0.41	0.44	0.44	0.45
South Atlantic	0.29	0.30	0.59	0.64	0.63	0.67
East South Central	0.39	0.43	0.79	0.87	0.80	0.89
West South Central	0.36	0.31	0.76	0.74	0.80	0.75
West	0.31	0.32	0.54	0.58	0.56	0.60
Mountain	0.44	0.46	0.83	1.00	0.85	1.03
Pacific	0.39	0.40	0.69	0.71	0.72	0.73
<b>COUNTY TYPE</b>						
Large Metro	0.18	0.17	0.35	0.36	0.37	0.37
Small Metro	0.21	0.24	0.42	0.44	0.44	0.47
250K – 1 Mil. Pop.	0.26	0.30	0.55	0.59	0.58	0.62
< 250K Pop.	0.37	0.41	0.70	0.72	0.72	0.76
Nonmetro	0.23	0.30	0.46	0.47	0.47	0.49
Urbanized	0.40	0.52	0.75	0.75	0.76	0.76
Less Urbanized	0.28	0.36	0.64	0.66	0.66	0.71
Completely Rural	0.49	0.87	1.24	1.19	1.26	1.36

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.97P Drove Under the Influence of Illicit Drugs or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics:  
P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Geographic Characteristic</b>	<b>Illicit Drugs (2012)</b>	<b>Illicit Drugs (2013)</b>	<b>Alcohol (2012)</b>	<b>Alcohol (2013)</b>	<b>Illicit Drugs or Alcohol (2012)</b>	<b>Illicit Drugs or Alcohol (2013)</b>
<b>TOTAL</b>	0.4339		0.4502		0.3976	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.3680		0.4805		0.3786	
New England	0.8633		0.3788		0.3423	
Middle Atlantic	0.3290		0.7318		0.6119	
Midwest	0.5615		0.3463		0.3838	
East North Central	0.5242		0.3050		0.2552	
West North Central	0.1552		0.8530		0.9601	
South	0.8340		0.6437		0.7074	
South Atlantic	0.6869		0.9908		0.9810	
East South Central	0.2688		0.1758		0.2755	
West South Central	0.6498		0.9752		0.9930	
West	0.2904		0.6938		0.8469	
Mountain	0.6262		0.6188		0.5885	
Pacific	0.1597		0.8828		0.9015	
<b>COUNTY TYPE</b>						
Large Metro	0.3730		0.7824		0.6535	
Small Metro	0.7090		0.5206		0.4623	
250K – 1 Mil. Pop.	0.8623		0.9792		0.8699	
< 250K Pop.	0.6655		0.2393		0.2488	
Nonmetro	0.7890		0.5447		0.7557	
Urbanized	0.9751		0.9625		0.9011	
Less Urbanized	0.9371		0.2253		0.3488	
Completely Rural	0.4224		0.8153		0.6326	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.