

**Table 6.98C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Past Year Probation Status: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Drug</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>ILLCIT DRUGS<sup>2</sup></b>	485	503	103	114	485	516
Marijuana and Hashish	426	437	95	90	424	453
Cocaine	142	132	54	33	132	130
Crack	94	64	45	23	82	60
Heroin	51	42	25	20	44	37
Hallucinogens	89	131	51	34	73	126
LSD	31	36	5	4	30	36
PCP	12	15	2	11	12	10
Ecstasy	71	91	49	28	51	86
Inhalants	62	61	16	12	59	60
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	263	255	56	70	252	243
Pain Relievers	210	205	48	53	202	198
OxyContin <sup>®</sup>	45	80	8	24	44	76
Tranquilizers	161	120	40	41	154	113
Stimulants <sup>4</sup>	101	116	52	39	86	101
Methamphetamine <sup>4</sup>	75	85	51	36	52	67
Sedatives	49	66	6	44	49	50
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	305	305	64	75	293	294

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.98D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Past Year Probation Status: Standard Errors of Percentages, 2012 and 2013**

<b>Drug</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>ILLCIT DRUGS<sup>2</sup></b>	0.21	0.21	1.78	2.09	0.20	0.21
Marijuana and Hashish	0.18	0.18	1.66	1.80	0.18	0.19
Cocaine	0.06	0.06	1.08	0.73	0.06	0.06
Crack	0.04	0.03	0.90	0.50	0.04	0.03
Heroin	0.02	0.02	0.51	0.45	0.02	0.02
Hallucinogens	0.04	0.06	1.01	0.76	0.03	0.05
LSD	0.01	0.02	0.10	0.09	0.01	0.02
PCP	0.01	0.01	0.03	0.24	0.01	0.00
Ecstasy	0.03	0.04	0.98	0.63	0.02	0.04
Inhalants	0.03	0.03	0.31	0.26	0.03	0.03
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.11	0.11	1.10	1.44	0.11	0.10
Pain Relievers	0.09	0.09	0.96	1.13	0.09	0.08
OxyContin <sup>®</sup>	0.02	0.03	0.17	0.53	0.02	0.03
Tranquilizers	0.07	0.05	0.81	0.89	0.07	0.05
Stimulants <sup>4</sup>	0.04	0.05	1.03	0.86	0.04	0.04
Methamphetamine <sup>4</sup>	0.03	0.04	1.03	0.81	0.02	0.03
Sedatives	0.02	0.03	0.12	0.97	0.02	0.02
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.13	0.13	1.23	1.52	0.13	0.12

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.98P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Past Year Probation Status: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Drug</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>ILLCIT DRUGS<sup>2</sup></b>	0.3332		0.6611		0.2814	
Marijuana and Hashish	0.1758		0.5015		0.0855	
Cocaine	0.5018		0.9497		0.5342	
Crack	0.5255		0.6694		0.6934	
Heroin	0.3518		0.7789		0.3688	
Hallucinogens	0.2072		0.6723		0.1035	
LSD	0.7023		0.6128		0.6330	
PCP	0.9128		0.3900		0.4726	
Ecstasy	0.6574		0.4110		0.2927	
Inhalants	0.4427		0.5012		0.3313	
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.4773		0.2187		0.3018	
Pain Relievers	0.4024		0.5639		0.3673	
OxyContin <sup>®</sup>	0.1153		0.0534		0.2463	
Tranquilizers	0.0443		0.2015		0.0177	
Stimulants <sup>4</sup>	0.1686		0.4211		0.2925	
Methamphetamine <sup>4</sup>	0.1643		0.6617		0.2133	
Sedatives	0.8092		0.1984		0.2880	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.7508		0.4949		0.6546	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.99C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Past Year Probation Status: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Drug</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>ILLCIT DRUGS<sup>2</sup></b>	347	378	97	95	367	405
Marijuana and Hashish	306	332	89	81	316	359
Cocaine	114	109	54	24	103	109
Crack	70	39	45	16	54	35
Heroin	51	37	25	20	44	31
Hallucinogens	84	85	51	32	67	80
LSD	31	36	5	4	30	36
PCP	12	15	2	11	12	10
Ecstasy	70	69	49	28	49	63
Inhalants	44	54	14	12	42	53
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	194	207	54	55	187	203
Pain Relievers	167	173	46	51	161	166
OxyContin <sup>®</sup>	44	50	8	20	44	45
Tranquilizers	113	104	40	38	106	98
Stimulants <sup>4</sup>	84	102	52	39	67	94
Methamphetamine <sup>4</sup>	67	69	51	36	43	56
Sedatives	40	49	6	16	39	46
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	226	236	62	58	222	235

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 49, including those with unknown probation status in the past year.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.99D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Past Year Probation Status: Standard Errors of Percentages, 2012 and 2013**

<b>Drug</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>ILLCIT DRUGS<sup>2</sup></b>	0.26	0.29	1.87	2.04	0.26	0.28
Marijuana and Hashish	0.23	0.25	1.77	1.85	0.23	0.25
Cocaine	0.09	0.08	1.23	0.64	0.08	0.08
Crack	0.05	0.03	1.02	0.42	0.04	0.03
Heroin	0.04	0.03	0.57	0.54	0.03	0.02
Hallucinogens	0.06	0.06	1.15	0.83	0.05	0.06
LSD	0.02	0.03	0.11	0.10	0.02	0.03
PCP	0.01	0.01	0.03	0.29	0.01	0.01
Ecstasy	0.05	0.05	1.12	0.74	0.04	0.05
Inhalants	0.03	0.04	0.33	0.30	0.03	0.04
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.15	0.16	1.19	1.35	0.14	0.15
Pain Relievers	0.13	0.13	1.03	1.27	0.12	0.13
OxyContin <sup>®</sup>	0.03	0.04	0.19	0.53	0.03	0.03
Tranquilizers	0.09	0.08	0.92	0.98	0.08	0.08
Stimulants <sup>4</sup>	0.06	0.08	1.16	1.01	0.05	0.07
Methamphetamine <sup>4</sup>	0.05	0.05	1.16	0.96	0.03	0.04
Sedatives	0.03	0.04	0.14	0.43	0.03	0.04
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.17	0.18	1.33	1.43	0.17	0.18

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 49, including those with unknown probation status in the past year.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.99P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 49, by Past Year Probation Status: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Drug</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>ILLCIT DRUGS<sup>2</sup></b>	0.1468		0.8406		0.0803	
Marijuana and Hashish	0.0603		0.5838		0.0200	
Cocaine	0.3648		0.4634		0.5443	
Crack	0.1681		0.3009		0.3472	
Heroin	0.1168		0.8533		0.0920	
Hallucinogens	0.4799		0.5715		0.2043	
LSD	0.6780		0.6690		0.6174	
PCP	0.8718		0.3853		0.6799	
Ecstasy	0.7294		0.4490		0.2844	
Inhalants	0.2996		0.7501		0.2297	
Nonmedical Use of Psychotherapeutics <sup>3,4</sup>	0.8930		0.2426		0.7460	
Pain Relievers	0.3296		0.3794		0.2384	
OxyContin <sup>®</sup>	0.7775		0.0833		0.8155	
Tranquilizers	0.2073		0.2724		0.0990	
Stimulants <sup>4</sup>	0.0556		0.3093		0.0731	
Methamphetamine <sup>4</sup>	0.2503		0.5295		0.2246	
Sedatives	0.7438		0.3374		0.5689	
<b>ILLCIT DRUGS OTHER THAN MARIJUANA<sup>2</sup></b>	0.8811		0.7783		0.9259	

\*Low precision; no estimate reported.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 to 49, including those with unknown probation status in the past year.

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>3</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>4</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.100C Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Past Year Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>TOTAL 18 OR OLDER</b>	485	503	103	114	485	516
<b>AGE</b>						
18-49	347	378	97	95	367	405
18-25	138	143	50	43	173	164
26-34	210	254	74	63	216	277
35-49	235	220	61	55	230	218
<b>GENDER/AGE</b>						
Male 18 or Older	350	356	92	105	357	351
Male 18-49	269	254	86	87	290	273
Female 18 or Older	284	342	41	48	281	355
Female 18-49	197	252	41	46	205	267

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.100D Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Past Year Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>TOTAL 18 OR OLDER</b>	0.21	0.21	1.78	2.09	0.20	0.21
<b>AGE</b>						
18-49	0.26	0.29	1.87	2.04	0.26	0.28
18-25	0.40	0.41	2.20	2.15	0.40	0.41
26-34	0.57	0.68	4.40	4.53	0.55	0.68
35-49	0.38	0.36	3.76	4.04	0.37	0.36
<b>GENDER/AGE</b>						
Male 18 or Older	0.31	0.31	2.22	2.67	0.31	0.31
Male 18-49	0.41	0.39	2.30	2.60	0.41	0.39
Female 18 or Older	0.23	0.28	2.82	3.38	0.23	0.28
Female 18-49	0.29	0.38	3.16	3.52	0.29	0.38

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.100P Illicit Drug Use in the Past Month among Persons Aged 18 or Older, by Past Year Probation Status and Demographic Characteristics:  
P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>TOTAL 18 OR OLDER</b>	0.3332		0.6611		0.2814	
<b>AGE</b>						
18-49	0.1468		0.8406		0.0803	
18-25	0.7348		0.8274		0.5932	
26-34	0.1164		0.7101		0.0609	
35-49	0.7643		0.5247		0.7491	
<b>GENDER/AGE</b>						
Male 18 or Older	0.8472		0.7734		0.9919	
Male 18-49	0.7120		0.7342		0.4434	
Female 18 or Older	0.0928		0.1241		0.1060	
Female 18-49	0.0702		0.2586		0.0767	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.101C Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>TOTAL 18 OR OLDER</b>	252	235	96	58	236	229
<b>AGE</b>						
18-49	218	183	91	55	206	179
18-25	94	88	38	35	96	83
26-34	131	130	70	37	114	129
35-49	130	99	39	19	125	97
<b>GENDER/AGE</b>						
Male 18 or Older	210	168	91	55	195	161
Male 18-49	183	147	85	51	170	144
Female 18 or Older	119	169	26	33	117	169
Female 18-49	108	113	26	33	107	110

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.101D Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>TOTAL 18 OR OLDER</b>	0.11	0.10	1.75	1.29	0.10	0.10
<b>AGE</b>						
18-49	0.16	0.14	1.86	1.39	0.15	0.14
18-25	0.27	0.25	1.95	2.03	0.26	0.24
26-34	0.36	0.35	4.58	3.03	0.31	0.35
35-49	0.21	0.16	2.60	1.63	0.21	0.16
<b>GENDER/AGE</b>						
Male 18 or Older	0.19	0.15	2.27	1.65	0.17	0.14
Male 18-49	0.28	0.22	2.39	1.79	0.26	0.22
Female 18 or Older	0.10	0.14	1.89	2.57	0.10	0.14
Female 18-49	0.16	0.17	2.18	2.85	0.16	0.16

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.101P Illicit Drug Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>TOTAL 18 OR OLDER</b>	0.2451		0.3615		0.4448	
<b>AGE</b>						
18-49	0.1251		0.6954		0.2054	
18-25	0.2128		0.7525		0.1586	
26-34	0.8947		0.9054		0.9277	
35-49	0.0937		0.1541		0.1980	
<b>GENDER/AGE</b>						
Male 18 or Older	0.0555		0.1050		0.2119	
Male 18-49	0.1453		0.2853		0.3923	
Female 18 or Older	0.5837		0.1508		0.7562	
Female 18-49	0.4950		0.1530		0.2927	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.102C Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Probation Status and Demographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>TOTAL 18 OR OLDER</b>	463	456	134	107	473	477
<b>AGE</b>						
18-49	357	345	120	99	377	367
18-25	133	138	50	44	167	156
26-34	211	235	88	59	211	259
35-49	243	213	73	64	240	216
<b>GENDER/AGE</b>						
Male 18 or Older	383	363	124	98	391	369
Male 18-49	281	270	110	91	296	291
Female 18 or Older	241	275	43	51	239	285
Female 18-49	200	204	40	48	206	215

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.102D Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Probation Status and Demographic Characteristics: Standard Errors of Percentages, 2012 and 2013**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>TOTAL 18 OR OLDER</b>	0.20	0.19	2.16	2.11	0.19	0.19
<b>AGE</b>						
18-49	0.27	0.26	2.17	2.14	0.26	0.26
18-25	0.39	0.40	2.21	2.22	0.38	0.38
26-34	0.57	0.63	4.77	4.20	0.55	0.64
35-49	0.40	0.35	4.28	4.67	0.39	0.34
<b>GENDER/AGE</b>						
Male 18 or Older	0.34	0.32	2.59	2.60	0.33	0.32
Male 18-49	0.43	0.41	2.67	2.63	0.42	0.41
Female 18 or Older	0.20	0.22	3.00	3.58	0.20	0.22
Female 18-49	0.30	0.30	3.17	3.67	0.30	0.30

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 6.102P Illicit Drug or Alcohol Dependence or Abuse in the Past Year among Persons Aged 18 or Older, by Past Year Probation Status and Demographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012**

<b>Demographic Characteristic</b>	<b>Total<sup>1</sup> (2012)</b>	<b>Total<sup>1</sup> (2013)</b>	<b>On Probation (2012)</b>	<b>On Probation (2013)</b>	<b>Not on Probation (2012)</b>	<b>Not on Probation (2013)</b>
<b>TOTAL 18 OR OLDER</b>	0.3356		0.4941		0.5151	
<b>AGE</b>						
18-49	0.1522		0.7186		0.1722	
18-25	0.0033		0.8228		0.0022	
26-34	0.4671		0.9336		0.3330	
35-49	0.2007		0.7236		0.1694	
<b>GENDER/AGE</b>						
Male 18 or Older	0.1114		0.1654		0.2444	
Male 18-49	0.3032		0.9223		0.4119	
Female 18 or Older	0.5489		0.2102		0.6242	
Female 18-49	0.2671		0.2646		0.1894	

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>1</sup> Estimates in the Total column represent all persons aged 18 or older, including those with unknown probation status in the past year.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.