

**Table 7.1A Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	108,255 <sup>b</sup>	110,205 <sup>b</sup>	110,057 <sup>b</sup>	112,085 <sup>b</sup>	111,747 <sup>b</sup>	114,509 <sup>b</sup>	117,815 <sup>b</sup>	119,259 <sup>b</sup>	119,933 <sup>b</sup>	121,078 <sup>b</sup>	124,808	127,458
Marijuana and Hashish	94,946 <sup>b</sup>	96,611 <sup>b</sup>	96,772 <sup>b</sup>	97,545 <sup>b</sup>	97,792 <sup>b</sup>	100,737 <sup>b</sup>	102,857 <sup>b</sup>	104,950 <sup>b</sup>	106,613 <sup>b</sup>	107,842 <sup>b</sup>	111,239 <sup>a</sup>	114,712
Cocaine	33,910 <sup>b</sup>	34,891 <sup>b</sup>	34,153 <sup>b</sup>	33,673 <sup>b</sup>	35,303 <sup>a</sup>	35,947	36,916	36,742	37,361	36,921	37,688	37,634
Crack	8,402	7,949 <sup>a</sup>	7,840 <sup>a</sup>	7,928 <sup>a</sup>	8,559	8,615	8,454	8,390	9,208	8,214	9,015	8,870
Heroin	3,668 <sup>b</sup>	3,744 <sup>b</sup>	3,145 <sup>b</sup>	3,534 <sup>b</sup>	3,788 <sup>b</sup>	3,806 <sup>b</sup>	3,795 <sup>b</sup>	3,680 <sup>b</sup>	4,144	4,162	4,565	4,812
Hallucinogens	34,314 <sup>b</sup>	34,363 <sup>b</sup>	34,333 <sup>b</sup>	33,728 <sup>b</sup>	35,290 <sup>b</sup>	34,278 <sup>b</sup>	36,064 <sup>b</sup>	37,404 <sup>a</sup>	37,544 <sup>a</sup>	36,362 <sup>b</sup>	37,908	39,736
LSD	24,516	24,424	23,398	22,433 <sup>b</sup>	23,365	22,720 <sup>b</sup>	23,604	23,714	23,375	23,000 <sup>a</sup>	23,735	24,770
PCP	7,418 <sup>a</sup>	7,107	6,762	6,603	6,633	6,179	6,657	6,271	6,255	6,103	6,552	6,462
Ecstasy	10,150 <sup>b</sup>	10,904 <sup>b</sup>	11,130 <sup>b</sup>	11,495 <sup>b</sup>	12,282 <sup>b</sup>	12,418 <sup>b</sup>	12,964 <sup>b</sup>	14,280 <sup>b</sup>	15,929 <sup>b</sup>	14,570 <sup>b</sup>	16,162 <sup>b</sup>	17,815
Inhalants	22,870 <sup>a</sup>	22,995 <sup>b</sup>	22,798 <sup>a</sup>	22,745 <sup>a</sup>	22,856 <sup>b</sup>	22,558 <sup>a</sup>	22,430 <sup>a</sup>	22,552 <sup>a</sup>	21,778	20,523	21,095	21,068
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	47,958 <sup>b</sup>	49,001 <sup>b</sup>	49,157 <sup>b</sup>	49,571 <sup>b</sup>	50,983 <sup>a</sup>	50,541 <sup>a</sup>	52,154	51,991	51,832	51,243	54,389	53,172
Pain Relievers	29,611 <sup>b</sup>	31,207 <sup>b</sup>	31,768 <sup>b</sup>	32,692 <sup>b</sup>	33,478 <sup>a</sup>	33,132 <sup>b</sup>	34,992	35,197	34,908	34,247	37,045	35,473
OxyContin <sup>®</sup>	1,924 <sup>b</sup>	2,832 <sup>b</sup>	3,072 <sup>b</sup>	3,481 <sup>b</sup>	4,116 <sup>b</sup>	4,379 <sup>b</sup>	4,857 <sup>b</sup>	5,863 <sup>b</sup>	6,160 <sup>a</sup>	5,917 <sup>b</sup>	6,579	6,973
Tranquilizers	19,267 <sup>b</sup>	20,220 <sup>b</sup>	19,852 <sup>b</sup>	21,041 <sup>b</sup>	21,318 <sup>b</sup>	20,253 <sup>b</sup>	21,551 <sup>a</sup>	21,848 <sup>a</sup>	22,187	21,655 <sup>a</sup>	23,639	23,493
Stimulants <sup>3</sup>	23,496 <sup>a</sup>	23,004	22,297	20,983	22,495	21,669	21,285	22,033	21,739	20,379	21,498	21,656
Methamphetamine <sup>3</sup>	15,365 <sup>b</sup>	15,139 <sup>b</sup>	14,512 <sup>b</sup>	12,663	14,226 <sup>b</sup>	13,081	12,634	12,908	13,060	11,928	12,259	12,257
Sedatives	9,960 <sup>b</sup>	9,510 <sup>b</sup>	9,891 <sup>b</sup>	8,982 <sup>b</sup>	8,842 <sup>b</sup>	8,401	8,920 <sup>b</sup>	8,633 <sup>a</sup>	7,653	7,515	7,939	7,480
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	70,300 <sup>b</sup>	71,128 <sup>b</sup>	70,657 <sup>b</sup>	71,822 <sup>b</sup>	72,934 <sup>b</sup>	73,654 <sup>b</sup>	75,907	76,080	76,472	75,447 <sup>a</sup>	78,034	78,076

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.1B Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	46.0 <sup>b</sup>	46.4 <sup>b</sup>	45.8 <sup>b</sup>	46.1 <sup>b</sup>	45.4 <sup>b</sup>	46.2 <sup>b</sup>	47.2 <sup>b</sup>	47.4 <sup>a</sup>	47.3 <sup>a</sup>	47.0 <sup>b</sup>	48.0	48.6
Marijuana and Hashish	40.4 <sup>b</sup>	40.6 <sup>b</sup>	40.2 <sup>b</sup>	40.1 <sup>b</sup>	39.7 <sup>b</sup>	40.6 <sup>b</sup>	41.2 <sup>b</sup>	41.7 <sup>b</sup>	42.0 <sup>b</sup>	41.9 <sup>b</sup>	42.8	43.7
Cocaine	14.4	14.7	14.2	13.8	14.3	14.5	14.8	14.6	14.7	14.3	14.5	14.3
Crack	3.6	3.3	3.3	3.3	3.5	3.5	3.4	3.3	3.6	3.2	3.5	3.4
Heroin	1.6	1.6	1.3 <sup>b</sup>	1.5 <sup>b</sup>	1.5 <sup>a</sup>	1.5 <sup>a</sup>	1.5 <sup>a</sup>	1.5 <sup>b</sup>	1.6	1.6	1.8	1.8
Hallucinogens	14.6	14.5	14.3 <sup>a</sup>	13.9 <sup>b</sup>	14.3 <sup>a</sup>	13.8 <sup>b</sup>	14.4	14.9	14.8	14.1 <sup>b</sup>	14.6	15.1
LSD	10.4 <sup>b</sup>	10.3 <sup>b</sup>	9.7	9.2	9.5	9.2	9.4	9.4	9.2	8.9	9.1	9.4
PCP	3.2 <sup>b</sup>	3.0 <sup>b</sup>	2.8	2.7	2.7	2.5	2.7	2.5	2.5	2.4	2.5	2.5
Ecstasy	4.3 <sup>b</sup>	4.6 <sup>b</sup>	4.6 <sup>b</sup>	4.7 <sup>b</sup>	5.0 <sup>b</sup>	5.0 <sup>b</sup>	5.2 <sup>b</sup>	5.7 <sup>b</sup>	6.3 <sup>a</sup>	5.7 <sup>b</sup>	6.2 <sup>a</sup>	6.8
Inhalants	9.7 <sup>b</sup>	9.7 <sup>b</sup>	9.5 <sup>b</sup>	9.4 <sup>b</sup>	9.3 <sup>b</sup>	9.1 <sup>b</sup>	9.0 <sup>b</sup>	9.0 <sup>b</sup>	8.6 <sup>a</sup>	8.0	8.1	8.0
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	20.4	20.6	20.4	20.4	20.7	20.4	20.9	20.6	20.4	19.9	20.9	20.3
Pain Relievers	12.6 <sup>b</sup>	13.1	13.2	13.4	13.6	13.4	14.0	14.0	13.8	13.3	14.2 <sup>a</sup>	13.5
OxyContin <sup>®</sup>	0.8 <sup>b</sup>	1.2 <sup>b</sup>	1.3 <sup>b</sup>	1.4 <sup>b</sup>	1.7 <sup>b</sup>	1.8 <sup>b</sup>	1.9 <sup>b</sup>	2.3 <sup>a</sup>	2.4	2.3 <sup>b</sup>	2.5	2.7
Tranquilizers	8.2 <sup>a</sup>	8.5	8.3 <sup>a</sup>	8.7	8.7	8.2 <sup>b</sup>	8.6	8.7	8.7	8.4	9.1	9.0
Stimulants <sup>3</sup>	10.0 <sup>b</sup>	9.7 <sup>b</sup>	9.3 <sup>b</sup>	8.6	9.1 <sup>b</sup>	8.7	8.5	8.7	8.6	7.9	8.3	8.3
Methamphetamine <sup>3</sup>	6.5 <sup>b</sup>	6.4 <sup>b</sup>	6.0 <sup>b</sup>	5.2 <sup>a</sup>	5.8 <sup>b</sup>	5.3 <sup>b</sup>	5.1	5.1 <sup>a</sup>	5.1	4.6	4.7	4.7
Sedatives	4.2 <sup>b</sup>	4.0 <sup>b</sup>	4.1 <sup>b</sup>	3.7 <sup>b</sup>	3.6 <sup>b</sup>	3.4 <sup>b</sup>	3.6 <sup>b</sup>	3.4 <sup>b</sup>	3.0	2.9	3.1	2.9
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	29.9	29.9	29.4	29.5	29.6	29.7	30.4	30.2	30.2	29.3	30.0	29.8

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.2A Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	35,132 <sup>b</sup>	34,993 <sup>b</sup>	34,807 <sup>b</sup>	35,041 <sup>b</sup>	35,810 <sup>b</sup>	35,789 <sup>b</sup>	35,643 <sup>b</sup>	38,123 <sup>b</sup>	38,908 <sup>b</sup>	38,287 <sup>b</sup>	41,479	41,591
Marijuana and Hashish	25,755 <sup>b</sup>	25,231 <sup>b</sup>	25,451 <sup>b</sup>	25,375 <sup>b</sup>	25,432 <sup>b</sup>	25,136 <sup>b</sup>	25,891 <sup>b</sup>	28,688 <sup>b</sup>	29,301 <sup>b</sup>	29,739 <sup>b</sup>	31,513	32,952
Cocaine	5,902 <sup>b</sup>	5,908 <sup>b</sup>	5,658 <sup>b</sup>	5,523 <sup>b</sup>	6,075 <sup>b</sup>	5,748 <sup>b</sup>	5,283 <sup>b</sup>	4,806 <sup>a</sup>	4,533	3,857	4,671	4,182
Crack	1,554 <sup>b</sup>	1,406 <sup>b</sup>	1,304 <sup>b</sup>	1,381 <sup>b</sup>	1,478 <sup>b</sup>	1,452 <sup>b</sup>	1,113 <sup>b</sup>	1,008 <sup>b</sup>	885 <sup>a</sup>	625	921 <sup>a</sup>	632
Heroin	404 <sup>b</sup>	314 <sup>b</sup>	398 <sup>b</sup>	379 <sup>b</sup>	560	373 <sup>b</sup>	455 <sup>a</sup>	582	621	620	669	681
Hallucinogens	4,749	3,936 <sup>a</sup>	3,878 <sup>a</sup>	3,809 <sup>a</sup>	3,970	3,759 <sup>b</sup>	3,670 <sup>b</sup>	4,536	4,543	4,069	4,306	4,430
LSD	999	558 <sup>b</sup>	592 <sup>b</sup>	563 <sup>b</sup>	667 <sup>b</sup>	621 <sup>b</sup>	808 <sup>b</sup>	790 <sup>b</sup>	881 <sup>a</sup>	880 <sup>a</sup>	1,057	1,111
PCP	235 <sup>b</sup>	219 <sup>b</sup>	210 <sup>b</sup>	164 <sup>a</sup>	187 <sup>a</sup>	139	99	125	96	119	172 <sup>a</sup>	90
Ecstasy	3,167 <sup>b</sup>	2,119 <sup>a</sup>	1,915 <sup>b</sup>	1,960 <sup>b</sup>	2,138 <sup>a</sup>	2,122 <sup>a</sup>	2,116 <sup>b</sup>	2,804	2,653	2,422	2,610	2,588
Inhalants	2,084 <sup>b</sup>	2,075 <sup>b</sup>	2,255 <sup>b</sup>	2,187 <sup>b</sup>	2,219 <sup>b</sup>	2,085 <sup>b</sup>	2,065 <sup>b</sup>	2,109 <sup>b</sup>	2,048 <sup>b</sup>	1,861 <sup>a</sup>	1,693	1,533
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	14,795	15,163	14,849	15,346	16,482 <sup>a</sup>	16,334	15,190	16,064	16,051	14,657	16,666 <sup>a</sup>	15,348
Pain Relievers	10,992	11,671	11,256	11,815	12,650 <sup>b</sup>	12,517 <sup>b</sup>	11,916	12,450 <sup>b</sup>	12,242 <sup>a</sup>	11,143	12,489 <sup>b</sup>	11,082
OxyContin <sup>®</sup>	--	--	1,213	1,226	1,324	1,427	1,462	1,685	1,879 <sup>b</sup>	1,623	1,477	1,442
Tranquilizers	4,849	5,051	5,068	5,249	5,066	5,293	5,099	5,493	5,583	5,109	6,073 <sup>a</sup>	5,269
Stimulants <sup>3</sup>	3,380	3,031 <sup>a</sup>	3,254	3,088	3,789	2,994 <sup>a</sup>	2,648 <sup>b</sup>	3,093	2,902 <sup>a</sup>	2,700 <sup>b</sup>	3,317	3,492
Methamphetamine <sup>3</sup>	1,755 <sup>b</sup>	1,602 <sup>b</sup>	1,808 <sup>b</sup>	1,603 <sup>b</sup>	1,885 <sup>b</sup>	1,345	854 <sup>a</sup>	1,167	959	1,033	1,155	1,186
Sedatives	981 <sup>a</sup>	831	737	750	927 <sup>a</sup>	864	626	816	906 <sup>a</sup>	526	590	639
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	20,423	20,305	19,658	20,109	21,262 <sup>a</sup>	21,205 <sup>a</sup>	20,018	21,077	20,625	18,959	21,267 <sup>a</sup>	19,868

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.2B Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	14.9 <sup>a</sup>	14.7 <sup>b</sup>	14.5 <sup>b</sup>	14.4 <sup>b</sup>	14.6 <sup>b</sup>	14.4 <sup>b</sup>	14.3 <sup>b</sup>	15.1 <sup>a</sup>	15.3	14.9 <sup>b</sup>	16.0	15.9
Marijuana and Hashish	11.0 <sup>b</sup>	10.6 <sup>b</sup>	10.6 <sup>b</sup>	10.4 <sup>b</sup>	10.3 <sup>b</sup>	10.1 <sup>b</sup>	10.4 <sup>b</sup>	11.4 <sup>b</sup>	11.6 <sup>b</sup>	11.5 <sup>b</sup>	12.1	12.6
Cocaine	2.5 <sup>b</sup>	2.5 <sup>b</sup>	2.4 <sup>b</sup>	2.3 <sup>b</sup>	2.5 <sup>b</sup>	2.3 <sup>b</sup>	2.1 <sup>b</sup>	1.9 <sup>b</sup>	1.8	1.5	1.8	1.6
Crack	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>a</sup>	0.2	0.4 <sup>a</sup>	0.2
Heroin	0.2 <sup>a</sup>	0.1 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.2	0.2 <sup>b</sup>	0.2 <sup>a</sup>	0.2	0.2	0.2	0.3	0.3
Hallucinogens	2.0 <sup>b</sup>	1.7	1.6	1.6	1.6	1.5	1.5 <sup>a</sup>	1.8	1.8	1.6	1.7	1.7
LSD	0.4	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.3	0.3 <sup>a</sup>	0.4	0.4				
PCP	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.1 <sup>a</sup>	0.1	0.0	0.0	0.0	0.0	0.1 <sup>a</sup>	0.0
Ecstasy	1.3 <sup>b</sup>	0.9	0.8 <sup>a</sup>	0.8 <sup>a</sup>	0.9	0.9	0.8 <sup>a</sup>	1.1	1.0	0.9	1.0	1.0
Inhalants	0.9 <sup>b</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>a</sup>	0.7	0.6				
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	6.3	6.4 <sup>a</sup>	6.2	6.3 <sup>a</sup>	6.7 <sup>b</sup>	6.6 <sup>b</sup>	6.1	6.4 <sup>a</sup>	6.3 <sup>a</sup>	5.7	6.4 <sup>a</sup>	5.8
Pain Relievers	4.7 <sup>a</sup>	4.9 <sup>b</sup>	4.7 <sup>a</sup>	4.9 <sup>b</sup>	5.1 <sup>b</sup>	5.1 <sup>b</sup>	4.8 <sup>b</sup>	4.9 <sup>b</sup>	4.8 <sup>b</sup>	4.3	4.8 <sup>b</sup>	4.2
OxyContin <sup>®</sup>	--	--	0.5	0.5	0.5	0.6	0.6	0.7	0.7 <sup>b</sup>	0.6	0.6	0.5
Tranquilizers	2.1	2.1	2.1	2.2	2.1	2.1	2.0	2.2	2.2	2.0	2.3 <sup>a</sup>	2.0
Stimulants <sup>3</sup>	1.4	1.3	1.4	1.3	1.5 <sup>a</sup>	1.2	1.1 <sup>b</sup>	1.2	1.1 <sup>a</sup>	1.0 <sup>b</sup>	1.3	1.3
Methamphetamine <sup>3</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.8 <sup>b</sup>	0.5	0.3 <sup>a</sup>	0.5	0.4	0.4	0.4	0.5
Sedatives	0.4 <sup>b</sup>	0.3 <sup>a</sup>	0.3	0.3	0.4 <sup>a</sup>	0.3 <sup>a</sup>	0.3	0.3	0.4 <sup>a</sup>	0.2	0.2	0.2
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	8.7 <sup>b</sup>	8.5 <sup>b</sup>	8.2 <sup>a</sup>	8.3 <sup>b</sup>	8.6 <sup>b</sup>	8.6 <sup>b</sup>	8.0	8.4 <sup>b</sup>	8.1 <sup>a</sup>	7.4	8.2 <sup>a</sup>	7.6

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.3A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	19,522 <sup>b</sup>	19,470 <sup>b</sup>	19,071 <sup>b</sup>	19,720 <sup>b</sup>	20,387 <sup>b</sup>	19,892 <sup>b</sup>	20,123 <sup>b</sup>	21,930 <sup>b</sup>	22,648 <sup>b</sup>	22,454 <sup>b</sup>	23,863	24,573
Marijuana and Hashish	14,584 <sup>b</sup>	14,638 <sup>b</sup>	14,576 <sup>b</sup>	14,626 <sup>b</sup>	14,849 <sup>b</sup>	14,470 <sup>b</sup>	15,269 <sup>b</sup>	16,826 <sup>b</sup>	17,409 <sup>b</sup>	18,071 <sup>b</sup>	18,855	19,810
Cocaine	2,020 <sup>a</sup>	2,281 <sup>b</sup>	2,021 <sup>b</sup>	2,397 <sup>b</sup>	2,426 <sup>b</sup>	2,077 <sup>b</sup>	1,865	1,642	1,472	1,369	1,650	1,549
Crack	567 <sup>a</sup>	604 <sup>a</sup>	467	682 <sup>b</sup>	704 <sup>b</sup>	611 <sup>a</sup>	363	497	378	228 <sup>a</sup>	443	377
Heroin	166 <sup>a</sup>	119 <sup>b</sup>	166 <sup>a</sup>	136 <sup>b</sup>	339	161 <sup>a</sup>	213	193	239	281	335	289
Hallucinogens	1,196	1,042	929 <sup>b</sup>	1,088	1,008 <sup>a</sup>	998 <sup>a</sup>	1,059	1,263	1,207	972 <sup>b</sup>	1,134	1,333
LSD	112 <sup>b</sup>	133 <sup>a</sup>	141	104 <sup>b</sup>	130 <sup>a</sup>	144	157	159	155	152	184	229
PCP	58	56	49	48	31	43	25	54	36	26	32	33
Ecstasy	676	470	450 <sup>a</sup>	502	529	503	546	763	691	544	628	660
Inhalants	635	570	638	611	762 <sup>b</sup>	617	644	562	690	624	493	496
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	6,287	6,451	6,110	6,491	7,098	6,907	6,210	6,980	6,957	6,119	6,831	6,484
Pain Relievers	4,377	4,693	4,404	4,658	5,226 <sup>a</sup>	5,188 <sup>a</sup>	4,732	5,282 <sup>a</sup>	5,093	4,471	4,862	4,521
OxyContin <sup>®</sup>	--	--	325	334	275 <sup>a</sup>	371	436	510	566	434	358	492
Tranquilizers	1,804	1,830	1,616	1,817	1,761	1,838	1,796	2,030	2,159 <sup>a</sup>	1,840	2,139 <sup>a</sup>	1,705
Stimulants <sup>3</sup>	1,303	1,310	1,312	1,188	1,385	1,051 <sup>a</sup>	908 <sup>b</sup>	1,299	1,082	970 <sup>b</sup>	1,171	1,365
Methamphetamine <sup>3</sup>	683	726	706	628	731	530	314 <sup>b</sup>	502	353 <sup>a</sup>	439	440	595
Sedatives	436 <sup>a</sup>	294	265	272	385	345	237	367	375	231	270	251
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	8,777	8,849	8,247	8,963	9,620 <sup>a</sup>	9,295	8,556	9,195	9,016	8,020	8,883	8,665

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.3B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	8.3 <sup>b</sup>	8.2 <sup>b</sup>	7.9 <sup>b</sup>	8.1 <sup>b</sup>	8.3 <sup>b</sup>	8.0 <sup>b</sup>	8.1 <sup>b</sup>	8.7 <sup>a</sup>	8.9	8.7 <sup>a</sup>	9.2	9.4
Marijuana and Hashish	6.2 <sup>b</sup>	6.2 <sup>b</sup>	6.1 <sup>b</sup>	6.0 <sup>b</sup>	6.0 <sup>b</sup>	5.8 <sup>b</sup>	6.1 <sup>b</sup>	6.7 <sup>b</sup>	6.9 <sup>b</sup>	7.0 <sup>a</sup>	7.3	7.5
Cocaine	0.9 <sup>b</sup>	1.0 <sup>b</sup>	0.8 <sup>b</sup>	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>a</sup>	0.7	0.6	0.5	0.6	0.6
Crack	0.2 <sup>b</sup>	0.3 <sup>a</sup>	0.2	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>a</sup>	0.1	0.2	0.1	0.1	0.2	0.1
Heroin	0.1	0.1 <sup>b</sup>	0.1	0.1 <sup>b</sup>	0.1	0.1 <sup>a</sup>	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogens	0.5	0.4	0.4 <sup>a</sup>	0.4	0.4	0.4	0.4	0.5	0.5	0.4 <sup>a</sup>	0.4	0.5
LSD	0.0 <sup>a</sup>	0.1	0.1	0.0 <sup>b</sup>	0.1 <sup>a</sup>	0.1	0.1	0.1	0.1	0.1	0.1	0.1
PCP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.3
Inhalants	0.3 <sup>a</sup>	0.2	0.3 <sup>a</sup>	0.3	0.3 <sup>b</sup>	0.2	0.3	0.2	0.3 <sup>a</sup>	0.2	0.2	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	2.7	2.7	2.5	2.7	2.9 <sup>b</sup>	2.8 <sup>a</sup>	2.5	2.8 <sup>a</sup>	2.7	2.4	2.6	2.5
Pain Relievers	1.9	2.0 <sup>a</sup>	1.8	1.9	2.1 <sup>b</sup>	2.1 <sup>b</sup>	1.9	2.1 <sup>b</sup>	2.0 <sup>a</sup>	1.7	1.9	1.7
OxyContin <sup>®</sup>	--	--	0.1	0.1	0.1 <sup>a</sup>	0.1	0.2	0.2	0.2	0.2	0.1	0.2
Tranquilizers	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.8 <sup>a</sup>	0.9 <sup>b</sup>	0.7	0.8 <sup>a</sup>	0.6
Stimulants <sup>3</sup>	0.6	0.6	0.5	0.5	0.6	0.4	0.4 <sup>b</sup>	0.5	0.4	0.4 <sup>b</sup>	0.5	0.5
Methamphetamine <sup>3</sup>	0.3	0.3	0.3	0.3	0.3	0.2	0.1 <sup>b</sup>	0.2	0.1 <sup>a</sup>	0.2	0.2	0.2
Sedatives	0.2 <sup>a</sup>	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	3.7 <sup>b</sup>	3.7 <sup>a</sup>	3.4	3.7 <sup>a</sup>	3.9 <sup>b</sup>	3.8 <sup>b</sup>	3.4	3.7 <sup>a</sup>	3.6	3.1	3.4	3.3

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.4A Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	7,642 <sup>b</sup>	7,631 <sup>b</sup>	7,566 <sup>b</sup>	7,022 <sup>b</sup>	7,014 <sup>b</sup>	6,638 <sup>b</sup>	6,565 <sup>b</sup>	6,629 <sup>b</sup>	6,278 <sup>b</sup>	6,373 <sup>b</sup>	6,044	5,794
Marijuana and Hashish	5,104 <sup>b</sup>	4,888 <sup>b</sup>	4,788 <sup>b</sup>	4,402 <sup>a</sup>	4,400 <sup>a</sup>	4,096	4,138	4,204	4,157	4,378 <sup>a</sup>	4,232	4,093
Cocaine	670 <sup>b</sup>	648 <sup>b</sup>	611 <sup>b</sup>	582 <sup>b</sup>	571 <sup>b</sup>	544 <sup>b</sup>	473 <sup>b</sup>	405 <sup>b</sup>	363 <sup>b</sup>	337 <sup>b</sup>	265	215
Crack	163 <sup>b</sup>	157 <sup>b</sup>	125 <sup>b</sup>	108 <sup>b</sup>	129 <sup>b</sup>	107 <sup>b</sup>	80 <sup>b</sup>	58 <sup>b</sup>	60 <sup>b</sup>	68 <sup>b</sup>	34	23
Heroin	94 <sup>b</sup>	80 <sup>b</sup>	78 <sup>b</sup>	60	60	55	67	56	46	70	59	38
Hallucinogens	1,419 <sup>b</sup>	1,250 <sup>b</sup>	1,160 <sup>b</sup>	998 <sup>b</sup>	990 <sup>b</sup>	898 <sup>b</sup>	972 <sup>b</sup>	1,015 <sup>b</sup>	1,000 <sup>b</sup>	930 <sup>b</sup>	823 <sup>a</sup>	702
LSD	670 <sup>b</sup>	397 <sup>b</sup>	313 <sup>b</sup>	288 <sup>a</sup>	219	202	271	249	231	229	249	221
PCP	233 <sup>b</sup>	204 <sup>b</sup>	175 <sup>b</sup>	182 <sup>b</sup>	128 <sup>b</sup>	105 <sup>b</sup>	102 <sup>b</sup>	99 <sup>b</sup>	76 <sup>a</sup>	76 <sup>a</sup>	96 <sup>b</sup>	46
Ecstasy	820 <sup>b</sup>	603 <sup>b</sup>	523 <sup>b</sup>	399	476 <sup>b</sup>	446 <sup>a</sup>	524 <sup>b</sup>	572 <sup>b</sup>	618 <sup>b</sup>	605 <sup>b</sup>	488 <sup>b</sup>	369
Inhalants	2,605 <sup>b</sup>	2,670 <sup>b</sup>	2,762 <sup>b</sup>	2,658 <sup>b</sup>	2,559 <sup>b</sup>	2,428 <sup>b</sup>	2,326 <sup>b</sup>	2,283 <sup>b</sup>	2,015 <sup>b</sup>	1,877 <sup>b</sup>	1,613 <sup>b</sup>	1,327
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	3,402 <sup>b</sup>	3,372 <sup>b</sup>	3,403 <sup>b</sup>	3,019 <sup>b</sup>	3,175 <sup>b</sup>	2,954 <sup>b</sup>	2,783 <sup>b</sup>	2,810 <sup>b</sup>	2,591 <sup>b</sup>	2,522 <sup>b</sup>	2,482 <sup>b</sup>	2,188
Pain Relievers	2,775 <sup>b</sup>	2,798 <sup>b</sup>	2,879 <sup>b</sup>	2,517 <sup>b</sup>	2,650 <sup>b</sup>	2,457 <sup>b</sup>	2,353 <sup>b</sup>	2,393 <sup>b</sup>	2,245 <sup>b</sup>	2,150 <sup>b</sup>	2,069 <sup>b</sup>	1,805
OxyContin <sup>®</sup>	224	254	305	276	343 <sup>a</sup>	360 <sup>a</sup>	344 <sup>a</sup>	381 <sup>b</sup>	369 <sup>b</sup>	369 <sup>b</sup>	322	274
Tranquilizers	834 <sup>b</sup>	874 <sup>b</sup>	816 <sup>b</sup>	766 <sup>b</sup>	742 <sup>b</sup>	748 <sup>b</sup>	721 <sup>b</sup>	696 <sup>b</sup>	723 <sup>b</sup>	699 <sup>a</sup>	703 <sup>a</sup>	572
Stimulants <sup>3</sup>	1,112 <sup>b</sup>	1,046 <sup>b</sup>	906 <sup>b</sup>	870 <sup>b</sup>	930 <sup>b</sup>	730 <sup>b</sup>	673 <sup>b</sup>	583 <sup>b</sup>	531 <sup>a</sup>	508	495	437
Methamphetamine <sup>3</sup>	416 <sup>b</sup>	382 <sup>b</sup>	346 <sup>b</sup>	319 <sup>b</sup>	341 <sup>b</sup>	221 <sup>b</sup>	195 <sup>b</sup>	187 <sup>b</sup>	157	184 <sup>b</sup>	145	119
Sedatives	238 <sup>b</sup>	249 <sup>b</sup>	251 <sup>b</sup>	232 <sup>b</sup>	224 <sup>b</sup>	213 <sup>b</sup>	205 <sup>b</sup>	224 <sup>b</sup>	178 <sup>a</sup>	144	175 <sup>a</sup>	125
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	5,286 <sup>b</sup>	5,319 <sup>b</sup>	5,355 <sup>b</sup>	4,944 <sup>b</sup>	4,951 <sup>b</sup>	4,649 <sup>b</sup>	4,513 <sup>b</sup>	4,501 <sup>b</sup>	4,166 <sup>b</sup>	4,007 <sup>b</sup>	3,691 <sup>b</sup>	3,279

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.4B Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	30.9 <sup>b</sup>	30.5 <sup>b</sup>	30.0 <sup>b</sup>	27.7 <sup>b</sup>	27.6 <sup>b</sup>	26.3 <sup>b</sup>	26.4 <sup>b</sup>	26.9 <sup>b</sup>	25.8 <sup>b</sup>	25.5 <sup>b</sup>	24.2	23.3
Marijuana and Hashish	20.6 <sup>b</sup>	19.6 <sup>b</sup>	19.0 <sup>b</sup>	17.4	17.3	16.2	16.6	17.1	17.1	17.5 <sup>a</sup>	17.0	16.4
Cocaine	2.7 <sup>b</sup>	2.6 <sup>b</sup>	2.4 <sup>b</sup>	2.3 <sup>b</sup>	2.2 <sup>b</sup>	2.2 <sup>b</sup>	1.9 <sup>b</sup>	1.6 <sup>b</sup>	1.5 <sup>b</sup>	1.3 <sup>b</sup>	1.1	0.9
Crack	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.3 <sup>b</sup>	0.1	0.1
Heroin	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2
Hallucinogens	5.7 <sup>b</sup>	5.0 <sup>b</sup>	4.6 <sup>b</sup>	3.9 <sup>b</sup>	3.9 <sup>b</sup>	3.6 <sup>b</sup>	3.9 <sup>b</sup>	4.1 <sup>b</sup>	4.1 <sup>b</sup>	3.7 <sup>b</sup>	3.3 <sup>a</sup>	2.8
LSD	2.7 <sup>b</sup>	1.6 <sup>b</sup>	1.2 <sup>b</sup>	1.1 <sup>a</sup>	0.9	0.8	1.1	1.0	0.9	0.9	1.0	0.9
PCP	0.9 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>a</sup>	0.3 <sup>a</sup>	0.4 <sup>b</sup>	0.2
Ecstasy	3.3 <sup>b</sup>	2.4 <sup>b</sup>	2.1 <sup>b</sup>	1.6	1.9 <sup>b</sup>	1.8	2.1 <sup>b</sup>	2.3 <sup>b</sup>	2.5 <sup>b</sup>	2.4 <sup>b</sup>	2.0 <sup>b</sup>	1.5
Inhalants	10.5 <sup>b</sup>	10.7 <sup>b</sup>	11.0 <sup>b</sup>	10.5 <sup>b</sup>	10.1 <sup>b</sup>	9.6 <sup>b</sup>	9.3 <sup>b</sup>	9.3 <sup>b</sup>	8.3 <sup>b</sup>	7.5 <sup>b</sup>	6.5 <sup>b</sup>	5.3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	13.7 <sup>b</sup>	13.5 <sup>b</sup>	13.5 <sup>b</sup>	11.9 <sup>b</sup>	12.5 <sup>b</sup>	11.7 <sup>b</sup>	11.2 <sup>b</sup>	11.4 <sup>b</sup>	10.6 <sup>b</sup>	10.1 <sup>b</sup>	10.0 <sup>b</sup>	8.8
Pain Relievers	11.2 <sup>b</sup>	11.2 <sup>b</sup>	11.4 <sup>b</sup>	9.9 <sup>b</sup>	10.4 <sup>b</sup>	9.7 <sup>b</sup>	9.5 <sup>b</sup>	9.7 <sup>b</sup>	9.2 <sup>b</sup>	8.6 <sup>b</sup>	8.3 <sup>b</sup>	7.3
OxyContin <sup>®</sup>	0.9	1.0	1.2	1.1	1.4 <sup>a</sup>	1.4 <sup>a</sup>	1.4 <sup>a</sup>	1.5 <sup>b</sup>	1.5 <sup>b</sup>	1.5 <sup>b</sup>	1.3	1.1
Tranquilizers	3.4 <sup>b</sup>	3.5 <sup>b</sup>	3.2 <sup>b</sup>	3.0 <sup>b</sup>	2.9 <sup>b</sup>	3.0 <sup>b</sup>	2.9 <sup>b</sup>	2.8 <sup>b</sup>	3.0 <sup>b</sup>	2.8 <sup>a</sup>	2.8 <sup>a</sup>	2.3
Stimulants <sup>3</sup>	4.5 <sup>b</sup>	4.2 <sup>b</sup>	3.6 <sup>b</sup>	3.4 <sup>b</sup>	3.7 <sup>b</sup>	2.9 <sup>b</sup>	2.7 <sup>b</sup>	2.4 <sup>b</sup>	2.2 <sup>a</sup>	2.0	2.0	1.8
Methamphetamine <sup>3</sup>	1.7 <sup>b</sup>	1.5 <sup>b</sup>	1.4 <sup>b</sup>	1.3 <sup>b</sup>	1.3 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.6	0.7 <sup>b</sup>	0.6	0.5
Sedatives	1.0 <sup>b</sup>	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.9 <sup>b</sup>	0.7 <sup>a</sup>	0.6	0.7 <sup>a</sup>	0.5
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	21.4 <sup>b</sup>	21.3 <sup>b</sup>	21.2 <sup>b</sup>	19.5 <sup>b</sup>	19.5 <sup>b</sup>	18.4 <sup>b</sup>	18.1 <sup>b</sup>	18.3 <sup>b</sup>	17.1 <sup>b</sup>	16.0 <sup>b</sup>	14.8 <sup>b</sup>	13.2

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.5A Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	5,494 <sup>b</sup>	5,455 <sup>b</sup>	5,300 <sup>b</sup>	5,041 <sup>b</sup>	4,978 <sup>b</sup>	4,737 <sup>b</sup>	4,751 <sup>b</sup>	4,838 <sup>b</sup>	4,745 <sup>b</sup>	4,735 <sup>b</sup>	4,468	4,287
Marijuana and Hashish	3,905 <sup>b</sup>	3,745 <sup>b</sup>	3,656 <sup>b</sup>	3,383	3,355	3,158	3,258	3,363	3,414	3,553	3,363	3,346
Cocaine	508 <sup>b</sup>	438 <sup>b</sup>	411 <sup>b</sup>	423 <sup>b</sup>	411 <sup>b</sup>	385 <sup>b</sup>	306 <sup>b</sup>	242 <sup>b</sup>	239 <sup>b</sup>	229 <sup>b</sup>	180 <sup>a</sup>	131
Crack	100 <sup>b</sup>	95 <sup>b</sup>	63 <sup>b</sup>	54 <sup>b</sup>	74 <sup>b</sup>	65 <sup>b</sup>	34 <sup>b</sup>	29 <sup>a</sup>	18	29 <sup>a</sup>	19	11
Heroin	51	36	48	37	37	24	41	34	28	54	31	31
Hallucinogens	945 <sup>b</sup>	778 <sup>b</sup>	753 <sup>b</sup>	665 <sup>b</sup>	653 <sup>b</sup>	629 <sup>b</sup>	689 <sup>b</sup>	737 <sup>b</sup>	747 <sup>b</sup>	648 <sup>b</sup>	553	482
LSD	314 <sup>b</sup>	149	157	150	106 <sup>a</sup>	126	185	143	136	159	152	150
PCP	110 <sup>b</sup>	89 <sup>b</sup>	72 <sup>b</sup>	85 <sup>b</sup>	59 <sup>a</sup>	56 <sup>a</sup>	61 <sup>b</sup>	48	35	39	48	29
Ecstasy	547 <sup>b</sup>	329 <sup>b</sup>	310 <sup>b</sup>	256	308 <sup>b</sup>	328 <sup>b</sup>	346 <sup>b</sup>	416 <sup>b</sup>	465 <sup>b</sup>	419 <sup>b</sup>	288	232
Inhalants	1,078 <sup>b</sup>	1,119 <sup>b</sup>	1,168 <sup>b</sup>	1,144 <sup>b</sup>	1,109 <sup>b</sup>	995 <sup>b</sup>	986 <sup>b</sup>	960 <sup>b</sup>	885 <sup>b</sup>	820 <sup>b</sup>	647 <sup>b</sup>	480
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	2,285 <sup>b</sup>	2,295 <sup>b</sup>	2,228 <sup>b</sup>	2,101 <sup>b</sup>	2,184 <sup>b</sup>	2,037 <sup>b</sup>	1,919 <sup>b</sup>	1,895 <sup>b</sup>	1,812 <sup>b</sup>	1,749 <sup>b</sup>	1,642 <sup>b</sup>	1,441
Pain Relievers	1,870 <sup>b</sup>	1,917 <sup>b</sup>	1,865 <sup>b</sup>	1,741 <sup>b</sup>	1,821 <sup>b</sup>	1,684 <sup>b</sup>	1,613 <sup>b</sup>	1,628 <sup>b</sup>	1,522 <sup>b</sup>	1,484 <sup>b</sup>	1,333 <sup>b</sup>	1,157
OxyContin <sup>®</sup>	--	--	194	187	200 <sup>a</sup>	232 <sup>b</sup>	226 <sup>b</sup>	225 <sup>b</sup>	235 <sup>b</sup>	219 <sup>b</sup>	187	150
Tranquilizers	568 <sup>b</sup>	586 <sup>b</sup>	532 <sup>b</sup>	497 <sup>b</sup>	484 <sup>b</sup>	505 <sup>b</sup>	483 <sup>b</sup>	462 <sup>b</sup>	466 <sup>b</sup>	475 <sup>b</sup>	452 <sup>b</sup>	347
Stimulants <sup>3</sup>	665 <sup>b</sup>	578 <sup>b</sup>	507 <sup>b</sup>	506 <sup>b</sup>	548 <sup>b</sup>	415 <sup>b</sup>	373 <sup>b</sup>	334	325	299	324	273
Methamphetamine <sup>3</sup>	245 <sup>b</sup>	185 <sup>b</sup>	177 <sup>b</sup>	178 <sup>b</sup>	185 <sup>b</sup>	116 <sup>a</sup>	94	87	98	106	82	73
Sedatives	138 <sup>b</sup>	131 <sup>b</sup>	133 <sup>b</sup>	118 <sup>b</sup>	110 <sup>b</sup>	111 <sup>a</sup>	113 <sup>b</sup>	126 <sup>b</sup>	111 <sup>a</sup>	84	81	65
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	3,338 <sup>b</sup>	3,351 <sup>b</sup>	3,269 <sup>b</sup>	3,129 <sup>b</sup>	3,147 <sup>b</sup>	2,921 <sup>b</sup>	2,860 <sup>b</sup>	2,849 <sup>b</sup>	2,758 <sup>b</sup>	2,565 <sup>b</sup>	2,297 <sup>b</sup>	1,979

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.5B Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	22.2 <sup>b</sup>	21.8 <sup>b</sup>	21.0 <sup>b</sup>	19.9 <sup>b</sup>	19.6 <sup>b</sup>	18.8 <sup>b</sup>	19.1 <sup>b</sup>	19.7 <sup>b</sup>	19.5 <sup>b</sup>	19.0 <sup>b</sup>	17.9	17.2
Marijuana and Hashish	15.8 <sup>b</sup>	15.0 <sup>b</sup>	14.5 <sup>a</sup>	13.3	13.2	12.5 <sup>a</sup>	13.1	13.7	14.0	14.2	13.5	13.4
Cocaine	2.1 <sup>b</sup>	1.8 <sup>b</sup>	1.6 <sup>b</sup>	1.7 <sup>b</sup>	1.6 <sup>b</sup>	1.5 <sup>b</sup>	1.2 <sup>b</sup>	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.7 <sup>a</sup>	0.5
Crack	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.1 <sup>b</sup>	0.1 <sup>a</sup>	0.1	0.1 <sup>a</sup>	0.1	0.0
Heroin	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1
Hallucinogens	3.8 <sup>b</sup>	3.1 <sup>b</sup>	3.0 <sup>b</sup>	2.6 <sup>b</sup>	2.6 <sup>b</sup>	2.5 <sup>b</sup>	2.8 <sup>b</sup>	3.0 <sup>b</sup>	3.1 <sup>b</sup>	2.6 <sup>b</sup>	2.2	1.9
LSD	1.3 <sup>b</sup>	0.6	0.6	0.6	0.4 <sup>a</sup>	0.5	0.7	0.6	0.6	0.6	0.6	0.6
PCP	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>a</sup>	0.2 <sup>a</sup>	0.2 <sup>b</sup>	0.2	0.1	0.2	0.2	0.1
Ecstasy	2.2 <sup>b</sup>	1.3 <sup>b</sup>	1.2 <sup>a</sup>	1.0	1.2 <sup>a</sup>	1.3 <sup>b</sup>	1.4 <sup>b</sup>	1.7 <sup>b</sup>	1.9 <sup>b</sup>	1.7 <sup>b</sup>	1.2	0.9
Inhalants	4.4 <sup>b</sup>	4.5 <sup>b</sup>	4.6 <sup>b</sup>	4.5 <sup>b</sup>	4.4 <sup>b</sup>	3.9 <sup>b</sup>	4.0 <sup>b</sup>	3.9 <sup>b</sup>	3.6 <sup>b</sup>	3.3 <sup>b</sup>	2.6 <sup>b</sup>	1.9
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	9.2 <sup>b</sup>	9.2 <sup>b</sup>	8.8 <sup>b</sup>	8.3 <sup>b</sup>	8.6 <sup>b</sup>	8.1 <sup>b</sup>	7.7 <sup>b</sup>	7.7 <sup>b</sup>	7.4 <sup>b</sup>	7.0 <sup>b</sup>	6.6 <sup>b</sup>	5.8
Pain Relievers	7.6 <sup>b</sup>	7.7 <sup>b</sup>	7.4 <sup>b</sup>	6.9 <sup>b</sup>	7.2 <sup>b</sup>	6.7 <sup>b</sup>	6.5 <sup>b</sup>	6.6 <sup>b</sup>	6.3 <sup>b</sup>	5.9 <sup>b</sup>	5.3 <sup>b</sup>	4.6
OxyContin <sup>®</sup>	--	--	0.8	0.7	0.8 <sup>a</sup>	0.9 <sup>b</sup>	0.9 <sup>b</sup>	0.9 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.7	0.6
Tranquilizers	2.3 <sup>b</sup>	2.3 <sup>b</sup>	2.1 <sup>b</sup>	2.0 <sup>b</sup>	1.9 <sup>b</sup>	2.0 <sup>b</sup>	1.9 <sup>b</sup>	1.9 <sup>b</sup>	1.9 <sup>b</sup>	1.9 <sup>b</sup>	1.8 <sup>b</sup>	1.4
Stimulants <sup>3</sup>	2.7 <sup>b</sup>	2.3 <sup>b</sup>	2.0 <sup>b</sup>	2.0 <sup>b</sup>	2.2 <sup>b</sup>	1.6 <sup>b</sup>	1.5 <sup>b</sup>	1.4 <sup>a</sup>	1.3	1.2	1.3	1.1
Methamphetamine <sup>3</sup>	1.0 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.5 <sup>a</sup>	0.4	0.4	0.4	0.4	0.3	0.3
Sedatives	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>a</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.3	0.3	0.3
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	13.5 <sup>b</sup>	13.4 <sup>b</sup>	13.0 <sup>b</sup>	12.3 <sup>b</sup>	12.4 <sup>b</sup>	11.6 <sup>b</sup>	11.5 <sup>b</sup>	11.6 <sup>b</sup>	11.3 <sup>b</sup>	10.3 <sup>b</sup>	9.2 <sup>b</sup>	8.0

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.6A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	2,878 <sup>b</sup>	2,811 <sup>b</sup>	2,674 <sup>b</sup>	2,511 <sup>b</sup>	2,488 <sup>b</sup>	2,415 <sup>a</sup>	2,312	2,484 <sup>b</sup>	2,468 <sup>b</sup>	2,522 <sup>b</sup>	2,377 <sup>a</sup>	2,197
Marijuana and Hashish	2,023 <sup>b</sup>	1,971 <sup>a</sup>	1,909	1,730	1,695	1,693	1,668	1,813	1,802	1,967 <sup>a</sup>	1,800	1,762
Cocaine	146 <sup>b</sup>	153 <sup>b</sup>	126 <sup>b</sup>	142 <sup>b</sup>	110 <sup>b</sup>	104 <sup>b</sup>	98 <sup>b</sup>	70	60	67	30	43
Crack	26 <sup>b</sup>	32 <sup>b</sup>	16 <sup>a</sup>	25 <sup>b</sup>	12 <sup>a</sup>	16 <sup>b</sup>	7	8	4	3	*	3
Heroin	11	18	15	15	16	3	14	13	8	15	*	13
Hallucinogens	255 <sup>b</sup>	260 <sup>b</sup>	211 <sup>a</sup>	205 <sup>a</sup>	182	174	245 <sup>b</sup>	217 <sup>a</sup>	215 <sup>a</sup>	215 <sup>a</sup>	160	154
LSD	61	51	38	32	31	30	52	35	46	34	26 <sup>a</sup>	51
PCP	23 <sup>a</sup>	20	11	17	12	9	15	12	6	4	5	7
Ecstasy	124 <sup>b</sup>	91 <sup>b</sup>	77	74	83 <sup>a</sup>	65	105 <sup>b</sup>	115 <sup>b</sup>	123 <sup>b</sup>	108 <sup>b</sup>	73	48
Inhalants	301 <sup>b</sup>	320 <sup>b</sup>	312 <sup>b</sup>	313 <sup>b</sup>	340 <sup>b</sup>	294 <sup>b</sup>	270 <sup>b</sup>	244 <sup>b</sup>	262 <sup>b</sup>	223 <sup>b</sup>	188 <sup>b</sup>	121
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	986 <sup>b</sup>	997 <sup>b</sup>	914 <sup>b</sup>	838 <sup>b</sup>	846 <sup>b</sup>	830 <sup>b</sup>	711 <sup>b</sup>	774 <sup>b</sup>	721 <sup>b</sup>	688 <sup>b</sup>	693 <sup>b</sup>	549
Pain Relievers	794 <sup>b</sup>	801 <sup>b</sup>	751 <sup>b</sup>	686 <sup>b</sup>	692 <sup>b</sup>	671 <sup>b</sup>	566 <sup>b</sup>	658 <sup>b</sup>	607 <sup>b</sup>	563 <sup>b</sup>	558 <sup>b</sup>	425
OxyContin <sup>®</sup>	--	--	66 <sup>b</sup>	34	29	47	49	70 <sup>b</sup>	47	51	49	30
Tranquilizers	188 <sup>b</sup>	226 <sup>b</sup>	161 <sup>b</sup>	161 <sup>b</sup>	125	181 <sup>b</sup>	151 <sup>b</sup>	144 <sup>b</sup>	134 <sup>a</sup>	162 <sup>b</sup>	140 <sup>a</sup>	90
Stimulants <sup>3</sup>	208 <sup>b</sup>	222 <sup>b</sup>	180 <sup>b</sup>	172 <sup>b</sup>	171 <sup>b</sup>	126 <sup>a</sup>	112	127 <sup>a</sup>	107	98	118	84
Methamphetamine <sup>3</sup>	71 <sup>b</sup>	70 <sup>b</sup>	58 <sup>b</sup>	72 <sup>b</sup>	53 <sup>a</sup>	34	29	36	25	37	30	22
Sedatives	47 <sup>a</sup>	47	26	27	45	34	35	40	35	24	26	25
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,421 <sup>b</sup>	1,417 <sup>b</sup>	1,328 <sup>b</sup>	1,253 <sup>b</sup>	1,252 <sup>b</sup>	1,182 <sup>b</sup>	1,092 <sup>b</sup>	1,122 <sup>b</sup>	1,092 <sup>b</sup>	1,026 <sup>b</sup>	918 <sup>b</sup>	757

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.6B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	11.6 <sup>b</sup>	11.2 <sup>b</sup>	10.6 <sup>b</sup>	9.9 <sup>b</sup>	9.8 <sup>b</sup>	9.6 <sup>a</sup>	9.3	10.1 <sup>b</sup>	10.1 <sup>b</sup>	10.1 <sup>b</sup>	9.5 <sup>a</sup>	8.8
Marijuana and Hashish	8.2 <sup>b</sup>	7.9 <sup>a</sup>	7.6	6.8	6.7	6.7	6.7	7.4	7.4	7.9 <sup>a</sup>	7.2	7.1
Cocaine	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.6 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.3	0.2	0.3	0.1	0.2
Crack	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.1 <sup>a</sup>	0.1 <sup>b</sup>	0.0 <sup>a</sup>	0.1 <sup>b</sup>	0.0	0.0	0.0	0.0	*	0.0
Heroin	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.1	*	0.1
Hallucinogens	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.8 <sup>a</sup>	0.8	0.7	0.7	1.0 <sup>b</sup>	0.9 <sup>a</sup>	0.9 <sup>a</sup>	0.9 <sup>a</sup>	0.6	0.6
LSD	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1 <sup>a</sup>	0.2
PCP	0.1 <sup>a</sup>	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Ecstasy	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.3	0.3	0.3 <sup>a</sup>	0.3	0.4 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.3	0.2
Inhalants	1.2 <sup>b</sup>	1.3 <sup>b</sup>	1.2 <sup>b</sup>	1.2 <sup>b</sup>	1.3 <sup>b</sup>	1.2 <sup>b</sup>	1.1 <sup>b</sup>	1.0 <sup>b</sup>	1.1 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>b</sup>	0.5
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4.0 <sup>b</sup>	4.0 <sup>b</sup>	3.6 <sup>b</sup>	3.3 <sup>b</sup>	3.3 <sup>b</sup>	3.3 <sup>b</sup>	2.9 <sup>b</sup>	3.1 <sup>b</sup>	3.0 <sup>b</sup>	2.8 <sup>b</sup>	2.8 <sup>b</sup>	2.2
Pain Relievers	3.2 <sup>b</sup>	3.2 <sup>b</sup>	3.0 <sup>b</sup>	2.7 <sup>b</sup>	2.7 <sup>b</sup>	2.7 <sup>b</sup>	2.3 <sup>b</sup>	2.7 <sup>b</sup>	2.5 <sup>b</sup>	2.3 <sup>b</sup>	2.2 <sup>b</sup>	1.7
OxyContin <sup>®</sup>	--	--	0.3 <sup>b</sup>	0.1	0.1	0.2	0.2	0.3 <sup>b</sup>	0.2	0.2	0.2	0.1
Tranquilizers	0.8 <sup>b</sup>	0.9 <sup>b</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.5	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>a</sup>	0.6 <sup>b</sup>	0.6 <sup>a</sup>	0.4
Stimulants <sup>3</sup>	0.8 <sup>b</sup>	0.9 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.5 <sup>a</sup>	0.5	0.5 <sup>a</sup>	0.4	0.4	0.5	0.3
Methamphetamine <sup>3</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>a</sup>	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Sedatives	0.2 <sup>a</sup>	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	5.7 <sup>b</sup>	5.7 <sup>b</sup>	5.3 <sup>b</sup>	4.9 <sup>b</sup>	4.9 <sup>b</sup>	4.7 <sup>b</sup>	4.4 <sup>b</sup>	4.6 <sup>b</sup>	4.5 <sup>b</sup>	4.1 <sup>b</sup>	3.7 <sup>b</sup>	3.0

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.7A Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	18,562 <sup>b</sup>	19,195 <sup>b</sup>	19,043 <sup>b</sup>	19,222 <sup>a</sup>	19,328 <sup>a</sup>	18,831 <sup>b</sup>	18,772 <sup>b</sup>	19,658	19,538	19,534	19,977	19,826
Marijuana and Hashish	16,680 <sup>b</sup>	17,103 <sup>b</sup>	16,983 <sup>b</sup>	17,032 <sup>b</sup>	17,180 <sup>b</sup>	16,652 <sup>b</sup>	16,718 <sup>b</sup>	17,677	17,529 <sup>a</sup>	17,796	18,052	18,051
Cocaine	4,786 <sup>b</sup>	4,755 <sup>b</sup>	4,893 <sup>b</sup>	4,905 <sup>b</sup>	5,139 <sup>b</sup>	4,925 <sup>b</sup>	4,772 <sup>b</sup>	4,997 <sup>b</sup>	4,568 <sup>b</sup>	4,253	4,267	4,041
Crack	1,182 <sup>b</sup>	1,193 <sup>b</sup>	1,135 <sup>b</sup>	1,145 <sup>b</sup>	1,176 <sup>b</sup>	985 <sup>b</sup>	916 <sup>b</sup>	965 <sup>b</sup>	886 <sup>b</sup>	714 <sup>b</sup>	654	563
Heroin	487 <sup>a</sup>	516	529	496 <sup>a</sup>	514	498 <sup>a</sup>	467 <sup>b</sup>	587	614	594	664	619
Hallucinogens	7,517 <sup>b</sup>	7,377 <sup>b</sup>	6,855 <sup>b</sup>	6,820 <sup>b</sup>	6,625 <sup>a</sup>	6,291	5,876	6,418	6,295	6,029	6,103	6,122
LSD	4,928 <sup>b</sup>	4,450 <sup>b</sup>	3,900 <sup>b</sup>	3,417 <sup>b</sup>	2,933 <sup>b</sup>	2,381	2,167	2,326	2,194	2,054	2,056	2,246
PCP	834 <sup>b</sup>	948 <sup>b</sup>	737 <sup>b</sup>	716 <sup>b</sup>	641 <sup>b</sup>	540 <sup>b</sup>	523 <sup>b</sup>	480 <sup>b</sup>	447 <sup>b</sup>	351	345	326
Ecstasy	4,674	4,683	4,439	4,464	4,392	4,186	4,008 <sup>b</sup>	4,194	4,230	4,222	4,452	4,436
Inhalants	4,867 <sup>b</sup>	4,729 <sup>b</sup>	4,516 <sup>b</sup>	4,333 <sup>b</sup>	4,097 <sup>b</sup>	3,703 <sup>b</sup>	3,445 <sup>b</sup>	3,620 <sup>b</sup>	3,396 <sup>b</sup>	3,106 <sup>b</sup>	2,918 <sup>b</sup>	2,613
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	8,778 <sup>a</sup>	9,360	9,564	9,990 <sup>b</sup>	10,067 <sup>b</sup>	9,807 <sup>b</sup>	9,694 <sup>a</sup>	9,896 <sup>b</sup>	9,832 <sup>b</sup>	9,373	9,709 <sup>a</sup>	9,239
Pain Relievers	6,854 <sup>a</sup>	7,513	7,813 <sup>b</sup>	8,279 <sup>b</sup>	8,353 <sup>b</sup>	8,143 <sup>b</sup>	8,096 <sup>b</sup>	8,221 <sup>b</sup>	8,143 <sup>b</sup>	7,600	7,759 <sup>b</sup>	7,251
OxyContin <sup>®</sup>	820 <sup>b</sup>	1,145 <sup>b</sup>	1,376 <sup>b</sup>	1,616 <sup>b</sup>	1,684 <sup>a</sup>	1,716	1,765	2,110 <sup>a</sup>	2,149 <sup>a</sup>	2,079	2,011	1,889
Tranquilizers	3,473 <sup>b</sup>	3,898	3,919	4,356	4,286	4,155	4,069	4,323	4,503 <sup>a</sup>	4,232	4,420	4,184
Stimulants <sup>3</sup>	3,796 <sup>b</sup>	3,873 <sup>b</sup>	3,892 <sup>b</sup>	4,008 <sup>b</sup>	3,926 <sup>b</sup>	3,569 <sup>a</sup>	3,485	3,587 <sup>a</sup>	3,534	3,172	3,374	3,279
Methamphetamine <sup>3</sup>	2,301 <sup>b</sup>	2,192 <sup>b</sup>	2,247 <sup>b</sup>	2,190 <sup>b</sup>	2,103 <sup>b</sup>	1,847 <sup>b</sup>	1,548 <sup>b</sup>	1,518 <sup>b</sup>	1,361 <sup>b</sup>	1,150	1,089	1,042
Sedatives	648 <sup>b</sup>	565 <sup>a</sup>	627 <sup>b</sup>	650 <sup>b</sup>	612 <sup>b</sup>	583 <sup>b</sup>	511	528	469	472	420	439
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	12,436 <sup>b</sup>	12,770 <sup>b</sup>	12,630 <sup>b</sup>	12,800 <sup>b</sup>	12,959 <sup>b</sup>	12,573 <sup>b</sup>	12,146	12,592 <sup>b</sup>	12,410 <sup>a</sup>	11,860	12,216	11,853

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.7B Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	59.8 <sup>b</sup>	60.5 <sup>b</sup>	59.2 <sup>b</sup>	59.2 <sup>b</sup>	59.0 <sup>b</sup>	57.5	57.0	58.5 <sup>a</sup>	57.3	56.9	57.8	57.0
Marijuana and Hashish	53.8 <sup>b</sup>	53.9 <sup>b</sup>	52.8	52.4	52.5	50.9	50.8	52.6	51.4	51.9	52.2	51.9
Cocaine	15.4 <sup>b</sup>	15.0 <sup>b</sup>	15.2 <sup>b</sup>	15.1 <sup>b</sup>	15.7 <sup>b</sup>	15.0 <sup>b</sup>	14.5 <sup>b</sup>	14.9 <sup>b</sup>	13.4 <sup>b</sup>	12.4	12.3	11.6
Crack	3.8 <sup>b</sup>	3.8 <sup>b</sup>	3.5 <sup>b</sup>	3.5 <sup>b</sup>	3.6 <sup>b</sup>	3.0 <sup>b</sup>	2.8 <sup>b</sup>	2.9 <sup>b</sup>	2.6 <sup>b</sup>	2.1 <sup>b</sup>	1.9	1.6
Heroin	1.6	1.6	1.6	1.5	1.6	1.5	1.4 <sup>a</sup>	1.7	1.8	1.7	1.9	1.8
Hallucinogens	24.2 <sup>b</sup>	23.3 <sup>b</sup>	21.3 <sup>b</sup>	21.0 <sup>b</sup>	20.2 <sup>b</sup>	19.2 <sup>b</sup>	17.8	19.1 <sup>b</sup>	18.5	17.6	17.6	17.6
LSD	15.9 <sup>b</sup>	14.0 <sup>b</sup>	12.1 <sup>b</sup>	10.5 <sup>b</sup>	9.0 <sup>b</sup>	7.3 <sup>a</sup>	6.6	6.9	6.4	6.0	5.9	6.5
PCP	2.7 <sup>b</sup>	3.0 <sup>b</sup>	2.3 <sup>b</sup>	2.2 <sup>b</sup>	2.0 <sup>b</sup>	1.6 <sup>b</sup>	1.6 <sup>b</sup>	1.4 <sup>b</sup>	1.3 <sup>b</sup>	1.0	1.0	0.9
Ecstasy	15.1 <sup>b</sup>	14.8 <sup>b</sup>	13.8 <sup>a</sup>	13.7 <sup>a</sup>	13.4	12.8	12.2	12.5	12.4	12.3	12.9	12.8
Inhalants	15.7 <sup>b</sup>	14.9 <sup>b</sup>	14.0 <sup>b</sup>	13.3 <sup>b</sup>	12.5 <sup>b</sup>	11.3 <sup>b</sup>	10.5 <sup>b</sup>	10.8 <sup>b</sup>	10.0 <sup>b</sup>	9.1 <sup>b</sup>	8.4 <sup>b</sup>	7.5
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	28.3 <sup>b</sup>	29.5 <sup>b</sup>	29.7 <sup>b</sup>	30.8 <sup>b</sup>	30.7 <sup>b</sup>	30.0 <sup>b</sup>	29.4 <sup>b</sup>	29.5 <sup>b</sup>	28.9 <sup>b</sup>	27.3	28.1 <sup>a</sup>	26.6
Pain Relievers	22.1 <sup>a</sup>	23.7 <sup>b</sup>	24.3 <sup>b</sup>	25.5 <sup>b</sup>	25.5 <sup>b</sup>	24.9 <sup>b</sup>	24.6 <sup>b</sup>	24.5 <sup>b</sup>	23.9 <sup>b</sup>	22.2 <sup>a</sup>	22.4 <sup>b</sup>	20.8
OxyContin <sup>®</sup>	2.6 <sup>b</sup>	3.6 <sup>b</sup>	4.3 <sup>b</sup>	5.0	5.1	5.2	5.4	6.3 <sup>b</sup>	6.3 <sup>b</sup>	6.1 <sup>a</sup>	5.8	5.4
Tranquilizers	11.2	12.3	12.2	13.4 <sup>b</sup>	13.1 <sup>a</sup>	12.7	12.4	12.9	13.2 <sup>b</sup>	12.3	12.8	12.0
Stimulants <sup>3</sup>	12.2 <sup>b</sup>	12.2 <sup>b</sup>	12.1 <sup>b</sup>	12.3 <sup>b</sup>	12.0 <sup>b</sup>	10.9 <sup>b</sup>	10.6 <sup>b</sup>	10.7 <sup>b</sup>	10.4 <sup>a</sup>	9.2	9.8	9.4
Methamphetamine <sup>3</sup>	7.4 <sup>b</sup>	6.9 <sup>b</sup>	7.0 <sup>b</sup>	6.7 <sup>b</sup>	6.4 <sup>b</sup>	5.6 <sup>b</sup>	4.7 <sup>b</sup>	4.5 <sup>b</sup>	4.0 <sup>b</sup>	3.4	3.1	3.0
Sedatives	2.1 <sup>b</sup>	1.8 <sup>b</sup>	1.9 <sup>b</sup>	2.0 <sup>b</sup>	1.9 <sup>b</sup>	1.8 <sup>b</sup>	1.6	1.6	1.4	1.4	1.2	1.3
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	40.1 <sup>b</sup>	40.2 <sup>b</sup>	39.2 <sup>b</sup>	39.4 <sup>b</sup>	39.6 <sup>b</sup>	38.4 <sup>b</sup>	36.9 <sup>b</sup>	37.5 <sup>b</sup>	36.4 <sup>b</sup>	34.6	35.3	34.1

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.8A Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	11,000 <sup>b</sup>	10,976 <sup>b</sup>	10,913 <sup>b</sup>	11,117 <sup>b</sup>	11,267 <sup>b</sup>	10,889 <sup>b</sup>	11,090 <sup>b</sup>	12,186	11,990	12,067	12,551	12,448
Marijuana and Hashish	9,238 <sup>b</sup>	9,044 <sup>b</sup>	8,963 <sup>b</sup>	9,111 <sup>b</sup>	9,188 <sup>b</sup>	9,008 <sup>b</sup>	9,154 <sup>b</sup>	10,343 <sup>b</sup>	10,215 <sup>b</sup>	10,554	10,887	11,000
Cocaine	2,087 <sup>b</sup>	2,098 <sup>b</sup>	2,134 <sup>b</sup>	2,247 <sup>b</sup>	2,263 <sup>b</sup>	2,087 <sup>b</sup>	1,844 <sup>b</sup>	1,790 <sup>a</sup>	1,593	1,563	1,600	1,543
Crack	266 <sup>b</sup>	275 <sup>b</sup>	263 <sup>b</sup>	328 <sup>b</sup>	293 <sup>b</sup>	249 <sup>b</sup>	217 <sup>b</sup>	172 <sup>b</sup>	180 <sup>b</sup>	107	140	95
Heroin	122 <sup>b</sup>	96 <sup>b</sup>	118 <sup>b</sup>	159 <sup>b</sup>	147 <sup>b</sup>	142 <sup>b</sup>	149 <sup>b</sup>	183	211	230	272	244
Hallucinogens	2,610 <sup>a</sup>	2,112	1,944 <sup>b</sup>	2,051 <sup>a</sup>	2,151	2,042 <sup>a</sup>	2,101 <sup>a</sup>	2,430	2,439	2,323	2,236	2,338
LSD	553 <sup>a</sup>	336 <sup>b</sup>	317 <sup>b</sup>	322 <sup>b</sup>	380 <sup>b</sup>	375 <sup>b</sup>	507 <sup>b</sup>	523 <sup>b</sup>	549 <sup>a</sup>	586	622	708
PCP	95 <sup>b</sup>	117 <sup>b</sup>	100 <sup>b</sup>	57 <sup>a</sup>	76 <sup>b</sup>	57 <sup>a</sup>	30	35	37	63 <sup>a</sup>	57 <sup>a</sup>	26
Ecstasy	1,784 <sup>b</sup>	1,164 <sup>a</sup>	999 <sup>b</sup>	998 <sup>b</sup>	1,235	1,146 <sup>b</sup>	1,270	1,456	1,500	1,413	1,412	1,379
Inhalants	685 <sup>b</sup>	662 <sup>b</sup>	674 <sup>b</sup>	685 <sup>b</sup>	578	528	538	635 <sup>a</sup>	597	500	473	478
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4,452	4,637 <sup>b</sup>	4,807 <sup>b</sup>	4,915 <sup>b</sup>	5,130 <sup>b</sup>	4,920 <sup>b</sup>	4,891 <sup>b</sup>	5,061 <sup>b</sup>	4,876 <sup>b</sup>	4,366	4,729 <sup>b</sup>	4,245
Pain Relievers	3,540 <sup>b</sup>	3,803 <sup>b</sup>	3,834 <sup>b</sup>	4,030 <sup>b</sup>	4,077 <sup>b</sup>	3,981 <sup>b</sup>	3,956 <sup>b</sup>	4,027 <sup>b</sup>	3,779 <sup>b</sup>	3,353 <sup>a</sup>	3,507 <sup>b</sup>	3,061
OxyContin <sup>®</sup>	--	--	562	559	577	568	602 <sup>a</sup>	773 <sup>b</sup>	752 <sup>b</sup>	628 <sup>b</sup>	568	473
Tranquilizers	1,509	1,682	1,658	1,796 <sup>a</sup>	1,793 <sup>a</sup>	1,702	1,762	1,802 <sup>a</sup>	1,803 <sup>a</sup>	1,555	1,718	1,568
Stimulants <sup>3</sup>	1,233	1,197	1,280	1,242	1,376	1,132 <sup>a</sup>	1,123 <sup>a</sup>	1,238	1,242	1,065 <sup>b</sup>	1,361	1,302
Methamphetamine <sup>3</sup>	619 <sup>b</sup>	594 <sup>b</sup>	619 <sup>b</sup>	576 <sup>b</sup>	553 <sup>b</sup>	406	270	303	268	225 <sup>a</sup>	341	318
Sedatives	162	156	163	191	185	171	178	160	166	128	119	138
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	6,277 <sup>a</sup>	6,266 <sup>a</sup>	6,201	6,467 <sup>b</sup>	6,638 <sup>b</sup>	6,374 <sup>b</sup>	6,253 <sup>a</sup>	6,701 <sup>b</sup>	6,395 <sup>b</sup>	5,972	6,217 <sup>a</sup>	5,854

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.8B Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	35.5	34.6	33.9 <sup>b</sup>	34.2 <sup>a</sup>	34.4 <sup>a</sup>	33.3 <sup>b</sup>	33.7 <sup>b</sup>	36.3	35.2	35.2	36.3	35.8
Marijuana and Hashish	29.8 <sup>b</sup>	28.5 <sup>b</sup>	27.8 <sup>b</sup>	28.0 <sup>b</sup>	28.1 <sup>b</sup>	27.5 <sup>b</sup>	27.8 <sup>b</sup>	30.8	30.0 <sup>a</sup>	30.8	31.5	31.6
Cocaine	6.7 <sup>b</sup>	6.6 <sup>b</sup>	6.6 <sup>b</sup>	6.9 <sup>b</sup>	6.9 <sup>b</sup>	6.4 <sup>b</sup>	5.6 <sup>b</sup>	5.3 <sup>b</sup>	4.7	4.6	4.6	4.4
Crack	0.9 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.3	0.4	0.3
Heroin	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.4 <sup>b</sup>	0.5 <sup>a</sup>	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.5 <sup>b</sup>	0.5	0.6	0.7	0.8	0.7
Hallucinogens	8.4 <sup>b</sup>	6.7	6.0 <sup>a</sup>	6.3	6.6	6.2	6.4	7.2	7.2	6.8	6.5	6.7
LSD	1.8	1.1 <sup>b</sup>	1.0 <sup>b</sup>	1.0 <sup>b</sup>	1.2 <sup>b</sup>	1.1 <sup>b</sup>	1.5 <sup>b</sup>	1.6 <sup>a</sup>	1.6 <sup>a</sup>	1.7	1.8	2.0
PCP	0.3 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>a</sup>	0.1	0.1	0.1	0.2 <sup>a</sup>	0.2 <sup>a</sup>	0.1
Ecstasy	5.8 <sup>b</sup>	3.7	3.1 <sup>b</sup>	3.1 <sup>b</sup>	3.8	3.5	3.9	4.3	4.4	4.1	4.1	4.0
Inhalants	2.2 <sup>b</sup>	2.1 <sup>b</sup>	2.1 <sup>b</sup>	2.1 <sup>b</sup>	1.8 <sup>a</sup>	1.6	1.6	1.9 <sup>b</sup>	1.8 <sup>a</sup>	1.5	1.4	1.4
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	14.4 <sup>b</sup>	14.6 <sup>b</sup>	14.9 <sup>b</sup>	15.1 <sup>b</sup>	15.7 <sup>b</sup>	15.0 <sup>b</sup>	14.9 <sup>b</sup>	15.1 <sup>b</sup>	14.3 <sup>b</sup>	12.7	13.7 <sup>b</sup>	12.2
Pain Relievers	11.4 <sup>b</sup>	12.0 <sup>b</sup>	11.9 <sup>b</sup>	12.4 <sup>b</sup>	12.5 <sup>b</sup>	12.2 <sup>b</sup>	12.0 <sup>b</sup>	12.0 <sup>b</sup>	11.1 <sup>b</sup>	9.8 <sup>a</sup>	10.1 <sup>b</sup>	8.8
OxyContin <sup>®</sup>	--	--	1.7 <sup>a</sup>	1.7 <sup>a</sup>	1.8 <sup>a</sup>	1.7 <sup>a</sup>	1.8 <sup>b</sup>	2.3 <sup>b</sup>	2.2 <sup>b</sup>	1.8 <sup>b</sup>	1.6	1.4
Tranquilizers	4.9	5.3 <sup>b</sup>	5.2 <sup>a</sup>	5.5 <sup>b</sup>	5.5 <sup>b</sup>	5.2 <sup>a</sup>	5.4 <sup>b</sup>	5.4 <sup>b</sup>	5.3 <sup>b</sup>	4.5	5.0	4.5
Stimulants <sup>3</sup>	4.0	3.8	4.0	3.8	4.2	3.5	3.4	3.7	3.6	3.1 <sup>b</sup>	3.9	3.7
Methamphetamine <sup>3</sup>	2.0 <sup>b</sup>	1.9 <sup>b</sup>	1.9 <sup>b</sup>	1.8 <sup>b</sup>	1.7 <sup>b</sup>	1.2 <sup>a</sup>	0.8	0.9	0.8	0.7 <sup>a</sup>	1.0	0.9
Sedatives	0.5	0.5	0.5	0.6 <sup>a</sup>	0.6	0.5	0.5	0.5	0.5	0.4	0.3	0.4
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	20.2 <sup>b</sup>	19.7 <sup>b</sup>	19.3 <sup>b</sup>	19.9 <sup>b</sup>	20.3 <sup>b</sup>	19.5 <sup>b</sup>	19.0 <sup>b</sup>	20.0 <sup>b</sup>	18.8 <sup>b</sup>	17.4	18.0 <sup>a</sup>	16.8

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.9A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	6,264 <sup>b</sup>	6,435 <sup>b</sup>	6,239 <sup>b</sup>	6,543 <sup>b</sup>	6,498 <sup>b</sup>	6,475 <sup>b</sup>	6,490 <sup>b</sup>	7,176	7,345	7,352	7,381	7,490
Marijuana and Hashish	5,376 <sup>b</sup>	5,400 <sup>b</sup>	5,196 <sup>b</sup>	5,388 <sup>b</sup>	5,337 <sup>b</sup>	5,392 <sup>b</sup>	5,459 <sup>b</sup>	6,128 <sup>b</sup>	6,313	6,526	6,485	6,636
Cocaine	631 <sup>b</sup>	696 <sup>b</sup>	692 <sup>b</sup>	832 <sup>b</sup>	730 <sup>b</sup>	572 <sup>b</sup>	515 <sup>a</sup>	466	503 <sup>a</sup>	464	398	398
Crack	52	55	80 <sup>a</sup>	104 <sup>b</sup>	72 <sup>a</sup>	56	54	40	72	20	38	36
Heroin	39 <sup>b</sup>	25 <sup>b</sup>	43 <sup>b</sup>	59	55	49 <sup>a</sup>	76	67	90	107	138	92
Hallucinogens	589	545	477 <sup>a</sup>	503	564	475 <sup>a</sup>	545	620	672	557	600	617
LSD	36 <sup>b</sup>	67	83	60 <sup>a</sup>	58 <sup>a</sup>	69	98	97	105	92	118	105
PCP	15	30 <sup>a</sup>	17 <sup>a</sup>	11	14	15	4	5	6	12	12	4
Ecstasy	355	230 <sup>a</sup>	231 <sup>a</sup>	267	326	230 <sup>a</sup>	295	378	402	315	361	319
Inhalants	150	134	144	146	130	131	104	148	135	144	123	106
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,698	1,922 <sup>b</sup>	1,978 <sup>b</sup>	2,046 <sup>b</sup>	2,122 <sup>b</sup>	1,947 <sup>b</sup>	1,936 <sup>b</sup>	2,133 <sup>b</sup>	1,997 <sup>b</sup>	1,711	1,832	1,661
Pain Relievers	1,262	1,486 <sup>b</sup>	1,504 <sup>b</sup>	1,535 <sup>b</sup>	1,627 <sup>b</sup>	1,518 <sup>b</sup>	1,489 <sup>b</sup>	1,610 <sup>b</sup>	1,510 <sup>b</sup>	1,220	1,311 <sup>a</sup>	1,132
OxyContin <sup>®</sup>	--	--	142	146	140	157	130	179 <sup>b</sup>	239 <sup>b</sup>	158	145	107
Tranquilizers	487	525	566 <sup>a</sup>	606 <sup>b</sup>	651 <sup>b</sup>	573 <sup>b</sup>	570 <sup>b</sup>	622 <sup>b</sup>	570 <sup>b</sup>	546 <sup>a</sup>	537	435
Stimulants <sup>3</sup>	409	412	479	468	457	350 <sup>a</sup>	351 <sup>a</sup>	424	414	344 <sup>a</sup>	400	462
Methamphetamine <sup>3</sup>	183 <sup>a</sup>	197 <sup>b</sup>	220 <sup>b</sup>	225 <sup>b</sup>	183 <sup>a</sup>	116	74 <sup>a</sup>	84	83	79	97	120
Sedatives	49	58	49	74 <sup>a</sup>	54	71 <sup>a</sup>	67	84 <sup>b</sup>	59	42	52	34
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2,459	2,665 <sup>b</sup>	2,619 <sup>a</sup>	2,850 <sup>b</sup>	2,912 <sup>b</sup>	2,642 <sup>b</sup>	2,579 <sup>a</sup>	2,811 <sup>b</sup>	2,709 <sup>b</sup>	2,385	2,435	2,338

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.9B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	20.2 <sup>a</sup>	20.3 <sup>a</sup>	19.4 <sup>b</sup>	20.1 <sup>a</sup>	19.8 <sup>b</sup>	19.8 <sup>b</sup>	19.7 <sup>b</sup>	21.4	21.6	21.4	21.3	21.5
Marijuana and Hashish	17.3 <sup>b</sup>	17.0 <sup>b</sup>	16.1 <sup>b</sup>	16.6 <sup>b</sup>	16.3 <sup>b</sup>	16.5 <sup>b</sup>	16.6 <sup>b</sup>	18.2	18.5	19.0	18.7	19.1
Cocaine	2.0 <sup>b</sup>	2.2 <sup>b</sup>	2.1 <sup>b</sup>	2.6 <sup>b</sup>	2.2 <sup>b</sup>	1.7 <sup>b</sup>	1.6 <sup>b</sup>	1.4	1.5 <sup>a</sup>	1.4	1.1	1.1
Crack	0.2	0.2	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>a</sup>	0.2	0.2	0.1	0.2	0.1	0.1	0.1
Heroin	0.1 <sup>a</sup>	0.1 <sup>b</sup>	0.1 <sup>a</sup>	0.2	0.2	0.1 <sup>a</sup>	0.2	0.2	0.3	0.3	0.4	0.3
Hallucinogens	1.9	1.7	1.5	1.5	1.7	1.5	1.7	1.8	2.0	1.6	1.7	1.8
LSD	0.1 <sup>b</sup>	0.2	0.3	0.2	0.2 <sup>a</sup>	0.2	0.3	0.3	0.3	0.3	0.3	0.3
PCP	0.0	0.1 <sup>a</sup>	0.1 <sup>a</sup>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	1.1	0.7	0.7	0.8	1.0	0.7	0.9	1.1	1.2	0.9	1.0	0.9
Inhalants	0.5 <sup>a</sup>	0.4	0.4	0.5	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	5.5 <sup>a</sup>	6.1 <sup>b</sup>	6.1 <sup>b</sup>	6.3 <sup>b</sup>	6.5 <sup>b</sup>	5.9 <sup>b</sup>	5.9 <sup>b</sup>	6.4 <sup>b</sup>	5.9 <sup>b</sup>	5.0	5.3	4.8
Pain Relievers	4.1 <sup>b</sup>	4.7 <sup>b</sup>	4.7 <sup>b</sup>	4.7 <sup>b</sup>	5.0 <sup>b</sup>	4.6 <sup>b</sup>	4.5 <sup>b</sup>	4.8 <sup>b</sup>	4.4 <sup>b</sup>	3.6	3.8 <sup>a</sup>	3.3
OxyContin <sup>®</sup>	--	--	0.4	0.4	0.4	0.5 <sup>a</sup>	0.4	0.5 <sup>b</sup>	0.7 <sup>b</sup>	0.5	0.4	0.3
Tranquilizers	1.6 <sup>a</sup>	1.7 <sup>b</sup>	1.8 <sup>b</sup>	1.9 <sup>b</sup>	2.0 <sup>b</sup>	1.7 <sup>b</sup>	1.7 <sup>b</sup>	1.9 <sup>b</sup>	1.7 <sup>b</sup>	1.6 <sup>a</sup>	1.6	1.2
Stimulants <sup>3</sup>	1.3	1.3	1.5	1.4	1.4	1.1	1.1	1.3	1.2	1.0 <sup>a</sup>	1.2	1.3
Methamphetamine <sup>3</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.4	0.2	0.2	0.2	0.2	0.3	0.3
Sedatives	0.2	0.2	0.2	0.2 <sup>a</sup>	0.2	0.2 <sup>a</sup>	0.2 <sup>a</sup>	0.2 <sup>b</sup>	0.2	0.1	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	7.9 <sup>b</sup>	8.4 <sup>b</sup>	8.1 <sup>b</sup>	8.8 <sup>b</sup>	8.9 <sup>b</sup>	8.1 <sup>b</sup>	7.8 <sup>b</sup>	8.4 <sup>b</sup>	8.0 <sup>b</sup>	7.0	7.0	6.7

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.10A Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	82,051 <sup>b</sup>	83,380 <sup>b</sup>	83,448 <sup>b</sup>	85,841 <sup>b</sup>	85,405 <sup>b</sup>	89,040 <sup>b</sup>	92,478 <sup>b</sup>	92,973 <sup>b</sup>	94,117 <sup>b</sup>	95,171 <sup>b</sup>	98,787 <sup>a</sup>	101,838
Marijuana and Hashish	73,162 <sup>b</sup>	74,620 <sup>b</sup>	75,001 <sup>b</sup>	76,111 <sup>b</sup>	76,213 <sup>b</sup>	79,988 <sup>b</sup>	82,001 <sup>b</sup>	83,070 <sup>b</sup>	84,927 <sup>b</sup>	85,668 <sup>b</sup>	88,955 <sup>b</sup>	92,568
Cocaine	28,453 <sup>b</sup>	29,488 <sup>b</sup>	28,649 <sup>b</sup>	28,185 <sup>b</sup>	29,593 <sup>b</sup>	30,477 <sup>b</sup>	31,671	31,339 <sup>a</sup>	32,430	32,332	33,156	33,378
Crack	7,057 <sup>b</sup>	6,599 <sup>b</sup>	6,580 <sup>b</sup>	6,675 <sup>b</sup>	7,254 <sup>a</sup>	7,524	7,458	7,368	8,262	7,433	8,327	8,284
Heroin	3,087 <sup>b</sup>	3,148 <sup>b</sup>	2,538 <sup>b</sup>	2,979 <sup>b</sup>	3,214 <sup>b</sup>	3,253 <sup>b</sup>	3,262 <sup>a</sup>	3,036 <sup>b</sup>	3,483	3,499	3,841	4,155
Hallucinogens	25,378 <sup>b</sup>	25,736 <sup>b</sup>	26,318 <sup>b</sup>	25,910 <sup>b</sup>	27,675 <sup>b</sup>	27,088 <sup>b</sup>	29,217 <sup>b</sup>	29,970 <sup>b</sup>	30,248 <sup>b</sup>	29,403 <sup>b</sup>	30,982 <sup>a</sup>	32,912
LSD	18,917 <sup>b</sup>	19,577 <sup>b</sup>	19,185 <sup>b</sup>	18,728 <sup>b</sup>	20,213 <sup>b</sup>	20,137 <sup>b</sup>	21,166	21,138	20,950	20,716 <sup>a</sup>	21,430	22,303
PCP	6,352	5,955	5,851	5,705	5,865	5,533	6,032	5,692	5,731	5,676	6,112	6,090
Ecstasy	4,656 <sup>b</sup>	5,619 <sup>b</sup>	6,168 <sup>b</sup>	6,632 <sup>b</sup>	7,414 <sup>b</sup>	7,786 <sup>b</sup>	8,431 <sup>b</sup>	9,513 <sup>b</sup>	11,082 <sup>b</sup>	9,743 <sup>b</sup>	11,222 <sup>b</sup>	13,009
Inhalants	15,398 <sup>a</sup>	15,596 <sup>a</sup>	15,521 <sup>a</sup>	15,754 <sup>a</sup>	16,200	16,426	16,659	16,649	16,367	15,540 <sup>a</sup>	16,563	17,129
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	35,779 <sup>b</sup>	36,269 <sup>b</sup>	36,190 <sup>b</sup>	36,562 <sup>b</sup>	37,741 <sup>b</sup>	37,781 <sup>b</sup>	39,677 <sup>a</sup>	39,285 <sup>a</sup>	39,409 <sup>a</sup>	39,348 <sup>a</sup>	42,198	41,745
Pain Relievers	19,983 <sup>b</sup>	20,896 <sup>b</sup>	21,076 <sup>b</sup>	21,896 <sup>b</sup>	22,475 <sup>b</sup>	22,533 <sup>b</sup>	24,543 <sup>a</sup>	24,583 <sup>a</sup>	24,521 <sup>a</sup>	24,497 <sup>a</sup>	27,218	26,417
OxyContin <sup>®</sup>	881 <sup>b</sup>	1,433 <sup>b</sup>	1,392 <sup>b</sup>	1,589 <sup>b</sup>	2,089 <sup>b</sup>	2,303 <sup>b</sup>	2,748 <sup>b</sup>	3,373 <sup>b</sup>	3,642 <sup>b</sup>	3,469 <sup>b</sup>	4,247	4,811
Tranquilizers	14,959 <sup>b</sup>	15,447 <sup>b</sup>	15,117 <sup>b</sup>	15,919 <sup>b</sup>	16,290 <sup>b</sup>	15,350 <sup>b</sup>	16,762 <sup>b</sup>	16,830 <sup>b</sup>	16,960 <sup>a</sup>	16,725 <sup>b</sup>	18,515	18,737
Stimulants <sup>3</sup>	18,588	18,085	17,499	16,105 <sup>b</sup>	17,639	17,369	17,126	17,863	17,674	16,699	17,629	17,940
Methamphetamine <sup>3</sup>	12,648 <sup>b</sup>	12,565 <sup>b</sup>	11,920	10,154	11,782	11,012	10,891	11,203	11,542	10,594	11,025	11,096
Sedatives	9,075 <sup>b</sup>	8,696 <sup>b</sup>	9,012 <sup>b</sup>	8,101 <sup>a</sup>	8,007 <sup>a</sup>	7,604	8,204 <sup>a</sup>	7,882	7,006	6,899	7,344	6,916
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	52,578 <sup>b</sup>	53,040 <sup>b</sup>	52,672 <sup>b</sup>	54,078 <sup>b</sup>	55,024 <sup>b</sup>	56,431 <sup>b</sup>	59,248 <sup>b</sup>	58,987 <sup>b</sup>	59,895 <sup>a</sup>	59,580 <sup>b</sup>	62,127	62,945

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.10B Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	45.7 <sup>b</sup>	46.1 <sup>b</sup>	45.6 <sup>b</sup>	46.3 <sup>b</sup>	45.5 <sup>b</sup>	46.9 <sup>b</sup>	48.2 <sup>b</sup>	48.0 <sup>b</sup>	48.2 <sup>b</sup>	48.0 <sup>b</sup>	49.3	50.2
Marijuana and Hashish	40.8 <sup>b</sup>	41.2 <sup>b</sup>	41.0 <sup>b</sup>	41.1 <sup>b</sup>	40.6 <sup>b</sup>	42.1 <sup>b</sup>	42.7 <sup>b</sup>	42.9 <sup>b</sup>	43.5 <sup>b</sup>	43.2 <sup>b</sup>	44.4	45.7
Cocaine	15.9	16.3	15.6	15.2 <sup>b</sup>	15.7	16.1	16.5	16.2	16.6	16.3	16.5	16.5
Crack	3.9	3.6	3.6 <sup>a</sup>	3.6 <sup>a</sup>	3.9	4.0	3.9	3.8	4.2	3.7	4.2	4.1
Heroin	1.7	1.7	1.4 <sup>b</sup>	1.6 <sup>a</sup>	1.7	1.7	1.7 <sup>a</sup>	1.6 <sup>b</sup>	1.8	1.8	1.9	2.0
Hallucinogens	14.1 <sup>b</sup>	14.2 <sup>b</sup>	14.4 <sup>b</sup>	14.0 <sup>b</sup>	14.7 <sup>b</sup>	14.3 <sup>b</sup>	15.2 <sup>a</sup>	15.5	15.5	14.8 <sup>b</sup>	15.4	16.2
LSD	10.5	10.8	10.5	10.1 <sup>a</sup>	10.8	10.6	11.0	10.9	10.7	10.4	10.7	11.0
PCP	3.5 <sup>a</sup>	3.3	3.2	3.1	3.1	2.9	3.1	2.9	2.9	2.9	3.0	3.0
Ecstasy	2.6 <sup>b</sup>	3.1 <sup>b</sup>	3.4 <sup>b</sup>	3.6 <sup>b</sup>	3.9 <sup>b</sup>	4.1 <sup>b</sup>	4.4 <sup>b</sup>	4.9 <sup>b</sup>	5.7 <sup>a</sup>	4.9 <sup>b</sup>	5.6 <sup>b</sup>	6.4
Inhalants	8.6	8.6	8.5	8.5	8.6	8.7	8.7	8.6	8.4	7.8	8.3	8.4
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	19.9	20.0	19.8	19.7	20.1	19.9	20.7	20.3	20.2	19.8	21.0	20.6
Pain Relievers	11.1 <sup>b</sup>	11.5 <sup>b</sup>	11.5 <sup>b</sup>	11.8 <sup>b</sup>	12.0 <sup>b</sup>	11.9 <sup>b</sup>	12.8	12.7	12.6	12.4	13.6	13.0
OxyContin <sup>®</sup>	0.5 <sup>b</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.9 <sup>b</sup>	1.1 <sup>b</sup>	1.2 <sup>b</sup>	1.4 <sup>b</sup>	1.7 <sup>b</sup>	1.9 <sup>b</sup>	1.7 <sup>b</sup>	2.1	2.4
Tranquilizers	8.3 <sup>a</sup>	8.5 <sup>a</sup>	8.3 <sup>b</sup>	8.6	8.7	8.1 <sup>b</sup>	8.7	8.7	8.7	8.4 <sup>a</sup>	9.2	9.2
Stimulants <sup>3</sup>	10.4 <sup>b</sup>	10.0 <sup>b</sup>	9.6 <sup>a</sup>	8.7	9.4	9.1	8.9	9.2	9.1	8.4	8.8	8.8
Methamphetamine <sup>3</sup>	7.1 <sup>b</sup>	6.9 <sup>b</sup>	6.5 <sup>b</sup>	5.5	6.3 <sup>b</sup>	5.8	5.7	5.8	5.9	5.3	5.5	5.5
Sedatives	5.1 <sup>b</sup>	4.8 <sup>b</sup>	4.9 <sup>b</sup>	4.4 <sup>b</sup>	4.3 <sup>b</sup>	4.0 <sup>a</sup>	4.3 <sup>b</sup>	4.1 <sup>a</sup>	3.6	3.5	3.7	3.4
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	29.3 <sup>b</sup>	29.3 <sup>b</sup>	28.8 <sup>b</sup>	29.2 <sup>b</sup>	29.3 <sup>b</sup>	29.7 <sup>a</sup>	30.9	30.5	30.7	30.0	31.0	31.1

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.11A Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	18,639 <sup>b</sup>	18,562 <sup>b</sup>	18,594 <sup>b</sup>	18,883 <sup>b</sup>	19,565 <sup>b</sup>	20,163 <sup>b</sup>	19,801 <sup>b</sup>	21,099 <sup>b</sup>	22,174 <sup>b</sup>	21,485 <sup>b</sup>	24,460	24,856
Marijuana and Hashish	12,612 <sup>b</sup>	12,441 <sup>b</sup>	12,833 <sup>b</sup>	12,880 <sup>b</sup>	12,889 <sup>b</sup>	12,970 <sup>b</sup>	13,479 <sup>b</sup>	14,983 <sup>b</sup>	15,672 <sup>b</sup>	15,632 <sup>b</sup>	17,263	18,606
Cocaine	3,307 <sup>b</sup>	3,372 <sup>b</sup>	3,114 <sup>a</sup>	2,852	3,400 <sup>b</sup>	3,275 <sup>b</sup>	3,133 <sup>a</sup>	2,773	2,700	2,065	2,890	2,508
Crack	1,188 <sup>b</sup>	1,036 <sup>b</sup>	978 <sup>b</sup>	1,000 <sup>b</sup>	1,111 <sup>b</sup>	1,138 <sup>b</sup>	862 <sup>b</sup>	807 <sup>a</sup>	686	490	762	526
Heroin	231 <sup>a</sup>	182 <sup>b</sup>	232 <sup>a</sup>	184 <sup>b</sup>	376	207 <sup>a</sup>	265	364	382	336	366	406
Hallucinogens	1,194 <sup>a</sup>	1,046 <sup>b</sup>	1,182	1,093 <sup>a</sup>	1,166 <sup>a</sup>	1,089 <sup>a</sup>	881 <sup>b</sup>	1,369	1,356	1,098 <sup>a</sup>	1,516	1,610
LSD	131	73 <sup>a</sup>	117	91 <sup>a</sup>	181	120	115	124	197	135	283	253
PCP	31	13	38	22	52	26	*	42	24	17	67	35
Ecstasy	836	626 <sup>a</sup>	606 <sup>a</sup>	705	595 <sup>a</sup>	647 <sup>a</sup>	499 <sup>b</sup>	932	687	590 <sup>a</sup>	910	977
Inhalants	320 <sup>a</sup>	295 <sup>b</sup>	413	358	532	562	540	514	566	541	573	575
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	8,057 <sup>b</sup>	8,231 <sup>b</sup>	7,814 <sup>b</sup>	8,331 <sup>b</sup>	9,168	9,377	8,380 <sup>b</sup>	9,108	9,362	8,542 <sup>a</sup>	10,296	9,662
Pain Relievers	5,582 <sup>b</sup>	5,950 <sup>a</sup>	5,556 <sup>b</sup>	6,044 <sup>a</sup>	6,752	6,851	6,347	6,795	6,941	6,306	7,649	6,865
OxyContin <sup>®</sup>	--	--	457 <sup>b</sup>	480 <sup>b</sup>	547 <sup>a</sup>	626	634	687	893	776	723	819
Tranquilizers	2,772	2,783 <sup>a</sup>	2,878	2,956	2,788 <sup>a</sup>	3,086	2,853	3,228	3,314	3,080	3,903	3,354
Stimulants <sup>3</sup>	1,482 <sup>a</sup>	1,256 <sup>b</sup>	1,467 <sup>a</sup>	1,340 <sup>b</sup>	1,864	1,447 <sup>a</sup>	1,152 <sup>b</sup>	1,521	1,335 <sup>b</sup>	1,336 <sup>b</sup>	1,632	1,917
Methamphetamine <sup>3</sup>	891	823	1,012	849	1,146 <sup>a</sup>	823	490 <sup>a</sup>	777	593	703	732	794
Sedatives	681	544	441	441	632	582	335	530	630	314	390	437
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	10,808 <sup>a</sup>	10,689 <sup>a</sup>	10,189 <sup>b</sup>	10,513 <sup>b</sup>	11,477	11,910	10,906 <sup>a</sup>	11,526	11,472	10,422 <sup>b</sup>	12,753	12,035

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.11B Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	10.4 <sup>b</sup>	10.3 <sup>b</sup>	10.2 <sup>b</sup>	10.2 <sup>b</sup>	10.4 <sup>b</sup>	10.6 <sup>b</sup>	10.3 <sup>b</sup>	10.9 <sup>b</sup>	11.4 <sup>a</sup>	10.8 <sup>b</sup>	12.2	12.3
Marijuana and Hashish	7.0 <sup>b</sup>	6.9 <sup>b</sup>	7.0 <sup>b</sup>	6.9 <sup>b</sup>	6.9 <sup>b</sup>	6.8 <sup>b</sup>	7.0 <sup>b</sup>	7.7 <sup>b</sup>	8.0 <sup>b</sup>	7.9 <sup>b</sup>	8.6	9.2
Cocaine	1.8 <sup>b</sup>	1.9 <sup>b</sup>	1.7 <sup>b</sup>	1.5 <sup>a</sup>	1.8 <sup>b</sup>	1.7 <sup>b</sup>	1.6 <sup>b</sup>	1.4	1.4	1.0	1.4	1.2
Crack	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>a</sup>	0.4	0.2	0.4	0.3
Heroin	0.1	0.1 <sup>a</sup>	0.1	0.1 <sup>b</sup>	0.2	0.1 <sup>a</sup>	0.1	0.2	0.2	0.2	0.2	0.2
Hallucinogens	0.7	0.6 <sup>a</sup>	0.6	0.6	0.6	0.6 <sup>a</sup>	0.5 <sup>b</sup>	0.7	0.7	0.6 <sup>a</sup>	0.8	0.8
LSD	0.1	0.0 <sup>a</sup>	0.1	0.0 <sup>a</sup>	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
PCP	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.5	0.3	0.3	0.4	0.3 <sup>a</sup>	0.3	0.3 <sup>b</sup>	0.5	0.4	0.3 <sup>a</sup>	0.5	0.5
Inhalants	0.2	0.2 <sup>a</sup>	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4.5	4.5	4.3	4.5	4.9	4.9	4.4	4.7	4.8	4.3	5.1	4.8
Pain Relievers	3.1	3.3	3.0	3.3	3.6	3.6	3.3	3.5	3.6	3.2	3.8	3.4
OxyContin <sup>®</sup>	--	--	0.2 <sup>a</sup>	0.3 <sup>a</sup>	0.3	0.3	0.3	0.4	0.5	0.4	0.4	0.4
Tranquilizers	1.5	1.5	1.6	1.6	1.5	1.6	1.5	1.7	1.7	1.6	1.9	1.7
Stimulants <sup>3</sup>	0.8	0.7 <sup>a</sup>	0.8	0.7 <sup>a</sup>	1.0	0.8	0.6 <sup>b</sup>	0.8	0.7 <sup>a</sup>	0.7 <sup>b</sup>	0.8	0.9
Methamphetamine <sup>3</sup>	0.5	0.5	0.6	0.5	0.6 <sup>a</sup>	0.4	0.3 <sup>a</sup>	0.4	0.3	0.4	0.4	0.4
Sedatives	0.4 <sup>a</sup>	0.3	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	6.0	5.9	5.6	5.7	6.1	6.3	5.7	6.0	5.9	5.3 <sup>a</sup>	6.4	5.9

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.12A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	10,380 <sup>b</sup>	10,224 <sup>b</sup>	10,159 <sup>b</sup>	10,666 <sup>b</sup>	11,400 <sup>b</sup>	11,001 <sup>b</sup>	11,321 <sup>b</sup>	12,270 <sup>b</sup>	12,835 <sup>b</sup>	12,580 <sup>b</sup>	14,105	14,886
Marijuana and Hashish	7,185 <sup>b</sup>	7,267 <sup>b</sup>	7,471 <sup>b</sup>	7,508 <sup>b</sup>	7,818 <sup>b</sup>	7,385 <sup>b</sup>	8,142 <sup>b</sup>	8,885 <sup>b</sup>	9,294 <sup>b</sup>	9,578 <sup>b</sup>	10,571	11,412
Cocaine	1,243	1,431	1,204	1,423	1,586 <sup>a</sup>	1,400	1,252	1,106	909	838	1,222	1,108
Crack	488	517	370	553 <sup>a</sup>	619 <sup>a</sup>	538 <sup>a</sup>	302	448	303	205	405	338
Heroin	116	76 <sup>a</sup>	108	62 <sup>b</sup>	268	109	124	112	141	159	197	185
Hallucinogens	352	238 <sup>a</sup>	241 <sup>a</sup>	380	262 <sup>a</sup>	349	269 <sup>a</sup>	427	320	200 <sup>b</sup>	374	562
LSD	15	15	20	12	41	45	*	27	*	26	39	72
PCP	20	*	21	20	*	19	*	36	24	*	16	22
Ecstasy	197	149	142	161	120	209	146	269	165	120 <sup>a</sup>	193	292
Inhalants	183	117 <sup>a</sup>	181	152	292	191	270	170	293	257	182	269
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	3,602 <sup>a</sup>	3,532 <sup>a</sup>	3,218 <sup>b</sup>	3,607 <sup>a</sup>	4,130	4,130	3,563 <sup>a</sup>	4,072	4,239	3,720	4,306	4,274
Pain Relievers	2,321 <sup>a</sup>	2,406 <sup>a</sup>	2,149 <sup>b</sup>	2,437 <sup>a</sup>	2,908	2,998	2,676	3,014	2,975	2,688	2,993	2,964
OxyContin <sup>®</sup>	--	--	118 <sup>b</sup>	153 <sup>a</sup>	106 <sup>b</sup>	168 <sup>a</sup>	256	262	280	225	165 <sup>a</sup>	355
Tranquilizers	1,129	1,078	889 <sup>a</sup>	1,050	984	1,085	1,075	1,265	1,456	1,132	1,462	1,180
Stimulants <sup>3</sup>	685	676	653	548 <sup>a</sup>	757	574	445 <sup>b</sup>	748	561	528 <sup>a</sup>	654	819
Methamphetamine <sup>3</sup>	428	459	428	331	495	380	211 <sup>b</sup>	383	245 <sup>a</sup>	323	312	453
Sedatives	340	189	190	171	285	240	136	243	280	164	192	192
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	4,897	4,767 <sup>a</sup>	4,301 <sup>b</sup>	4,860	5,456	5,471	4,884	5,262	5,214	4,610 <sup>a</sup>	5,530	5,570

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.12B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	5.8 <sup>b</sup>	5.6 <sup>b</sup>	5.5 <sup>b</sup>	5.8 <sup>b</sup>	6.1 <sup>b</sup>	5.8 <sup>b</sup>	5.9 <sup>b</sup>	6.3 <sup>b</sup>	6.6 <sup>a</sup>	6.3 <sup>b</sup>	7.0	7.3
Marijuana and Hashish	4.0 <sup>b</sup>	4.0 <sup>b</sup>	4.1 <sup>b</sup>	4.1 <sup>b</sup>	4.2 <sup>b</sup>	3.9 <sup>b</sup>	4.2 <sup>b</sup>	4.6 <sup>b</sup>	4.8 <sup>b</sup>	4.8 <sup>b</sup>	5.3	5.6
Cocaine	0.7	0.8 <sup>a</sup>	0.7	0.8 <sup>a</sup>	0.8 <sup>b</sup>	0.7	0.7	0.6	0.5	0.4	0.6	0.5
Crack	0.3 <sup>a</sup>	0.3 <sup>a</sup>	0.2	0.3 <sup>a</sup>	0.3 <sup>a</sup>	0.3 <sup>a</sup>	0.2	0.2	0.2	0.1	0.2	0.2
Heroin	0.1	0.0 <sup>a</sup>	0.1	0.0 <sup>b</sup>	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogens	0.2	0.1 <sup>a</sup>	0.1 <sup>a</sup>	0.2	0.1 <sup>a</sup>	0.2	0.1 <sup>a</sup>	0.2	0.2	0.1 <sup>b</sup>	0.2	0.3
LSD	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	*	0.0	0.0	0.0
PCP	0.0	*	0.0	0.0	*	0.0	*	0.0	0.0	*	0.0	0.0
Ecstasy	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1 <sup>a</sup>	0.1	0.1
Inhalants	0.1	0.1 <sup>a</sup>	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	2.0	2.0	1.8 <sup>a</sup>	1.9	2.2	2.2	1.9	2.1	2.2	1.9	2.1	2.1
Pain Relievers	1.3	1.3	1.2 <sup>a</sup>	1.3	1.5	1.6	1.4	1.6	1.5	1.4	1.5	1.5
OxyContin <sup>®</sup>	--	--	0.1 <sup>b</sup>	0.1 <sup>a</sup>	0.1 <sup>b</sup>	0.1	0.1	0.1	0.1	0.1	0.1 <sup>a</sup>	0.2
Tranquilizers	0.6	0.6	0.5	0.6	0.5	0.6	0.6	0.7	0.7	0.6	0.7	0.6
Stimulants <sup>3</sup>	0.4	0.4	0.4	0.3	0.4	0.3	0.2 <sup>b</sup>	0.4	0.3	0.3 <sup>a</sup>	0.3	0.4
Methamphetamine <sup>3</sup>	0.2	0.3	0.2	0.2	0.3	0.2	0.1 <sup>a</sup>	0.2	0.1 <sup>a</sup>	0.2	0.2	0.2
Sedatives	0.2 <sup>a</sup>	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2.7	2.6	2.3 <sup>a</sup>	2.6	2.9	2.9	2.5	2.7	2.7	2.3 <sup>a</sup>	2.8	2.7

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.13A Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	100,612 <sup>b</sup>	102,574 <sup>b</sup>	102,491 <sup>b</sup>	105,063 <sup>b</sup>	104,733 <sup>b</sup>	107,871 <sup>b</sup>	111,250 <sup>b</sup>	112,631 <sup>b</sup>	113,655 <sup>b</sup>	114,705 <sup>b</sup>	118,764 <sup>a</sup>	121,664
Marijuana and Hashish	89,842 <sup>b</sup>	91,723 <sup>b</sup>	91,984 <sup>b</sup>	93,143 <sup>b</sup>	93,393 <sup>b</sup>	96,641 <sup>b</sup>	98,720 <sup>b</sup>	100,747 <sup>b</sup>	102,456 <sup>b</sup>	103,464 <sup>b</sup>	107,007 <sup>b</sup>	110,619
Cocaine	33,239 <sup>b</sup>	34,243 <sup>b</sup>	33,542 <sup>b</sup>	33,090 <sup>b</sup>	34,732 <sup>b</sup>	35,402 <sup>a</sup>	36,443	36,337	36,998	36,584	37,423	37,419
Crack	8,239	7,792 <sup>a</sup>	7,715 <sup>a</sup>	7,820 <sup>a</sup>	8,430	8,509	8,374	8,332	9,148	8,146	8,981	8,847
Heroin	3,574 <sup>b</sup>	3,664 <sup>b</sup>	3,067 <sup>b</sup>	3,475 <sup>b</sup>	3,728 <sup>b</sup>	3,751 <sup>b</sup>	3,729 <sup>b</sup>	3,623 <sup>b</sup>	4,097	4,093 <sup>a</sup>	4,505	4,774
Hallucinogens	32,895 <sup>b</sup>	33,113 <sup>b</sup>	33,173 <sup>b</sup>	32,730 <sup>b</sup>	34,300 <sup>b</sup>	33,380 <sup>b</sup>	35,093 <sup>b</sup>	36,388 <sup>b</sup>	36,543 <sup>a</sup>	35,432 <sup>b</sup>	37,085 <sup>a</sup>	39,034
LSD	23,845	24,027	23,085	22,145 <sup>b</sup>	23,146	22,518 <sup>a</sup>	23,333	23,464	23,143	22,771 <sup>a</sup>	23,487	24,549
PCP	7,185	6,903	6,587	6,421	6,505	6,073	6,554	6,173	6,179	6,027	6,456	6,416
Ecstasy	9,330 <sup>b</sup>	10,301 <sup>b</sup>	10,607 <sup>b</sup>	11,096 <sup>b</sup>	11,806 <sup>b</sup>	11,971 <sup>b</sup>	12,439 <sup>b</sup>	13,707 <sup>b</sup>	15,312 <sup>b</sup>	13,964 <sup>b</sup>	15,673 <sup>b</sup>	17,445
Inhalants	20,265	20,325	20,036	20,087	20,298	20,130	20,104	20,269	19,763	18,646	19,482	19,741
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	44,556 <sup>b</sup>	45,629 <sup>b</sup>	45,754 <sup>b</sup>	46,552 <sup>b</sup>	47,809 <sup>b</sup>	47,588 <sup>b</sup>	49,371	49,181	49,241	48,721 <sup>a</sup>	51,908	50,984
Pain Relievers	26,836 <sup>b</sup>	28,409 <sup>b</sup>	28,890 <sup>b</sup>	30,175 <sup>b</sup>	30,828 <sup>b</sup>	30,676 <sup>b</sup>	32,639	32,804	32,664	32,097	34,977	33,668
OxyContin <sup>®</sup>	1,700 <sup>b</sup>	2,579 <sup>b</sup>	2,767 <sup>b</sup>	3,205 <sup>b</sup>	3,773 <sup>b</sup>	4,019 <sup>b</sup>	4,513 <sup>b</sup>	5,483 <sup>b</sup>	5,791 <sup>a</sup>	5,547 <sup>b</sup>	6,257	6,699
Tranquilizers	18,433 <sup>b</sup>	19,346 <sup>b</sup>	19,036 <sup>b</sup>	20,275 <sup>b</sup>	20,576 <sup>b</sup>	19,505 <sup>b</sup>	20,831 <sup>b</sup>	21,152 <sup>a</sup>	21,463	20,956 <sup>b</sup>	22,936	22,921
Stimulants <sup>3</sup>	22,384	21,958	21,391	20,113	21,565	20,939	20,612	21,450	21,209	19,871	21,003	21,219
Methamphetamine <sup>3</sup>	14,949 <sup>b</sup>	14,756 <sup>b</sup>	14,166 <sup>b</sup>	12,344	13,885 <sup>b</sup>	12,859	12,438	12,721	12,903	11,743	12,114	12,138
Sedatives	9,723 <sup>b</sup>	9,261 <sup>b</sup>	9,640 <sup>b</sup>	8,751 <sup>b</sup>	8,619 <sup>a</sup>	8,188	8,715 <sup>a</sup>	8,409 <sup>a</sup>	7,475	7,371	7,764	7,355
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	65,014 <sup>b</sup>	65,809 <sup>b</sup>	65,302 <sup>b</sup>	66,879 <sup>b</sup>	67,984 <sup>b</sup>	69,005 <sup>b</sup>	71,394 <sup>b</sup>	71,579 <sup>a</sup>	72,306	71,440 <sup>b</sup>	74,343	74,797

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.13B Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	47.8 <sup>b</sup>	48.2 <sup>b</sup>	47.6 <sup>b</sup>	48.2 <sup>b</sup>	47.5 <sup>b</sup>	48.5 <sup>b</sup>	49.5 <sup>b</sup>	49.6 <sup>b</sup>	49.6 <sup>b</sup>	49.3 <sup>b</sup>	50.5	51.2
Marijuana and Hashish	42.7 <sup>b</sup>	43.1 <sup>b</sup>	42.7 <sup>b</sup>	42.8 <sup>b</sup>	42.3 <sup>b</sup>	43.4 <sup>b</sup>	43.9 <sup>b</sup>	44.3 <sup>b</sup>	44.7 <sup>b</sup>	44.5 <sup>b</sup>	45.5	46.6
Cocaine	15.8	16.1	15.6	15.2	15.7	15.9	16.2	16.0	16.1	15.7	15.9	15.8
Crack	3.9	3.7	3.6	3.6	3.8	3.8	3.7	3.7	4.0	3.5	3.8	3.7
Heroin	1.7 <sup>a</sup>	1.7	1.4 <sup>b</sup>	1.6 <sup>b</sup>	1.7 <sup>a</sup>	1.7 <sup>a</sup>	1.7 <sup>a</sup>	1.6 <sup>b</sup>	1.8	1.8	1.9	2.0
Hallucinogens	15.6	15.6 <sup>a</sup>	15.4 <sup>a</sup>	15.0 <sup>b</sup>	15.5 <sup>a</sup>	15.0 <sup>b</sup>	15.6 <sup>a</sup>	16.0	15.9	15.2 <sup>b</sup>	15.8	16.4
LSD	11.3 <sup>b</sup>	11.3 <sup>b</sup>	10.7	10.2	10.5	10.1	10.4	10.3	10.1	9.8	10.0	10.3
PCP	3.4 <sup>b</sup>	3.2 <sup>b</sup>	3.1	2.9	2.9	2.7	2.9	2.7	2.7	2.6	2.7	2.7
Ecstasy	4.4 <sup>b</sup>	4.8 <sup>b</sup>	4.9 <sup>b</sup>	5.1 <sup>b</sup>	5.4 <sup>b</sup>	5.4 <sup>b</sup>	5.5 <sup>b</sup>	6.0 <sup>b</sup>	6.7 <sup>a</sup>	6.0 <sup>b</sup>	6.7 <sup>b</sup>	7.3
Inhalants	9.6 <sup>b</sup>	9.6 <sup>b</sup>	9.3 <sup>b</sup>	9.2 <sup>b</sup>	9.2 <sup>b</sup>	9.0 <sup>a</sup>	8.9 <sup>a</sup>	8.9 <sup>a</sup>	8.6	8.0	8.3	8.3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	21.2	21.5	21.3	21.4	21.7	21.4	22.0	21.6	21.5	20.9	22.1	21.5
Pain Relievers	12.8 <sup>b</sup>	13.4 <sup>a</sup>	13.4 <sup>a</sup>	13.9	14.0	13.8	14.5	14.4	14.2	13.8	14.9	14.2
OxyContin <sup>®</sup>	0.8 <sup>b</sup>	1.2 <sup>b</sup>	1.3 <sup>b</sup>	1.5 <sup>b</sup>	1.7 <sup>b</sup>	1.8 <sup>b</sup>	2.0 <sup>b</sup>	2.4 <sup>b</sup>	2.5	2.4 <sup>b</sup>	2.7	2.8
Tranquilizers	8.8 <sup>b</sup>	9.1	8.8 <sup>a</sup>	9.3	9.3	8.8 <sup>b</sup>	9.3	9.3	9.4	9.0 <sup>a</sup>	9.8	9.7
Stimulants <sup>3</sup>	10.6 <sup>b</sup>	10.3 <sup>b</sup>	9.9 <sup>b</sup>	9.2	9.8 <sup>b</sup>	9.4	9.2	9.4	9.3	8.5	8.9	8.9
Methamphetamine <sup>3</sup>	7.1 <sup>b</sup>	6.9 <sup>b</sup>	6.6 <sup>b</sup>	5.7 <sup>a</sup>	6.3 <sup>b</sup>	5.8 <sup>b</sup>	5.5	5.6 <sup>a</sup>	5.6	5.0	5.2	5.1
Sedatives	4.6 <sup>b</sup>	4.4 <sup>b</sup>	4.5 <sup>b</sup>	4.0 <sup>b</sup>	3.9 <sup>b</sup>	3.7 <sup>a</sup>	3.9 <sup>b</sup>	3.7 <sup>b</sup>	3.3	3.2	3.3	3.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	30.9	30.9	30.3 <sup>a</sup>	30.7	30.8	31.0	31.7	31.5	31.5	30.7	31.6	31.5

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.14A Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	29,638 <sup>b</sup>	29,538 <sup>b</sup>	29,506 <sup>b</sup>	29,999 <sup>b</sup>	30,831 <sup>b</sup>	31,052 <sup>b</sup>	30,892 <sup>b</sup>	33,285 <sup>b</sup>	34,163 <sup>b</sup>	33,552 <sup>b</sup>	37,011	37,304
Marijuana and Hashish	21,850 <sup>b</sup>	21,486 <sup>b</sup>	21,796 <sup>b</sup>	21,991 <sup>b</sup>	22,077 <sup>b</sup>	21,978 <sup>b</sup>	22,633 <sup>b</sup>	25,325 <sup>b</sup>	25,887 <sup>b</sup>	26,186 <sup>b</sup>	28,150	29,606
Cocaine	5,394 <sup>b</sup>	5,470 <sup>b</sup>	5,247 <sup>b</sup>	5,099 <sup>b</sup>	5,663 <sup>b</sup>	5,362 <sup>b</sup>	4,977 <sup>b</sup>	4,564	4,294	3,628	4,491	4,051
Crack	1,454 <sup>b</sup>	1,310 <sup>b</sup>	1,241 <sup>b</sup>	1,327 <sup>b</sup>	1,404 <sup>b</sup>	1,387 <sup>b</sup>	1,079 <sup>b</sup>	979 <sup>b</sup>	866 <sup>a</sup>	597	902 <sup>a</sup>	621
Heroin	353 <sup>b</sup>	278 <sup>b</sup>	350 <sup>b</sup>	343 <sup>b</sup>	524	349 <sup>b</sup>	415 <sup>a</sup>	547	593	566	638	650
Hallucinogens	3,804	3,158 <sup>b</sup>	3,125 <sup>b</sup>	3,144 <sup>b</sup>	3,317 <sup>a</sup>	3,130 <sup>b</sup>	2,982 <sup>b</sup>	3,799	3,795	3,421 <sup>a</sup>	3,753	3,948
LSD	684 <sup>b</sup>	409 <sup>b</sup>	434 <sup>b</sup>	413 <sup>b</sup>	561 <sup>b</sup>	495 <sup>b</sup>	623 <sup>b</sup>	647 <sup>b</sup>	746 <sup>a</sup>	721 <sup>a</sup>	905	962
PCP	126 <sup>a</sup>	130 <sup>a</sup>	138 <sup>a</sup>	79	129	83	37	77	61	80	124	61
Ecstasy	2,621	1,790 <sup>b</sup>	1,605 <sup>b</sup>	1,703 <sup>b</sup>	1,830 <sup>b</sup>	1,794 <sup>b</sup>	1,770 <sup>b</sup>	2,388	2,188	2,003	2,322	2,356
Inhalants	1,005	956	1,087	1,043	1,110	1,090	1,079	1,149	1,163	1,041	1,046	1,053
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	12,509 <sup>a</sup>	12,868	12,621 <sup>a</sup>	13,246	14,298	14,297	13,271	14,169	14,238	12,908	15,025	13,907
Pain Relievers	9,122	9,753	9,391	10,074	10,829 <sup>a</sup>	10,833 <sup>a</sup>	10,304	10,822	10,720	9,659	11,157 <sup>a</sup>	9,925
OxyContin <sup>®</sup>	--	--	1,019 <sup>a</sup>	1,039	1,124	1,195	1,236	1,460	1,645 <sup>a</sup>	1,404	1,290	1,292
Tranquilizers	4,281 <sup>a</sup>	4,465	4,536	4,752	4,581	4,788	4,616	5,031	5,117	4,635	5,621 <sup>a</sup>	4,922
Stimulants <sup>3</sup>	2,716 <sup>a</sup>	2,453 <sup>b</sup>	2,747 <sup>a</sup>	2,581 <sup>b</sup>	3,241	2,579 <sup>b</sup>	2,275 <sup>b</sup>	2,759 <sup>a</sup>	2,577 <sup>b</sup>	2,401 <sup>b</sup>	2,992	3,219
Methamphetamine <sup>3</sup>	1,510 <sup>a</sup>	1,417 <sup>a</sup>	1,631 <sup>b</sup>	1,425 <sup>a</sup>	1,700 <sup>b</sup>	1,229	760 <sup>b</sup>	1,080	861	928	1,073	1,113
Sedatives	843	700	604	632	818	754	513	690	796	442	509	575
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	17,086	16,954	16,389 <sup>a</sup>	16,980	18,114	18,283	17,159	18,228	17,866	16,395 <sup>a</sup>	18,970	17,889

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.14B Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	14.1 <sup>b</sup>	13.9 <sup>b</sup>	13.7 <sup>b</sup>	13.8 <sup>b</sup>	14.0 <sup>b</sup>	13.9 <sup>b</sup>	13.7 <sup>b</sup>	14.6 <sup>b</sup>	14.9 <sup>a</sup>	14.4 <sup>b</sup>	15.7	15.7
Marijuana and Hashish	10.4 <sup>b</sup>	10.1 <sup>b</sup>	10.1 <sup>b</sup>	10.1 <sup>b</sup>	10.0 <sup>b</sup>	9.9 <sup>b</sup>	10.1 <sup>b</sup>	11.1 <sup>b</sup>	11.3 <sup>b</sup>	11.3 <sup>b</sup>	12.0	12.5
Cocaine	2.6 <sup>b</sup>	2.6 <sup>b</sup>	2.4 <sup>b</sup>	2.3 <sup>b</sup>	2.6 <sup>b</sup>	2.4 <sup>b</sup>	2.2 <sup>b</sup>	2.0 <sup>a</sup>	1.9	1.6	1.9	1.7
Crack	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>a</sup>	0.3	0.4 <sup>a</sup>	0.3				
Heroin	0.2 <sup>b</sup>	0.1 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.2	0.2 <sup>b</sup>	0.2 <sup>a</sup>	0.2	0.3	0.2	0.3	0.3
Hallucinogens	1.8	1.5	1.5	1.4 <sup>a</sup>	1.5	1.4 <sup>a</sup>	1.3 <sup>b</sup>	1.7	1.7	1.5	1.6	1.7
LSD	0.3	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3	0.3 <sup>a</sup>	0.4	0.4
PCP	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.1 <sup>b</sup>	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Ecstasy	1.2 <sup>b</sup>	0.8	0.7 <sup>b</sup>	0.8 <sup>a</sup>	0.8 <sup>a</sup>	0.8 <sup>a</sup>	0.8 <sup>b</sup>	1.1	1.0	0.9	1.0	1.0
Inhalants	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	5.9	6.1	5.9	6.1	6.5 <sup>b</sup>	6.4 <sup>a</sup>	5.9	6.2	6.2	5.5	6.4 <sup>a</sup>	5.9
Pain Relievers	4.3	4.6 <sup>a</sup>	4.4	4.6 <sup>a</sup>	4.9 <sup>b</sup>	4.9 <sup>b</sup>	4.6 <sup>a</sup>	4.8 <sup>b</sup>	4.7 <sup>a</sup>	4.2	4.7 <sup>b</sup>	4.2
OxyContin <sup>®</sup>	--	--	0.5	0.5	0.5	0.5	0.5	0.6	0.7 <sup>a</sup>	0.6	0.5	0.5
Tranquilizers	2.0	2.1	2.1	2.2	2.1	2.2	2.1	2.2	2.2	2.0	2.4 <sup>a</sup>	2.1
Stimulants <sup>3</sup>	1.3	1.2 <sup>a</sup>	1.3	1.2	1.5	1.2	1.0 <sup>b</sup>	1.2	1.1 <sup>a</sup>	1.0 <sup>b</sup>	1.3	1.4
Methamphetamine <sup>3</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.8 <sup>b</sup>	0.6	0.3 <sup>a</sup>	0.5	0.4	0.4	0.5	0.5
Sedatives	0.4 <sup>a</sup>	0.3	0.3	0.3	0.4 <sup>a</sup>	0.3	0.2	0.3	0.3	0.2	0.2	0.2
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	8.1 <sup>a</sup>	8.0	7.6	7.8	8.2 <sup>a</sup>	8.2 <sup>a</sup>	7.6	8.0	7.8	7.0	8.1	7.5

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.15A Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	16,644 <sup>b</sup>	16,659 <sup>b</sup>	16,397 <sup>b</sup>	17,209 <sup>b</sup>	17,898 <sup>b</sup>	17,477 <sup>b</sup>	17,811 <sup>b</sup>	19,446 <sup>b</sup>	20,180 <sup>b</sup>	19,932 <sup>b</sup>	21,486	22,376
Marijuana and Hashish	12,561 <sup>b</sup>	12,667 <sup>b</sup>	12,667 <sup>b</sup>	12,896 <sup>b</sup>	13,154 <sup>b</sup>	12,777 <sup>b</sup>	13,601 <sup>b</sup>	15,013 <sup>b</sup>	15,607 <sup>b</sup>	16,103 <sup>b</sup>	17,055	18,048
Cocaine	1,874 <sup>a</sup>	2,128 <sup>b</sup>	1,895 <sup>a</sup>	2,255 <sup>b</sup>	2,316 <sup>b</sup>	1,972 <sup>a</sup>	1,767	1,572	1,412	1,302	1,620	1,505
Crack	541	572	451	657 <sup>b</sup>	691 <sup>b</sup>	595 <sup>a</sup>	356	489	375	225 <sup>a</sup>	443	375
Heroin	155 <sup>a</sup>	101 <sup>b</sup>	151 <sup>a</sup>	121 <sup>b</sup>	323	157 <sup>a</sup>	200	180	231	267	335	277
Hallucinogens	941	783 <sup>b</sup>	719 <sup>b</sup>	883	826 <sup>a</sup>	824 <sup>a</sup>	814 <sup>a</sup>	1,047	992	757 <sup>b</sup>	974	1,179
LSD	51 <sup>b</sup>	82 <sup>a</sup>	103	72 <sup>b</sup>	99	114	105	124	109	118	158	177
PCP	35	35	37	31	19	34	*	42	30	22	27	26
Ecstasy	553	379 <sup>a</sup>	373 <sup>a</sup>	428	446	438	441	647	567	435	554	611
Inhalants	334	250	325	298	422	323	374	318	428	402	305	375
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	5,300	5,453	5,196 <sup>a</sup>	5,653	6,252	6,077	5,499	6,205	6,236	5,431	6,138	5,935
Pain Relievers	3,583	3,892	3,653	3,972	4,534	4,517	4,165	4,624	4,485	3,908	4,304	4,096
OxyContin <sup>®</sup>	--	--	260 <sup>a</sup>	299	246 <sup>a</sup>	324	387	440	519	383	310	462
Tranquilizers	1,617	1,604	1,455	1,657	1,636	1,657	1,646	1,887	2,026 <sup>a</sup>	1,678	1,999	1,615
Stimulants <sup>3</sup>	1,094	1,088	1,132	1,016	1,214	924 <sup>a</sup>	796 <sup>b</sup>	1,172	975 <sup>a</sup>	872 <sup>b</sup>	1,053	1,281
Methamphetamine <sup>3</sup>	612	655	648	556	678	496	285 <sup>b</sup>	466	328 <sup>a</sup>	402	409	573
Sedatives	389	247	239	245	340	311	203	327	340	206	244	226
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	7,356	7,432	6,920 <sup>a</sup>	7,710	8,368	8,113	7,463	8,073	7,924	6,994 <sup>a</sup>	7,965	7,908

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.15B Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	7.9 <sup>b</sup>	7.8 <sup>b</sup>	7.6 <sup>b</sup>	7.9 <sup>b</sup>	8.1 <sup>b</sup>	7.9 <sup>b</sup>	7.9 <sup>b</sup>	8.6 <sup>b</sup>	8.8 <sup>a</sup>	8.6 <sup>b</sup>	9.1	9.4
Marijuana and Hashish	6.0 <sup>b</sup>	6.0 <sup>b</sup>	5.9 <sup>b</sup>	5.9 <sup>b</sup>	6.0 <sup>b</sup>	5.7 <sup>b</sup>	6.0 <sup>b</sup>	6.6 <sup>b</sup>	6.8 <sup>b</sup>	6.9 <sup>b</sup>	7.3	7.6
Cocaine	0.9 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>a</sup>	0.7	0.6	0.6	0.7	0.6
Crack	0.3 <sup>a</sup>	0.3 <sup>a</sup>	0.2	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>a</sup>	0.2	0.2	0.2	0.1	0.2	0.2
Heroin	0.1	0.0 <sup>b</sup>	0.1	0.1 <sup>b</sup>	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Hallucinogens	0.4	0.4 <sup>a</sup>	0.3 <sup>b</sup>	0.4	0.4	0.4 <sup>a</sup>	0.4 <sup>a</sup>	0.5	0.4	0.3 <sup>b</sup>	0.4	0.5
LSD	0.0 <sup>b</sup>	0.0 <sup>a</sup>	0.0	0.0 <sup>a</sup>	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1
PCP	0.0	0.0	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.3
Inhalants	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0.2	0.1	0.2
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	2.5	2.6	2.4	2.6	2.8 <sup>a</sup>	2.7	2.4	2.7	2.7	2.3	2.6	2.5
Pain Relievers	1.7	1.8	1.7	1.8	2.1 <sup>a</sup>	2.0 <sup>a</sup>	1.9	2.0 <sup>a</sup>	2.0	1.7	1.8	1.7
OxyContin <sup>®</sup>	--	--	0.1 <sup>a</sup>	0.1	0.1 <sup>a</sup>	0.1	0.2	0.2	0.2	0.2	0.1	0.2
Tranquilizers	0.8	0.8	0.7	0.8	0.7	0.7	0.7	0.8	0.9 <sup>b</sup>	0.7	0.9 <sup>a</sup>	0.7
Stimulants <sup>3</sup>	0.5	0.5	0.5	0.5	0.6	0.4	0.4 <sup>b</sup>	0.5	0.4	0.4 <sup>b</sup>	0.4	0.5
Methamphetamine <sup>3</sup>	0.3	0.3	0.3	0.3	0.3	0.2	0.1 <sup>b</sup>	0.2	0.1 <sup>a</sup>	0.2	0.2	0.2
Sedatives	0.2 <sup>a</sup>	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	3.5	3.5	3.2	3.5	3.8 <sup>a</sup>	3.6	3.3	3.6	3.5	3.0	3.4	3.3

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.16A Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	4,035 <sup>b</sup>	3,968 <sup>b</sup>	3,956 <sup>b</sup>	3,679 <sup>b</sup>	3,658 <sup>b</sup>	3,501 <sup>b</sup>	3,335 <sup>b</sup>	3,524 <sup>b</sup>	3,256	3,336 <sup>b</sup>	3,123	3,056
Marijuana and Hashish	2,714 <sup>b</sup>	2,569 <sup>b</sup>	2,552 <sup>b</sup>	2,348	2,315	2,233	2,203	2,352	2,269	2,387 <sup>a</sup>	2,266	2,188
Cocaine	337 <sup>b</sup>	319 <sup>b</sup>	339 <sup>b</sup>	283 <sup>b</sup>	257 <sup>b</sup>	258 <sup>b</sup>	218 <sup>b</sup>	220 <sup>b</sup>	190 <sup>b</sup>	175 <sup>a</sup>	129	121
Crack	61 <sup>b</sup>	89 <sup>b</sup>	60 <sup>b</sup>	48 <sup>b</sup>	51 <sup>b</sup>	43 <sup>b</sup>	32 <sup>a</sup>	28	34	36	15	15
Heroin	34	34	43 <sup>a</sup>	32	25	28	37	25	23	33	27	18
Hallucinogens	740 <sup>b</sup>	618 <sup>b</sup>	616 <sup>b</sup>	518 <sup>a</sup>	512 <sup>a</sup>	480	501 <sup>a</sup>	537 <sup>b</sup>	516 <sup>a</sup>	496	405	412
LSD	364 <sup>b</sup>	206 <sup>a</sup>	174	177	125	111	149	140	120	137	128	146
PCP	106 <sup>b</sup>	100 <sup>b</sup>	97 <sup>b</sup>	97 <sup>b</sup>	53 <sup>a</sup>	53 <sup>b</sup>	57 <sup>b</sup>	44 <sup>a</sup>	27	40	45	23
Ecstasy	376 <sup>b</sup>	257 <sup>a</sup>	243	181	202	215	224	277 <sup>a</sup>	277 <sup>a</sup>	298 <sup>b</sup>	214	201
Inhalants	1,426 <sup>b</sup>	1,390 <sup>b</sup>	1,429 <sup>b</sup>	1,360 <sup>b</sup>	1,302 <sup>b</sup>	1,225 <sup>b</sup>	1,081 <sup>b</sup>	1,109 <sup>b</sup>	985 <sup>b</sup>	909 <sup>b</sup>	749	683
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,643 <sup>b</sup>	1,639 <sup>b</sup>	1,616 <sup>b</sup>	1,444 <sup>b</sup>	1,561 <sup>b</sup>	1,441 <sup>b</sup>	1,263 <sup>a</sup>	1,352 <sup>b</sup>	1,198	1,215	1,209	1,105
Pain Relievers	1,362 <sup>b</sup>	1,391 <sup>b</sup>	1,378 <sup>b</sup>	1,211 <sup>b</sup>	1,315 <sup>b</sup>	1,200 <sup>b</sup>	1,068 <sup>b</sup>	1,178 <sup>b</sup>	1,053 <sup>a</sup>	1,027 <sup>a</sup>	1,029 <sup>a</sup>	902
OxyContin <sup>®</sup>	112	146	162	136	160	173	159	189 <sup>a</sup>	184 <sup>a</sup>	165	157	131
Tranquilizers	385 <sup>b</sup>	398 <sup>b</sup>	353 <sup>a</sup>	342	316	323	317	303	325	315	309	277
Stimulants <sup>3</sup>	469 <sup>b</sup>	472 <sup>b</sup>	387 <sup>b</sup>	364 <sup>b</sup>	399 <sup>b</sup>	302 <sup>a</sup>	248	234	230	232	203	229
Methamphetamine <sup>3</sup>	150 <sup>b</sup>	160 <sup>b</sup>	140 <sup>b</sup>	133 <sup>b</sup>	126 <sup>b</sup>	81	65	62	76	81	59	58
Sedatives	84	126 <sup>b</sup>	128 <sup>b</sup>	110 <sup>a</sup>	97	89	90	103	77	66	73	70
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2,726 <sup>b</sup>	2,711 <sup>b</sup>	2,721 <sup>b</sup>	2,488 <sup>b</sup>	2,527 <sup>b</sup>	2,378 <sup>b</sup>	2,179 <sup>b</sup>	2,252 <sup>b</sup>	2,030 <sup>b</sup>	2,008 <sup>b</sup>	1,811	1,708

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.16B Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	31.9 <sup>b</sup>	31.1 <sup>b</sup>	30.7 <sup>b</sup>	28.4 <sup>b</sup>	28.2 <sup>b</sup>	27.2 <sup>b</sup>	26.2 <sup>b</sup>	28.0 <sup>b</sup>	26.1 <sup>a</sup>	26.1 <sup>a</sup>	24.5	24.1
Marijuana and Hashish	21.5 <sup>b</sup>	20.1 <sup>b</sup>	19.8 <sup>b</sup>	18.1	17.9	17.3	17.3	18.7 <sup>a</sup>	18.2	18.7 <sup>a</sup>	17.8	17.2
Cocaine	2.7 <sup>b</sup>	2.5 <sup>b</sup>	2.6 <sup>b</sup>	2.2 <sup>b</sup>	2.0 <sup>b</sup>	2.0 <sup>b</sup>	1.7 <sup>b</sup>	1.8 <sup>b</sup>	1.5 <sup>b</sup>	1.4 <sup>a</sup>	1.0	1.0
Crack	0.5 <sup>b</sup>	0.7 <sup>b</sup>	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>a</sup>	0.2	0.3	0.3	0.1	0.1
Heroin	0.3	0.3	0.3 <sup>a</sup>	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.1
Hallucinogens	5.8 <sup>b</sup>	4.8 <sup>b</sup>	4.8 <sup>b</sup>	4.0 <sup>a</sup>	4.0 <sup>a</sup>	3.7	3.9 <sup>a</sup>	4.3 <sup>b</sup>	4.1 <sup>b</sup>	3.9	3.2	3.2
LSD	2.9 <sup>b</sup>	1.6 <sup>a</sup>	1.4	1.4	1.0	0.9	1.2	1.1	1.0	1.1	1.0	1.1
PCP	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.4 <sup>a</sup>	0.4 <sup>b</sup>	0.5 <sup>b</sup>	0.3 <sup>a</sup>	0.2	0.3	0.4	0.2
Ecstasy	3.0 <sup>b</sup>	2.0	1.9	1.4	1.6	1.7	1.8	2.2 <sup>a</sup>	2.2 <sup>b</sup>	2.3 <sup>b</sup>	1.7	1.6
Inhalants	11.3 <sup>b</sup>	10.9 <sup>b</sup>	11.1 <sup>b</sup>	10.5 <sup>b</sup>	10.0 <sup>b</sup>	9.5 <sup>b</sup>	8.5 <sup>b</sup>	8.8 <sup>b</sup>	7.9 <sup>b</sup>	7.1 <sup>b</sup>	5.9	5.4
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	13.0 <sup>b</sup>	12.8 <sup>b</sup>	12.6 <sup>b</sup>	11.1 <sup>b</sup>	12.0 <sup>b</sup>	11.2 <sup>b</sup>	9.9 <sup>a</sup>	10.8 <sup>b</sup>	9.6	9.5	9.5	8.7
Pain Relievers	10.8 <sup>b</sup>	10.9 <sup>b</sup>	10.7 <sup>b</sup>	9.4 <sup>b</sup>	10.1 <sup>b</sup>	9.3 <sup>b</sup>	8.4 <sup>b</sup>	9.4 <sup>b</sup>	8.5 <sup>b</sup>	8.0 <sup>a</sup>	8.1 <sup>a</sup>	7.1
OxyContin <sup>®</sup>	0.9	1.1	1.3	1.0	1.2	1.3	1.3	1.5 <sup>a</sup>	1.5 <sup>a</sup>	1.3	1.2	1.0
Tranquilizers	3.0 <sup>b</sup>	3.1 <sup>b</sup>	2.7 <sup>a</sup>	2.6	2.4	2.5	2.5	2.4	2.6	2.5	2.4	2.2
Stimulants <sup>3</sup>	3.7 <sup>b</sup>	3.7 <sup>b</sup>	3.0 <sup>b</sup>	2.8 <sup>b</sup>	3.1 <sup>b</sup>	2.3 <sup>a</sup>	2.0	1.9	1.8	1.8	1.6	1.8
Methamphetamine <sup>3</sup>	1.2 <sup>b</sup>	1.3 <sup>b</sup>	1.1 <sup>b</sup>	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.6	0.5	0.5	0.6	0.6	0.5	0.5
Sedatives	0.7	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.8	0.7	0.7	0.7	0.8	0.6	0.5	0.6	0.6
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	21.6 <sup>b</sup>	21.2 <sup>b</sup>	21.1 <sup>b</sup>	19.2 <sup>b</sup>	19.5 <sup>b</sup>	18.4 <sup>b</sup>	17.1 <sup>b</sup>	17.9 <sup>b</sup>	16.3 <sup>b</sup>	15.7 <sup>b</sup>	14.2	13.4

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.17A Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	3,607 <sup>b</sup>	3,663 <sup>b</sup>	3,610 <sup>b</sup>	3,342 <sup>b</sup>	3,356 <sup>b</sup>	3,137 <sup>b</sup>	3,230 <sup>b</sup>	3,104 <sup>b</sup>	3,022 <sup>b</sup>	3,037 <sup>b</sup>	2,921 <sup>a</sup>	2,738
Marijuana and Hashish	2,391 <sup>b</sup>	2,318 <sup>b</sup>	2,236 <sup>b</sup>	2,055	2,084 <sup>a</sup>	1,863	1,935	1,852	1,888	1,991	1,966	1,905
Cocaine	333 <sup>b</sup>	330 <sup>b</sup>	272 <sup>b</sup>	300 <sup>b</sup>	313 <sup>b</sup>	287 <sup>b</sup>	254 <sup>b</sup>	185 <sup>b</sup>	173 <sup>b</sup>	162 <sup>b</sup>	136 <sup>a</sup>	94
Crack	102 <sup>b</sup>	68 <sup>b</sup>	66 <sup>b</sup>	60 <sup>b</sup>	78 <sup>b</sup>	64 <sup>b</sup>	48 <sup>b</sup>	30 <sup>b</sup>	26 <sup>b</sup>	31 <sup>a</sup>	19	7
Heroin	60 <sup>b</sup>	45 <sup>a</sup>	35	28	35	27	30	32	23	37	32	21
Hallucinogens	680 <sup>b</sup>	632 <sup>b</sup>	543 <sup>b</sup>	480 <sup>b</sup>	477 <sup>b</sup>	418 <sup>b</sup>	470 <sup>b</sup>	479 <sup>b</sup>	485 <sup>b</sup>	435 <sup>b</sup>	418 <sup>b</sup>	291
LSD	306 <sup>b</sup>	191 <sup>b</sup>	139 <sup>b</sup>	111 <sup>a</sup>	94	91	122 <sup>b</sup>	109 <sup>a</sup>	111 <sup>a</sup>	92	121 <sup>a</sup>	75
PCP	127 <sup>b</sup>	104 <sup>b</sup>	77 <sup>b</sup>	85 <sup>b</sup>	75 <sup>b</sup>	52 <sup>b</sup>	45 <sup>a</sup>	55 <sup>b</sup>	49 <sup>a</sup>	37	51 <sup>b</sup>	23
Ecstasy	444 <sup>b</sup>	346 <sup>b</sup>	280 <sup>b</sup>	218	274 <sup>b</sup>	231 <sup>a</sup>	301 <sup>b</sup>	295 <sup>b</sup>	340 <sup>b</sup>	307 <sup>b</sup>	274 <sup>b</sup>	168
Inhalants	1,179 <sup>b</sup>	1,281 <sup>b</sup>	1,333 <sup>b</sup>	1,298 <sup>b</sup>	1,257 <sup>b</sup>	1,203 <sup>b</sup>	1,245 <sup>b</sup>	1,174 <sup>b</sup>	1,030 <sup>b</sup>	968 <sup>b</sup>	864 <sup>b</sup>	644
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,759 <sup>b</sup>	1,733 <sup>b</sup>	1,787 <sup>b</sup>	1,575 <sup>b</sup>	1,613 <sup>b</sup>	1,513 <sup>b</sup>	1,521 <sup>b</sup>	1,458 <sup>b</sup>	1,392 <sup>b</sup>	1,307 <sup>b</sup>	1,273 <sup>b</sup>	1,083
Pain Relievers	1,412 <sup>b</sup>	1,407 <sup>b</sup>	1,500 <sup>b</sup>	1,305 <sup>b</sup>	1,335 <sup>b</sup>	1,257 <sup>b</sup>	1,286 <sup>b</sup>	1,215 <sup>b</sup>	1,191 <sup>b</sup>	1,123 <sup>b</sup>	1,040 <sup>a</sup>	904
OxyContin <sup>®</sup>	112	108	143	140	184	187	185	191 <sup>a</sup>	185	204 <sup>a</sup>	165	143
Tranquilizers	450 <sup>b</sup>	476 <sup>b</sup>	464 <sup>b</sup>	424 <sup>b</sup>	426 <sup>b</sup>	425 <sup>b</sup>	403 <sup>b</sup>	392 <sup>b</sup>	398 <sup>b</sup>	385 <sup>b</sup>	394 <sup>b</sup>	295
Stimulants <sup>3</sup>	643 <sup>b</sup>	574 <sup>b</sup>	519 <sup>b</sup>	506 <sup>b</sup>	531 <sup>b</sup>	428 <sup>b</sup>	425 <sup>b</sup>	349 <sup>b</sup>	301 <sup>b</sup>	276 <sup>a</sup>	292 <sup>b</sup>	208
Methamphetamine <sup>3</sup>	266 <sup>b</sup>	222 <sup>b</sup>	206 <sup>b</sup>	185 <sup>b</sup>	216 <sup>b</sup>	140 <sup>b</sup>	130 <sup>b</sup>	125 <sup>b</sup>	81	103 <sup>a</sup>	86	60
Sedatives	154 <sup>b</sup>	123 <sup>b</sup>	123 <sup>b</sup>	122 <sup>b</sup>	126 <sup>b</sup>	124 <sup>b</sup>	115 <sup>b</sup>	121 <sup>b</sup>	101 <sup>b</sup>	77	102 <sup>b</sup>	55
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	2,559 <sup>b</sup>	2,607 <sup>b</sup>	2,634 <sup>b</sup>	2,456 <sup>b</sup>	2,424 <sup>b</sup>	2,271 <sup>b</sup>	2,334 <sup>b</sup>	2,250 <sup>b</sup>	2,136 <sup>b</sup>	1,999 <sup>b</sup>	1,881 <sup>b</sup>	1,571

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.17B Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	29.8 <sup>b</sup>	30.0 <sup>b</sup>	29.3 <sup>b</sup>	26.9 <sup>b</sup>	27.0 <sup>b</sup>	25.4 <sup>b</sup>	26.5 <sup>b</sup>	25.8 <sup>b</sup>	25.4 <sup>b</sup>	24.9 <sup>b</sup>	24.0	22.5
Marijuana and Hashish	19.7 <sup>b</sup>	19.0 <sup>b</sup>	18.1 <sup>b</sup>	16.6	16.8	15.1	15.9	15.4	15.9	16.3	16.1	15.6
Cocaine	2.8 <sup>b</sup>	2.7 <sup>b</sup>	2.2 <sup>b</sup>	2.4 <sup>b</sup>	2.5 <sup>b</sup>	2.3 <sup>b</sup>	2.1 <sup>b</sup>	1.5 <sup>b</sup>	1.5 <sup>b</sup>	1.3 <sup>b</sup>	1.1 <sup>a</sup>	0.8
Crack	0.8 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>b</sup>	0.3 <sup>a</sup>	0.2	0.1
Heroin	0.5 <sup>b</sup>	0.4 <sup>a</sup>	0.3	0.2	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.2
Hallucinogens	5.6 <sup>b</sup>	5.2 <sup>b</sup>	4.4 <sup>b</sup>	3.9 <sup>b</sup>	3.8 <sup>b</sup>	3.4 <sup>b</sup>	3.9 <sup>b</sup>	4.0 <sup>b</sup>	4.1 <sup>b</sup>	3.6 <sup>b</sup>	3.4 <sup>b</sup>	2.4
LSD	2.5 <sup>b</sup>	1.6 <sup>b</sup>	1.1 <sup>b</sup>	0.9 <sup>a</sup>	0.8	0.7	1.0 <sup>b</sup>	0.9 <sup>a</sup>	0.9 <sup>a</sup>	0.8	1.0 <sup>a</sup>	0.6
PCP	1.0 <sup>b</sup>	0.8 <sup>b</sup>	0.6 <sup>b</sup>	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>a</sup>	0.5 <sup>b</sup>	0.4 <sup>a</sup>	0.3	0.4 <sup>b</sup>	0.2
Ecstasy	3.7 <sup>b</sup>	2.8 <sup>b</sup>	2.3 <sup>b</sup>	1.8	2.2 <sup>b</sup>	1.9 <sup>a</sup>	2.5 <sup>b</sup>	2.5 <sup>b</sup>	2.9 <sup>b</sup>	2.5 <sup>b</sup>	2.2 <sup>b</sup>	1.4
Inhalants	9.7 <sup>b</sup>	10.5 <sup>b</sup>	10.8 <sup>b</sup>	10.5 <sup>b</sup>	10.1 <sup>b</sup>	9.7 <sup>b</sup>	10.2 <sup>b</sup>	9.7 <sup>b</sup>	8.7 <sup>b</sup>	7.9 <sup>b</sup>	7.1 <sup>b</sup>	5.3
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	14.5 <sup>b</sup>	14.2 <sup>b</sup>	14.5 <sup>b</sup>	12.7 <sup>b</sup>	13.0 <sup>b</sup>	12.2 <sup>b</sup>	12.5 <sup>b</sup>	12.1 <sup>b</sup>	11.7 <sup>b</sup>	10.7 <sup>b</sup>	10.4 <sup>b</sup>	8.9
Pain Relievers	11.7 <sup>b</sup>	11.5 <sup>b</sup>	12.2 <sup>b</sup>	10.5 <sup>b</sup>	10.7 <sup>b</sup>	10.2 <sup>b</sup>	10.6 <sup>b</sup>	10.1 <sup>b</sup>	10.0 <sup>b</sup>	9.2 <sup>b</sup>	8.5 <sup>a</sup>	7.4
OxyContin <sup>®</sup>	0.9	0.9	1.2	1.1	1.5	1.5	1.5	1.6 <sup>a</sup>	1.6	1.7 <sup>a</sup>	1.4	1.2
Tranquilizers	3.7 <sup>b</sup>	3.9 <sup>b</sup>	3.8 <sup>b</sup>	3.4 <sup>b</sup>	3.4 <sup>b</sup>	3.4 <sup>b</sup>	3.3 <sup>b</sup>	3.3 <sup>b</sup>	3.4 <sup>b</sup>	3.2 <sup>a</sup>	3.2 <sup>b</sup>	2.4
Stimulants <sup>3</sup>	5.3 <sup>b</sup>	4.7 <sup>b</sup>	4.2 <sup>b</sup>	4.1 <sup>b</sup>	4.3 <sup>b</sup>	3.5 <sup>b</sup>	3.5 <sup>b</sup>	2.9 <sup>b</sup>	2.5 <sup>b</sup>	2.3 <sup>a</sup>	2.4 <sup>b</sup>	1.7
Methamphetamine <sup>3</sup>	2.2 <sup>b</sup>	1.8 <sup>b</sup>	1.7 <sup>b</sup>	1.5 <sup>b</sup>	1.7 <sup>b</sup>	1.1 <sup>b</sup>	1.1 <sup>b</sup>	1.0 <sup>b</sup>	0.7	0.8 <sup>a</sup>	0.7	0.5
Sedatives	1.3 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.6	0.8 <sup>b</sup>	0.5				
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	21.1 <sup>b</sup>	21.3 <sup>b</sup>	21.4 <sup>b</sup>	19.8 <sup>b</sup>	19.5 <sup>b</sup>	18.4 <sup>b</sup>	19.2 <sup>b</sup>	18.7 <sup>b</sup>	18.0 <sup>b</sup>	16.4 <sup>b</sup>	15.4 <sup>b</sup>	12.9

\*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.18A Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	2,842 <sup>b</sup>	2,776 <sup>b</sup>	2,653 <sup>b</sup>	2,557 <sup>b</sup>	2,531 <sup>b</sup>	2,507 <sup>b</sup>	2,433	2,556 <sup>b</sup>	2,422	2,438	2,268	2,263
Marijuana and Hashish	2,064 <sup>b</sup>	1,955 <sup>a</sup>	1,918	1,796	1,752	1,754	1,738	1,898	1,861	1,933	1,799	1,793
Cocaine	263 <sup>b</sup>	222 <sup>b</sup>	223 <sup>b</sup>	208 <sup>b</sup>	179 <sup>b</sup>	174 <sup>b</sup>	161 <sup>b</sup>	146 <sup>b</sup>	116 <sup>a</sup>	115 <sup>a</sup>	88	74
Crack	36 <sup>b</sup>	47 <sup>b</sup>	31 <sup>b</sup>	23 <sup>a</sup>	32 <sup>b</sup>	25 <sup>b</sup>	19	16	8	16	8	7
Heroin	20	17	32	17	14	16	27	17	13	22	15	16
Hallucinogens	501 <sup>b</sup>	386 <sup>b</sup>	389 <sup>b</sup>	352	320	342	377 <sup>a</sup>	407 <sup>b</sup>	382 <sup>a</sup>	369 <sup>a</sup>	285	295
LSD	183 <sup>b</sup>	73	94	92	51 <sup>b</sup>	76	119	90	73	98	82	98
PCP	46 <sup>b</sup>	44 <sup>b</sup>	39 <sup>a</sup>	44 <sup>a</sup>	26	32	37 <sup>a</sup>	26	12	19	20	16
Ecstasy	262 <sup>b</sup>	142	141	125	130	165	160	212 <sup>b</sup>	206 <sup>a</sup>	218 <sup>b</sup>	123	140
Inhalants	586 <sup>b</sup>	554 <sup>b</sup>	587 <sup>b</sup>	538 <sup>b</sup>	520 <sup>b</sup>	501 <sup>b</sup>	470 <sup>b</sup>	458 <sup>b</sup>	381 <sup>b</sup>	396 <sup>b</sup>	271	237
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,091 <sup>b</sup>	1,090 <sup>b</sup>	974 <sup>b</sup>	962 <sup>b</sup>	1,055 <sup>b</sup>	973 <sup>b</sup>	867 <sup>a</sup>	878 <sup>b</sup>	806	829	777	728
Pain Relievers	913 <sup>b</sup>	930 <sup>b</sup>	837 <sup>b</sup>	818 <sup>b</sup>	885 <sup>b</sup>	819 <sup>b</sup>	730 <sup>b</sup>	755 <sup>b</sup>	688 <sup>a</sup>	693 <sup>a</sup>	653	575
OxyContin <sup>®</sup>	--	--	99	101	96	107 <sup>a</sup>	122 <sup>b</sup>	110 <sup>a</sup>	113 <sup>a</sup>	102	98	73
Tranquilizers	249 <sup>b</sup>	258 <sup>b</sup>	226 <sup>a</sup>	229 <sup>a</sup>	196	214	226 <sup>a</sup>	210	200	216	184	169
Stimulants <sup>3</sup>	294 <sup>b</sup>	253 <sup>b</sup>	210 <sup>b</sup>	194 <sup>a</sup>	224 <sup>b</sup>	174	140	138	133	134	147	141
Methamphetamine <sup>3</sup>	97 <sup>b</sup>	82 <sup>b</sup>	69 <sup>b</sup>	78 <sup>b</sup>	74 <sup>b</sup>	39	33	29	44	44	38	32
Sedatives	45	67 <sup>a</sup>	59 <sup>a</sup>	51	56	42	47	70 <sup>a</sup>	41	32	29	33
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,683 <sup>b</sup>	1,637 <sup>b</sup>	1,537 <sup>b</sup>	1,479 <sup>b</sup>	1,543 <sup>b</sup>	1,450 <sup>b</sup>	1,383 <sup>b</sup>	1,376 <sup>b</sup>	1,265 <sup>b</sup>	1,263 <sup>b</sup>	1,087	1,024

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.18B Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	22.5 <sup>b</sup>	21.7 <sup>b</sup>	20.6 <sup>b</sup>	19.7 <sup>b</sup>	19.5 <sup>a</sup>	19.4 <sup>a</sup>	19.1	20.3 <sup>b</sup>	19.4 <sup>a</sup>	19.1	17.8	17.8
Marijuana and Hashish	16.3 <sup>b</sup>	15.3	14.9	13.9	13.5	13.6	13.7	15.1	14.9	15.1	14.1	14.1
Cocaine	2.1 <sup>b</sup>	1.7 <sup>b</sup>	1.7 <sup>b</sup>	1.6 <sup>b</sup>	1.4 <sup>b</sup>	1.4 <sup>b</sup>	1.3 <sup>b</sup>	1.2 <sup>b</sup>	0.9 <sup>a</sup>	0.9 <sup>a</sup>	0.7	0.6
Crack	0.3 <sup>b</sup>	0.4 <sup>b</sup>	0.2 <sup>b</sup>	0.2 <sup>a</sup>	0.2 <sup>b</sup>	0.2 <sup>a</sup>	0.1	0.1	0.1	0.1	0.1	0.1
Heroin	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1
Hallucinogens	4.0 <sup>b</sup>	3.0 <sup>a</sup>	3.0 <sup>a</sup>	2.7	2.5	2.7	3.0 <sup>a</sup>	3.2 <sup>b</sup>	3.1 <sup>a</sup>	2.9 <sup>a</sup>	2.2	2.3
LSD	1.5 <sup>b</sup>	0.6	0.7	0.7	0.4 <sup>b</sup>	0.6	0.9	0.7	0.6	0.8	0.6	0.8
PCP	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>a</sup>	0.3 <sup>a</sup>	0.2	0.2	0.3 <sup>a</sup>	0.2	0.1	0.2	0.2	0.1
Ecstasy	2.1 <sup>b</sup>	1.1	1.1	1.0	1.0	1.3	1.3	1.7 <sup>b</sup>	1.7 <sup>a</sup>	1.7 <sup>b</sup>	1.0	1.1
Inhalants	4.6 <sup>b</sup>	4.3 <sup>b</sup>	4.6 <sup>b</sup>	4.2 <sup>b</sup>	4.0 <sup>b</sup>	3.9 <sup>b</sup>	3.7 <sup>b</sup>	3.6 <sup>b</sup>	3.1 <sup>b</sup>	3.1 <sup>b</sup>	2.1	1.9
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	8.6 <sup>b</sup>	8.5 <sup>b</sup>	7.6 <sup>b</sup>	7.4 <sup>b</sup>	8.1 <sup>b</sup>	7.5 <sup>b</sup>	6.8 <sup>a</sup>	7.0 <sup>b</sup>	6.5	6.5	6.1	5.7
Pain Relievers	7.2 <sup>b</sup>	7.3 <sup>b</sup>	6.5 <sup>b</sup>	6.3 <sup>b</sup>	6.8 <sup>b</sup>	6.4 <sup>b</sup>	5.7 <sup>b</sup>	6.0 <sup>b</sup>	5.5 <sup>a</sup>	5.4 <sup>a</sup>	5.1	4.5
OxyContin <sup>®</sup>	--	--	0.8	0.8	0.7	0.8 <sup>a</sup>	1.0 <sup>b</sup>	0.9 <sup>a</sup>	0.9 <sup>a</sup>	0.8	0.8	0.6
Tranquilizers	2.0 <sup>b</sup>	2.0 <sup>b</sup>	1.8 <sup>a</sup>	1.8 <sup>a</sup>	1.5	1.7	1.8 <sup>a</sup>	1.7	1.6	1.7	1.4	1.3
Stimulants <sup>3</sup>	2.3 <sup>b</sup>	2.0 <sup>b</sup>	1.6 <sup>b</sup>	1.5 <sup>a</sup>	1.7 <sup>b</sup>	1.4	1.1	1.1	1.1	1.1	1.2	1.1
Methamphetamine <sup>3</sup>	0.8 <sup>b</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.3	0.3	0.2	0.4	0.3	0.3	0.2
Sedatives	0.4	0.5 <sup>a</sup>	0.5	0.4	0.4	0.3	0.4	0.6 <sup>b</sup>	0.3	0.2	0.2	0.3
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	13.3 <sup>b</sup>	12.8 <sup>b</sup>	11.9 <sup>b</sup>	11.4 <sup>b</sup>	11.9 <sup>b</sup>	11.2 <sup>b</sup>	10.9 <sup>b</sup>	10.9 <sup>b</sup>	10.2 <sup>b</sup>	9.9 <sup>b</sup>	8.5	8.1

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.19A Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	2,652 <sup>b</sup>	2,679 <sup>b</sup>	2,648 <sup>b</sup>	2,484 <sup>b</sup>	2,447 <sup>b</sup>	2,231 <sup>a</sup>	2,318 <sup>b</sup>	2,282 <sup>b</sup>	2,322 <sup>b</sup>	2,297 <sup>b</sup>	2,201 <sup>a</sup>	2,023
Marijuana and Hashish	1,841 <sup>b</sup>	1,790 <sup>b</sup>	1,738 <sup>a</sup>	1,587	1,603	1,404 <sup>a</sup>	1,520	1,464	1,553	1,620	1,565	1,554
Cocaine	245 <sup>b</sup>	216 <sup>b</sup>	188 <sup>b</sup>	215 <sup>b</sup>	232 <sup>b</sup>	211 <sup>b</sup>	145 <sup>b</sup>	96 <sup>a</sup>	124 <sup>b</sup>	113 <sup>b</sup>	92 <sup>a</sup>	58
Crack	64 <sup>b</sup>	48 <sup>b</sup>	32 <sup>b</sup>	31 <sup>b</sup>	41 <sup>b</sup>	40 <sup>b</sup>	16 <sup>a</sup>	13	10	12	11	4
Heroin	31	19	16	20	23	8	14	17	15	32	16	15
Hallucinogens	444 <sup>b</sup>	392 <sup>b</sup>	364 <sup>b</sup>	313 <sup>b</sup>	333 <sup>b</sup>	287 <sup>b</sup>	312 <sup>b</sup>	330 <sup>b</sup>	365 <sup>b</sup>	279 <sup>b</sup>	269 <sup>b</sup>	186
LSD	131 <sup>b</sup>	76	63	59	55	50	66	53	62	61	70	52
PCP	64 <sup>b</sup>	44 <sup>b</sup>	33 <sup>a</sup>	41 <sup>b</sup>	33 <sup>a</sup>	24	25	22	23	20	28	13
Ecstasy	285 <sup>b</sup>	188 <sup>b</sup>	169 <sup>b</sup>	131 <sup>a</sup>	177 <sup>b</sup>	163 <sup>b</sup>	186 <sup>b</sup>	204 <sup>b</sup>	258 <sup>b</sup>	201 <sup>b</sup>	164 <sup>b</sup>	92
Inhalants	492 <sup>b</sup>	565 <sup>b</sup>	581 <sup>b</sup>	606 <sup>b</sup>	589 <sup>b</sup>	494 <sup>b</sup>	516 <sup>b</sup>	502 <sup>b</sup>	504 <sup>b</sup>	424 <sup>b</sup>	376 <sup>b</sup>	243
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	1,194 <sup>b</sup>	1,205 <sup>b</sup>	1,254 <sup>b</sup>	1,139 <sup>b</sup>	1,129 <sup>b</sup>	1,064 <sup>b</sup>	1,052 <sup>b</sup>	1,017 <sup>b</sup>	1,006 <sup>b</sup>	920 <sup>b</sup>	865 <sup>b</sup>	713
Pain Relievers	957 <sup>b</sup>	987 <sup>b</sup>	1,028 <sup>b</sup>	922 <sup>b</sup>	937 <sup>b</sup>	866 <sup>b</sup>	883 <sup>b</sup>	873 <sup>b</sup>	833 <sup>b</sup>	791 <sup>b</sup>	680 <sup>a</sup>	582
OxyContin <sup>®</sup>	--	--	95	87	105	125 <sup>a</sup>	104	115 <sup>a</sup>	121 <sup>a</sup>	117 <sup>a</sup>	88	78
Tranquilizers	319 <sup>b</sup>	328 <sup>b</sup>	307 <sup>b</sup>	268 <sup>b</sup>	288 <sup>b</sup>	291 <sup>b</sup>	257 <sup>b</sup>	252 <sup>b</sup>	266 <sup>b</sup>	259 <sup>b</sup>	268 <sup>b</sup>	178
Stimulants <sup>3</sup>	371 <sup>b</sup>	325 <sup>b</sup>	297 <sup>b</sup>	312 <sup>b</sup>	324 <sup>b</sup>	240 <sup>b</sup>	233 <sup>b</sup>	196 <sup>b</sup>	191 <sup>a</sup>	165	177 <sup>a</sup>	132
Methamphetamine <sup>3</sup>	148 <sup>b</sup>	103 <sup>b</sup>	108 <sup>b</sup>	100 <sup>b</sup>	111 <sup>b</sup>	77 <sup>b</sup>	62	58	54	62	45	41
Sedatives	93 <sup>b</sup>	64 <sup>a</sup>	75 <sup>b</sup>	67 <sup>a</sup>	54 <sup>a</sup>	68 <sup>b</sup>	67 <sup>b</sup>	56 <sup>a</sup>	70 <sup>b</sup>	52	53	32
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	1,655 <sup>b</sup>	1,714 <sup>b</sup>	1,732 <sup>b</sup>	1,650 <sup>b</sup>	1,605 <sup>b</sup>	1,471 <sup>b</sup>	1,477 <sup>b</sup>	1,474 <sup>b</sup>	1,493 <sup>b</sup>	1,302 <sup>b</sup>	1,210 <sup>b</sup>	955

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.19B Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	21.9 <sup>b</sup>	21.9 <sup>b</sup>	21.5 <sup>b</sup>	20.0 <sup>b</sup>	19.7 <sup>b</sup>	18.1 <sup>a</sup>	19.0 <sup>b</sup>	18.9 <sup>b</sup>	19.5 <sup>b</sup>	18.8 <sup>b</sup>	18.0 <sup>a</sup>	16.6
Marijuana and Hashish	15.2 <sup>b</sup>	14.6 <sup>b</sup>	14.1 <sup>a</sup>	12.8	12.9	11.4 <sup>a</sup>	12.5	12.2	13.1	13.3	12.8	12.8
Cocaine	2.0 <sup>b</sup>	1.8 <sup>b</sup>	1.5 <sup>b</sup>	1.7 <sup>b</sup>	1.9 <sup>b</sup>	1.7 <sup>b</sup>	1.2 <sup>b</sup>	0.8 <sup>a</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>a</sup>	0.5
Crack	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.1 <sup>a</sup>	0.1	0.1	0.1	0.1	0.0
Heroin	0.3	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.3	0.1	0.1
Hallucinogens	3.7 <sup>b</sup>	3.2 <sup>b</sup>	3.0 <sup>b</sup>	2.5 <sup>b</sup>	2.7 <sup>b</sup>	2.3 <sup>b</sup>	2.6 <sup>b</sup>	2.7 <sup>b</sup>	3.1 <sup>b</sup>	2.3 <sup>b</sup>	2.2 <sup>b</sup>	1.5
LSD	1.1 <sup>b</sup>	0.6	0.5	0.5	0.4	0.4	0.5	0.4	0.5	0.5	0.6	0.4
PCP	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.3 <sup>a</sup>	0.3 <sup>b</sup>	0.3 <sup>a</sup>	0.2	0.2	0.2	0.2	0.2	0.2	0.1
Ecstasy	2.4 <sup>b</sup>	1.5 <sup>b</sup>	1.4 <sup>b</sup>	1.1 <sup>a</sup>	1.4 <sup>b</sup>	1.3 <sup>b</sup>	1.5 <sup>b</sup>	1.7 <sup>b</sup>	2.2 <sup>b</sup>	1.7 <sup>b</sup>	1.3 <sup>b</sup>	0.8
Inhalants	4.1 <sup>b</sup>	4.6 <sup>b</sup>	4.7 <sup>b</sup>	4.9 <sup>b</sup>	4.7 <sup>b</sup>	4.0 <sup>b</sup>	4.2 <sup>b</sup>	4.2 <sup>b</sup>	4.2 <sup>b</sup>	3.5 <sup>b</sup>	3.1 <sup>b</sup>	2.0
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	9.9 <sup>b</sup>	9.9 <sup>b</sup>	10.2 <sup>b</sup>	9.2 <sup>b</sup>	9.1 <sup>b</sup>	8.6 <sup>b</sup>	8.6 <sup>b</sup>	8.4 <sup>b</sup>	8.5 <sup>b</sup>	7.5 <sup>b</sup>	7.1 <sup>b</sup>	5.9
Pain Relievers	7.9 <sup>b</sup>	8.1 <sup>b</sup>	8.3 <sup>b</sup>	7.4 <sup>b</sup>	7.5 <sup>b</sup>	7.0 <sup>b</sup>	7.2 <sup>b</sup>	7.2 <sup>b</sup>	7.0 <sup>b</sup>	6.5 <sup>b</sup>	5.6 <sup>a</sup>	4.8
OxyContin <sup>®</sup>	--	--	0.8	0.7	0.8	1.0 <sup>a</sup>	0.8	1.0 <sup>a</sup>	1.0 <sup>a</sup>	1.0 <sup>a</sup>	0.7	0.6
Tranquilizers	2.6 <sup>b</sup>	2.7 <sup>b</sup>	2.5 <sup>b</sup>	2.2 <sup>b</sup>	2.3 <sup>b</sup>	2.4 <sup>b</sup>	2.1 <sup>b</sup>	2.1 <sup>b</sup>	2.2 <sup>b</sup>	2.1 <sup>b</sup>	2.2 <sup>b</sup>	1.5
Stimulants <sup>3</sup>	3.1 <sup>b</sup>	2.7 <sup>b</sup>	2.4 <sup>b</sup>	2.5 <sup>b</sup>	2.6 <sup>b</sup>	1.9 <sup>b</sup>	1.9 <sup>b</sup>	1.6 <sup>b</sup>	1.6 <sup>a</sup>	1.3	1.5 <sup>a</sup>	1.1
Methamphetamine <sup>3</sup>	1.2 <sup>b</sup>	0.8 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>b</sup>	0.9 <sup>b</sup>	0.6 <sup>a</sup>	0.5	0.5	0.5	0.5	0.4	0.3
Sedatives	0.8 <sup>b</sup>	0.5 <sup>a</sup>	0.6 <sup>b</sup>	0.5 <sup>a</sup>	0.4 <sup>a</sup>	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>a</sup>	0.6 <sup>b</sup>	0.4	0.4	0.3
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	13.7 <sup>b</sup>	14.0 <sup>b</sup>	14.0 <sup>b</sup>	13.3 <sup>b</sup>	12.9 <sup>b</sup>	11.9 <sup>b</sup>	12.1 <sup>b</sup>	12.2 <sup>b</sup>	12.6 <sup>b</sup>	10.7 <sup>b</sup>	9.9 <sup>b</sup>	7.8

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.20A Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	1,560 <sup>b</sup>	1,457 <sup>b</sup>	1,360 <sup>a</sup>	1,313	1,277	1,296	1,205	1,344	1,299	1,382 <sup>a</sup>	1,217	1,220
Marijuana and Hashish	1,152 <sup>a</sup>	1,093	1,037	967	893	973	929	1,056	1,042	1,151 <sup>a</sup>	951	1,004
Cocaine	77 <sup>b</sup>	70 <sup>b</sup>	75 <sup>b</sup>	79 <sup>b</sup>	49 <sup>b</sup>	48 <sup>b</sup>	62 <sup>b</sup>	43 <sup>a</sup>	37	23	13	19
Crack	10	22 <sup>b</sup>	9	14	5	4	6	5	*	2	1	2
Heroin	6	8	11	11	3	3	8	8	2	8	*	4
Hallucinogens	130	138 <sup>a</sup>	120	98	86	103	148 <sup>a</sup>	128	116	134	92	98
LSD	37	27	23	24	10 <sup>b</sup>	24	36	21	30	26	10 <sup>b</sup>	36
PCP	11 <sup>a</sup>	14 <sup>a</sup>	7	8	6	9	10	8	4	3	4	2
Ecstasy	58 <sup>a</sup>	37	45	32	38	34	58 <sup>a</sup>	65 <sup>b</sup>	50	57 <sup>a</sup>	31	29
Inhalants	159 <sup>b</sup>	139 <sup>b</sup>	141 <sup>b</sup>	160 <sup>b</sup>	156 <sup>b</sup>	158 <sup>b</sup>	136 <sup>b</sup>	120 <sup>b</sup>	115 <sup>b</sup>	98 <sup>a</sup>	86	59
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	460 <sup>b</sup>	478 <sup>b</sup>	413 <sup>b</sup>	400 <sup>b</sup>	403 <sup>b</sup>	392 <sup>b</sup>	310	351 <sup>b</sup>	282	302	308	257
Pain Relievers	376 <sup>b</sup>	385 <sup>b</sup>	337 <sup>b</sup>	325 <sup>b</sup>	331 <sup>b</sup>	325 <sup>b</sup>	248 <sup>a</sup>	302 <sup>b</sup>	246	244	250 <sup>a</sup>	189
OxyContin <sup>®</sup>	--	--	29 <sup>a</sup>	17	19	25	33 <sup>b</sup>	40 <sup>b</sup>	27	29 <sup>a</sup>	29 <sup>a</sup>	11
Tranquilizers	70 <sup>a</sup>	111 <sup>b</sup>	76 <sup>a</sup>	84 <sup>b</sup>	46	84 <sup>b</sup>	63	58	61	74 <sup>a</sup>	52	42
Stimulants <sup>3</sup>	106 <sup>b</sup>	107 <sup>b</sup>	89 <sup>b</sup>	79 <sup>a</sup>	81 <sup>a</sup>	48	54	53	49	43	51	44
Methamphetamine <sup>3</sup>	40	32 <sup>a</sup>	24	39 <sup>a</sup>	24	10	16	18	8	13	9	13
Sedatives	6	27	4	9	21	15	8	25	14	10	7	16
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	705 <sup>b</sup>	682 <sup>b</sup>	626 <sup>b</sup>	616 <sup>b</sup>	604 <sup>b</sup>	584 <sup>b</sup>	536 <sup>b</sup>	539 <sup>b</sup>	466 <sup>a</sup>	484 <sup>b</sup>	436	373

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.20B Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	12.3 <sup>b</sup>	11.4 <sup>b</sup>	10.6	10.1	9.8	10.1	9.5	10.7 <sup>a</sup>	10.4	10.8 <sup>a</sup>	9.6	9.6
Marijuana and Hashish	9.1 <sup>a</sup>	8.6	8.1	7.5	6.9 <sup>a</sup>	7.5	7.3	8.4	8.4	9.0 <sup>a</sup>	7.5	7.9
Cocaine	0.6 <sup>b</sup>	0.5 <sup>b</sup>	0.6 <sup>b</sup>	0.6 <sup>b</sup>	0.4 <sup>b</sup>	0.4 <sup>b</sup>	0.5 <sup>b</sup>	0.3 <sup>a</sup>	0.3	0.2	0.1	0.2
Crack	0.1	0.2 <sup>b</sup>	0.1	0.1	0.0	0.0	0.0	0.0	*	0.0	0.0	0.0
Heroin	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.1	*	0.0
Hallucinogens	1.0	1.1 <sup>a</sup>	0.9	0.8	0.7	0.8	1.2 <sup>a</sup>	1.0	0.9	1.0	0.7	0.8
LSD	0.3	0.2	0.2	0.2	0.1 <sup>b</sup>	0.2	0.3	0.2	0.2	0.2	0.1 <sup>b</sup>	0.3
PCP	0.1 <sup>a</sup>	0.1 <sup>a</sup>	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0
Ecstasy	0.5 <sup>a</sup>	0.3	0.4	0.3	0.3	0.3	0.5 <sup>a</sup>	0.5 <sup>b</sup>	0.4	0.4 <sup>a</sup>	0.2	0.2
Inhalants	1.3 <sup>b</sup>	1.1 <sup>b</sup>	1.1 <sup>b</sup>	1.2 <sup>b</sup>	1.2 <sup>b</sup>	1.2 <sup>b</sup>	1.1 <sup>b</sup>	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.8 <sup>a</sup>	0.7	0.5
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	3.6 <sup>b</sup>	3.7 <sup>b</sup>	3.2 <sup>b</sup>	3.1 <sup>b</sup>	3.1 <sup>b</sup>	3.0 <sup>b</sup>	2.4	2.8 <sup>b</sup>	2.3	2.4	2.4	2.0
Pain Relievers	3.0 <sup>b</sup>	3.0 <sup>b</sup>	2.6 <sup>b</sup>	2.5 <sup>b</sup>	2.5 <sup>b</sup>	2.5 <sup>b</sup>	1.9 <sup>a</sup>	2.4 <sup>b</sup>	2.0	1.9	2.0 <sup>a</sup>	1.5
OxyContin <sup>®</sup>	--	--	0.2 <sup>a</sup>	0.1	0.1	0.2	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2	0.2 <sup>a</sup>	0.2 <sup>a</sup>	0.1
Tranquilizers	0.6 <sup>a</sup>	0.9 <sup>b</sup>	0.6 <sup>a</sup>	0.7 <sup>b</sup>	0.4	0.6 <sup>b</sup>	0.5	0.5	0.5	0.6 <sup>a</sup>	0.4	0.3
Stimulants <sup>3</sup>	0.8 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.6 <sup>a</sup>	0.6 <sup>a</sup>	0.4	0.4	0.4	0.4	0.3	0.4	0.3
Methamphetamine <sup>3</sup>	0.3	0.3 <sup>a</sup>	0.2	0.3 <sup>a</sup>	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Sedatives	0.0	0.2	0.0	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	5.6 <sup>b</sup>	5.3 <sup>b</sup>	4.9 <sup>b</sup>	4.8 <sup>b</sup>	4.7 <sup>b</sup>	4.5 <sup>b</sup>	4.2 <sup>b</sup>	4.3 <sup>b</sup>	3.7 <sup>a</sup>	3.8 <sup>b</sup>	3.4	2.9

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.21A Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Numbers in Thousands, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	1,318 <sup>b</sup>	1,355 <sup>b</sup>	1,314 <sup>b</sup>	1,198 <sup>b</sup>	1,211 <sup>b</sup>	1,119 <sup>a</sup>	1,107 <sup>a</sup>	1,141 <sup>b</sup>	1,169 <sup>b</sup>	1,140 <sup>b</sup>	1,160 <sup>b</sup>	977
Marijuana and Hashish	871 <sup>a</sup>	878 <sup>a</sup>	872 <sup>a</sup>	763	802	721	739	757	760	816	849	758
Cocaine	68 <sup>b</sup>	83 <sup>b</sup>	51 <sup>a</sup>	63 <sup>b</sup>	61 <sup>b</sup>	56 <sup>b</sup>	36	27	24	44	17	24
Crack	16	10	6	12	7	12	1	3	3	1	*	*
Heroin	5	10	4	4	13	*	5	5	6	6	*	8
Hallucinogens	126 <sup>b</sup>	122 <sup>b</sup>	91 <sup>a</sup>	107 <sup>b</sup>	96 <sup>a</sup>	71	97 <sup>a</sup>	89 <sup>a</sup>	99 <sup>a</sup>	82	68	57
LSD	23	23	15	8	21	6	16	14	16	8	16	16
PCP	11	6	4	9	6	*	5	4	3	1	*	5
Ecstasy	66 <sup>b</sup>	54 <sup>b</sup>	32	41 <sup>a</sup>	45 <sup>a</sup>	31	47 <sup>a</sup>	50 <sup>b</sup>	73 <sup>b</sup>	52 <sup>a</sup>	43 <sup>a</sup>	19
Inhalants	143 <sup>b</sup>	181 <sup>b</sup>	171 <sup>b</sup>	153 <sup>b</sup>	184 <sup>b</sup>	136 <sup>b</sup>	134 <sup>b</sup>	124 <sup>b</sup>	147 <sup>b</sup>	124 <sup>b</sup>	102 <sup>a</sup>	62
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	527 <sup>b</sup>	519 <sup>b</sup>	501 <sup>b</sup>	439 <sup>b</sup>	443 <sup>b</sup>	438 <sup>b</sup>	401 <sup>b</sup>	424 <sup>b</sup>	440 <sup>b</sup>	386 <sup>b</sup>	385 <sup>b</sup>	292
Pain Relievers	418 <sup>b</sup>	416 <sup>b</sup>	414 <sup>b</sup>	361 <sup>b</sup>	361 <sup>b</sup>	346 <sup>b</sup>	319 <sup>b</sup>	356 <sup>b</sup>	362 <sup>b</sup>	319 <sup>b</sup>	308 <sup>a</sup>	236
OxyContin <sup>®</sup>	--	--	37	17	10	22	17	29	20	21	20	19
Tranquilizers	117 <sup>b</sup>	115 <sup>b</sup>	86 <sup>b</sup>	76 <sup>a</sup>	79 <sup>a</sup>	97 <sup>b</sup>	88 <sup>b</sup>	86 <sup>b</sup>	73	88 <sup>b</sup>	87 <sup>a</sup>	49
Stimulants <sup>3</sup>	102 <sup>b</sup>	115 <sup>b</sup>	91 <sup>b</sup>	93 <sup>b</sup>	90 <sup>b</sup>	78 <sup>b</sup>	58	74 <sup>a</sup>	58	55	67 <sup>a</sup>	40
Methamphetamine <sup>3</sup>	31 <sup>b</sup>	38 <sup>b</sup>	34 <sup>b</sup>	32 <sup>b</sup>	29 <sup>a</sup>	24	13	18	16	23	22	9
Sedatives	41 <sup>b</sup>	20	22 <sup>a</sup>	18	24 <sup>a</sup>	19	27 <sup>a</sup>	15	21	14	20	9
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	715 <sup>b</sup>	735 <sup>b</sup>	702 <sup>b</sup>	637 <sup>b</sup>	648 <sup>b</sup>	598 <sup>b</sup>	557 <sup>b</sup>	583 <sup>b</sup>	626 <sup>b</sup>	541 <sup>b</sup>	482 <sup>b</sup>	383

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

**Table 7.21B Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Percentages, 2002-2013**

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
<b>ILLICIT DRUGS<sup>1</sup></b>	10.9 <sup>b</sup>	11.1 <sup>b</sup>	10.6 <sup>b</sup>	9.7 <sup>b</sup>	9.8 <sup>b</sup>	9.1 <sup>a</sup>	9.1 <sup>a</sup>	9.5 <sup>b</sup>	9.8 <sup>b</sup>	9.3 <sup>b</sup>	9.5 <sup>b</sup>	8.0
Marijuana and Hashish	7.2 <sup>a</sup>	7.2 <sup>a</sup>	7.1	6.2	6.5	5.8	6.1	6.3	6.4	6.7	7.0	6.2
Cocaine	0.6 <sup>b</sup>	0.7 <sup>b</sup>	0.4 <sup>a</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.5 <sup>b</sup>	0.3	0.2	0.2	0.4	0.1	0.2
Crack	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	*	*
Heroin	0.0	0.1	0.0	0.0	0.1	*	0.0	0.0	0.1	0.1	*	0.1
Hallucinogens	1.0 <sup>b</sup>	1.0 <sup>b</sup>	0.7 <sup>a</sup>	0.9 <sup>b</sup>	0.8 <sup>a</sup>	0.6	0.8 <sup>a</sup>	0.7 <sup>a</sup>	0.8 <sup>b</sup>	0.7	0.6	0.5
LSD	0.2	0.2	0.1	0.1	0.2	0.0	0.1	0.1	0.1	0.1	0.1	0.1
PCP	0.1	0.1	0.0	0.1	0.0	*	0.0	0.0	0.0	0.0	*	0.0
Ecstasy	0.5 <sup>b</sup>	0.4 <sup>b</sup>	0.3	0.3 <sup>a</sup>	0.4 <sup>a</sup>	0.3	0.4 <sup>a</sup>	0.4 <sup>b</sup>	0.6 <sup>b</sup>	0.4 <sup>a</sup>	0.3 <sup>a</sup>	0.2
Inhalants	1.2 <sup>b</sup>	1.5 <sup>b</sup>	1.4 <sup>b</sup>	1.2 <sup>b</sup>	1.5 <sup>b</sup>	1.1 <sup>b</sup>	1.1 <sup>b</sup>	1.0 <sup>b</sup>	1.2 <sup>b</sup>	1.0 <sup>b</sup>	0.8 <sup>a</sup>	0.5
Nonmedical Use of Psychotherapeutics <sup>2,3</sup>	4.4 <sup>b</sup>	4.2 <sup>b</sup>	4.1 <sup>b</sup>	3.5 <sup>b</sup>	3.6 <sup>b</sup>	3.5 <sup>b</sup>	3.3 <sup>b</sup>	3.5 <sup>b</sup>	3.7 <sup>b</sup>	3.2 <sup>b</sup>	3.2 <sup>b</sup>	2.4
Pain Relievers	3.5 <sup>b</sup>	3.4 <sup>b</sup>	3.4 <sup>b</sup>	2.9 <sup>b</sup>	2.9 <sup>b</sup>	2.8 <sup>b</sup>	2.6 <sup>b</sup>	3.0 <sup>b</sup>	3.0 <sup>b</sup>	2.6 <sup>b</sup>	2.5 <sup>a</sup>	1.9
OxyContin <sup>®</sup>	--	--	0.3	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2
Tranquilizers	1.0 <sup>b</sup>	0.9 <sup>b</sup>	0.7 <sup>b</sup>	0.6 <sup>a</sup>	0.6 <sup>a</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.7 <sup>b</sup>	0.6	0.7 <sup>b</sup>	0.7 <sup>a</sup>	0.4
Stimulants <sup>3</sup>	0.8 <sup>b</sup>	0.9 <sup>b</sup>	0.7 <sup>b</sup>	0.8 <sup>b</sup>	0.7 <sup>b</sup>	0.6 <sup>b</sup>	0.5	0.6 <sup>b</sup>	0.5	0.5	0.5 <sup>a</sup>	0.3
Methamphetamine <sup>3</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.3 <sup>b</sup>	0.2 <sup>a</sup>	0.2	0.1	0.2	0.1	0.2	0.2	0.1
Sedatives	0.3 <sup>b</sup>	0.2	0.2 <sup>a</sup>	0.1	0.2 <sup>a</sup>	0.2	0.2 <sup>a</sup>	0.1	0.2	0.1	0.2	0.1
<b>ILLICIT DRUGS OTHER THAN MARIJUANA<sup>1</sup></b>	5.9 <sup>b</sup>	6.0 <sup>b</sup>	5.7 <sup>b</sup>	5.1 <sup>b</sup>	5.2 <sup>b</sup>	4.8 <sup>b</sup>	4.6 <sup>b</sup>	4.8 <sup>b</sup>	5.3 <sup>b</sup>	4.4 <sup>b</sup>	4.0 <sup>b</sup>	3.1

\*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

<sup>a</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

<sup>2</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

<sup>3</sup> Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.