

Table 7.29A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 or Older, by Gender: Numbers in Thousands, 2002-2013

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL												
TOBACCO PRODUCTS¹	71,499 ^b	70,757 ^b	70,257 ^b	71,519 ^b	72,878 ^b	71,073 ^b	70,955 ^b	69,825 ^a	69,663 ^a	68,225	69,497 ^a	66,879
Cigarettes	61,136 ^b	60,434 ^b	59,896 ^b	60,532 ^b	61,568 ^b	60,183 ^b	59,833 ^b	58,723 ^b	58,336 ^a	56,819	57,525	55,778
Smokeless Tobacco	7,787 ^a	7,725 ^b	7,154 ^b	7,682 ^b	8,226	8,059	8,706	8,615	8,879	8,243	9,036	8,813
Cigars	12,751	12,837	13,727 ^b	13,640 ^a	13,701 ^a	13,300	13,225	13,345	13,273	12,865	13,417	12,438
Pipe Tobacco	1,816 ^a	1,619 ^b	1,835 ^a	2,190	2,315	2,044	1,885	2,104	2,155	2,137	2,530	2,271
ALCOHOL	119,820 ^b	118,965 ^b	120,934 ^b	126,028 ^b	125,360 ^b	126,865 ^b	128,884 ^b	130,642 ^b	131,374 ^b	133,385 ^a	135,502	136,868
Binge Alcohol Use ²	53,787 ^b	53,770 ^b	54,725 ^b	55,090 ^b	56,680 ^b	57,858	58,368	59,690	58,535	58,341	59,685	60,064
Heavy Alcohol Use ²	15,860	16,144	16,689	16,035	16,958	17,023	17,373	17,175	16,899	15,865	17,021	16,541
MALE												
TOBACCO PRODUCTS¹	41,991 ^b	41,288 ^a	41,569 ^a	42,175 ^b	43,427 ^b	42,413 ^b	41,884 ^b	40,930	41,622 ^a	40,232	41,522 ^a	39,549
Cigarettes	32,636 ^b	32,263 ^b	32,278 ^b	32,312 ^b	33,249 ^b	32,632 ^b	31,913 ^a	30,916	31,378	30,331	31,021	30,041
Smokeless Tobacco	7,242 ^a	7,096 ^b	6,730 ^b	7,174 ^b	7,838	7,598	8,248	8,203	8,367	7,676	8,496	8,211
Cigars	10,669 ^a	10,372	11,375 ^b	11,355 ^b	11,102 ^b	10,971 ^b	10,980 ^b	10,739 ^a	10,583	10,179	10,756 ^a	9,755
Pipe Tobacco	1,487	1,400 ^a	1,579	1,877	2,026	1,794	1,488 ^a	1,787	1,739	1,728	2,038	1,878
ALCOHOL	65,210 ^b	65,927 ^b	66,317 ^b	68,497 ^b	68,049 ^b	68,129 ^b	69,908 ^b	70,371 ^a	70,765 ^a	70,736	71,187	72,605
Binge Alcohol Use ²	35,456 ^b	35,565 ^b	36,195 ^b	36,025 ^b	37,379	38,151	38,384	38,691	38,116	37,375	38,277	38,379
Heavy Alcohol Use ²	12,216	11,958	12,388	12,172	12,781	12,790	12,933	12,636	12,460	11,663	12,469	12,093
FEMALE												
TOBACCO PRODUCTS¹	29,509 ^b	29,469 ^b	28,688	29,344 ^b	29,452 ^b	28,660	29,071 ^a	28,895 ^a	28,041	27,993	27,976	27,331
Cigarettes	28,500 ^b	28,171 ^b	27,618 ^b	28,220 ^b	28,319 ^b	27,551 ^a	27,920 ^b	27,807 ^b	26,957	26,488	26,504	25,737
Smokeless Tobacco	545	628	424	508	388	461	458	412	511	568	540	603
Cigars	2,082 ^b	2,465	2,352	2,285 ^a	2,599	2,329	2,246 ^a	2,606	2,691	2,686	2,661	2,683
Pipe Tobacco	330	219 ^b	256 ^a	313	289	250 ^b	397	317	416	410	492	392
ALCOHOL	54,610 ^b	53,038 ^b	54,616 ^b	57,531 ^b	57,311 ^b	58,736 ^b	58,977 ^b	60,271 ^b	60,609 ^b	62,649	64,315	64,263
Binge Alcohol Use ²	18,331 ^b	18,205 ^b	18,530 ^b	19,065 ^b	19,301 ^b	19,707 ^b	19,983 ^b	20,998	20,419	20,966	21,409	21,685
Heavy Alcohol Use ²	3,645 ^b	4,186	4,301	3,863 ^a	4,177	4,233	4,441	4,539	4,439	4,202	4,553	4,448

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.29B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 or Older, by Gender: Percentages, 2002-2013

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL												
TOBACCO PRODUCTS¹	30.4 ^b	29.8 ^b	29.2 ^b	29.4 ^b	29.6 ^b	28.7 ^b	28.4 ^b	27.7 ^b	27.5 ^b	26.5 ^a	26.7 ^b	25.5
Cigarettes	26.0 ^b	25.4 ^b	24.9 ^b	24.9 ^b	25.0 ^b	24.3 ^b	24.0 ^b	23.3 ^b	23.0 ^b	22.1	22.1 ^a	21.3
Smokeless Tobacco	3.3	3.3	3.0 ^a	3.2	3.3	3.3	3.5	3.4	3.5	3.2	3.5	3.4
Cigars	5.4 ^b	5.4 ^b	5.7 ^b	5.6 ^b	5.6 ^b	5.4 ^b	5.3 ^b	5.3 ^b	5.2 ^a	5.0	5.2 ^a	4.7
Pipe Tobacco	0.8	0.7 ^a	0.8	0.9	0.9	0.8	0.8	0.8	0.8	0.8	1.0	0.9
ALCOHOL	51.0 ^a	50.1 ^b	50.3 ^b	51.8	51.0 ^a	51.2	51.6	51.9	51.8	51.8	52.1	52.2
Binge Alcohol Use ²	22.9	22.6	22.8	22.7	23.0	23.3	23.4	23.7	23.1	22.6	23.0	22.9
Heavy Alcohol Use ²	6.7	6.8 ^a	6.9 ^b	6.6	6.9 ^a	6.9 ^a	7.0 ^b	6.8 ^a	6.7	6.2	6.5	6.3
MALE												
TOBACCO PRODUCTS¹	37.0 ^b	35.9 ^b	35.7 ^b	35.8 ^b	36.4 ^b	35.3 ^b	34.5 ^b	33.5 ^b	33.7 ^b	32.3	33.0 ^b	31.1
Cigarettes	28.7 ^b	28.1 ^b	27.7 ^b	27.4 ^b	27.9 ^b	27.1 ^b	26.3 ^b	25.3 ^b	25.4 ^b	24.3	24.6	23.6
Smokeless Tobacco	6.4	6.2	5.8 ^a	6.1	6.6	6.3	6.8	6.7	6.8	6.2	6.7	6.5
Cigars	9.4 ^b	9.0 ^b	9.8 ^b	9.6 ^b	9.3 ^b	9.1 ^b	9.1 ^b	8.8 ^b	8.6 ^a	8.2	8.5 ^a	7.7
Pipe Tobacco	1.3	1.2	1.4	1.6	1.7	1.5	1.2	1.5	1.4	1.4	1.6	1.5
ALCOHOL	57.4	57.3	56.9	58.1	57.0	56.6	57.7	57.5	57.3	56.8	56.5	57.1
Binge Alcohol Use ²	31.2	30.9	31.1	30.5	31.3	31.7 ^a	31.7 ^a	31.6 ^a	30.9	30.0	30.4	30.2
Heavy Alcohol Use ²	10.8 ^b	10.4 ^a	10.6 ^b	10.3 ^a	10.7 ^b	10.6 ^b	10.7 ^b	10.3 ^a	10.1	9.4	9.9	9.5
FEMALE												
TOBACCO PRODUCTS¹	24.3 ^b	24.0 ^b	23.1 ^b	23.4 ^b	23.3 ^b	22.5 ^b	22.6 ^b	22.3 ^b	21.5 ^a	21.1	20.9	20.2
Cigarettes	23.4 ^b	23.0 ^b	22.3 ^b	22.5 ^b	22.4 ^b	21.6 ^b	21.7 ^b	21.5 ^b	20.7 ^b	19.9	19.8	19.0
Smokeless Tobacco	0.4	0.5	0.3	0.4	0.3	0.4	0.4	0.3	0.4	0.4	0.4	0.4
Cigars	1.7	2.0	1.9	1.8	2.1	1.8	1.7	2.0	2.1	2.0	2.0	2.0
Pipe Tobacco	0.3	0.2 ^b	0.2	0.3	0.2	0.2 ^b	0.3	0.2	0.3	0.3	0.4	0.3
ALCOHOL	44.9 ^b	43.2 ^b	44.0 ^b	45.9 ^a	45.2 ^b	46.0	45.9 ^a	46.5	46.6	47.1	47.9	47.5
Binge Alcohol Use ²	15.1	14.8 ^a	14.9 ^a	15.2	15.2	15.4	15.5	16.2	15.7	15.8	16.0	16.0
Heavy Alcohol Use ²	3.0	3.4	3.5	3.1	3.3	3.3	3.5	3.5	3.4	3.2	3.4	3.3

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.30A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 to 17, by Gender: Numbers in Thousands, 2002-2013

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL												
TOBACCO PRODUCTS¹	3,767 ^b	3,610 ^b	3,635 ^b	3,324 ^b	3,282 ^b	3,141 ^b	2,870 ^b	2,894 ^b	2,612 ^b	2,490 ^b	2,152 ^a	1,951
Cigarettes	3,209 ^b	3,044 ^b	2,998 ^b	2,733 ^b	2,642 ^b	2,495 ^b	2,282 ^b	2,216 ^b	2,040 ^b	1,939 ^b	1,634 ^b	1,397
Smokeless Tobacco	487	511	571	523	601 ^b	620 ^b	555	583 ^a	570	517	515	487
Cigars	1,117 ^b	1,115 ^b	1,201 ^b	1,064 ^b	1,049 ^b	1,073 ^b	951 ^b	990 ^b	788 ^b	858 ^b	645	576
Pipe Tobacco	137	160	178	158	168	181	178	231 ^a	155	182	165	160
ALCOHOL	4,365 ^b	4,425 ^b	4,436 ^b	4,191 ^b	4,228 ^b	4,040 ^b	3,671 ^b	3,649 ^b	3,319 ^b	3,326 ^b	3,217 ^b	2,877
Binge Alcohol Use ²	2,641 ^b	2,658 ^b	2,794 ^b	2,513 ^b	2,621 ^b	2,457 ^b	2,208 ^b	2,189 ^b	1,912 ^b	1,849 ^b	1,799 ^b	1,556
Heavy Alcohol Use ²	630 ^b	652 ^b	671 ^b	611 ^b	604 ^b	592 ^b	496 ^b	520 ^b	409 ^b	379 ^b	326	293
MALE												
TOBACCO PRODUCTS¹	2,019 ^b	1,988 ^b	1,972 ^b	1,843 ^b	1,815 ^b	1,825 ^b	1,614 ^b	1,733 ^b	1,529 ^b	1,475 ^b	1,270	1,158
Cigarettes	1,556 ^b	1,514 ^b	1,453 ^b	1,387 ^b	1,307 ^b	1,293 ^b	1,153 ^b	1,170 ^b	1,072 ^b	1,048 ^b	865 ^b	722
Smokeless Tobacco	436	479	521 ^a	476	547 ^b	569 ^b	499	523 ^a	498	461	470	438
Cigars	790 ^b	789 ^b	852 ^b	748 ^b	719 ^b	781 ^b	683 ^b	666 ^b	539 ^b	562 ^b	445	407
Pipe Tobacco	89	121	110	109	114	116	99	162 ^b	98	101	87	88
ALCOHOL	2,200 ^b	2,185 ^b	2,216 ^b	2,057 ^b	2,114 ^b	2,057 ^b	1,827 ^b	1,921 ^b	1,710 ^b	1,697 ^b	1,607 ^a	1,429
Binge Alcohol Use ²	1,441 ^b	1,421 ^b	1,496 ^b	1,341 ^b	1,394 ^b	1,372 ^b	1,140 ^b	1,221 ^b	1,038 ^b	1,004 ^b	941	845
Heavy Alcohol Use ²	395 ^b	374 ^b	407 ^b	383 ^b	369 ^b	367 ^b	296 ^b	297 ^b	257 ^b	235 ^a	177	173
FEMALE												
TOBACCO PRODUCTS¹	1,748 ^b	1,622 ^b	1,663 ^b	1,481 ^b	1,467 ^b	1,316 ^b	1,256 ^b	1,161 ^b	1,083 ^b	1,014 ^b	882	793
Cigarettes	1,653 ^b	1,530 ^b	1,545 ^b	1,345 ^b	1,336 ^b	1,202 ^b	1,130 ^b	1,046 ^b	969 ^b	890 ^b	769	675
Smokeless Tobacco	51	32	50	47	55	50	56	60	72	56	45	49
Cigars	327 ^b	326 ^b	349 ^b	316 ^b	330 ^b	292 ^b	268 ^b	324 ^b	250 ^b	296 ^b	200	169
Pipe Tobacco	49	40 ^a	68	49	55	65	79	68	57	82	78	72
ALCOHOL	2,165 ^b	2,241 ^b	2,220 ^b	2,134 ^b	2,113 ^b	1,984 ^b	1,844 ^b	1,728 ^b	1,609 ^a	1,629 ^a	1,609 ^a	1,448
Binge Alcohol Use ²	1,200 ^b	1,237 ^b	1,298 ^b	1,172 ^b	1,228 ^b	1,086 ^b	1,068 ^b	968 ^b	874 ^b	845 ^a	859 ^b	711
Heavy Alcohol Use ²	235 ^b	278 ^b	264 ^b	229 ^b	235 ^b	225 ^b	200 ^b	223 ^b	152	144	149	119

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.30B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 12 to 17, by Gender: Percentages, 2002-2013

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL												
TOBACCO PRODUCTS¹	15.2 ^b	14.4 ^b	14.4 ^b	13.1 ^b	12.9 ^b	12.4 ^b	11.5 ^b	11.8 ^b	10.7 ^b	10.0 ^b	8.6 ^a	7.8
Cigarettes	13.0 ^b	12.2 ^b	11.9 ^b	10.8 ^b	10.4 ^b	9.9 ^b	9.2 ^b	9.0 ^b	8.4 ^b	7.8 ^b	6.6 ^b	5.6
Smokeless Tobacco	2.0	2.0	2.3	2.1	2.4 ^a	2.5 ^b	2.2	2.4 ^a	2.3 ^a	2.1	2.1	2.0
Cigars	4.5 ^b	4.5 ^b	4.8 ^b	4.2 ^b	4.1 ^b	4.3 ^b	3.8 ^b	4.0 ^b	3.2 ^b	3.4 ^b	2.6	2.3
Pipe Tobacco	0.6	0.6	0.7	0.6	0.7	0.7	0.7	0.9 ^b	0.6	0.7	0.7	0.6
ALCOHOL	17.6 ^b	17.7 ^b	17.6 ^b	16.5 ^b	16.7 ^b	16.0 ^b	14.7 ^b	14.8 ^b	13.6 ^b	13.3 ^b	12.9 ^b	11.6
Binge Alcohol Use ²	10.7 ^b	10.6 ^b	11.1 ^b	9.9 ^b	10.3 ^b	9.7 ^b	8.9 ^b	8.9 ^b	7.9 ^b	7.4 ^b	7.2 ^b	6.2
Heavy Alcohol Use ²	2.5 ^b	2.6 ^b	2.7 ^b	2.4 ^b	2.4 ^b	2.3 ^b	2.0 ^b	2.1 ^b	1.7 ^b	1.5 ^b	1.3	1.2
MALE												
TOBACCO PRODUCTS¹	16.0 ^b	15.6 ^b	15.3 ^b	14.2 ^b	14.0 ^b	14.2 ^b	12.7 ^b	13.8 ^b	12.3 ^b	11.6 ^b	10.0	9.1
Cigarettes	12.3 ^b	11.9 ^b	11.3 ^b	10.7 ^b	10.1 ^b	10.0 ^b	9.1 ^b	9.3 ^b	8.6 ^b	8.2 ^b	6.8 ^b	5.7
Smokeless Tobacco	3.4	3.7	4.0	3.7	4.2 ^a	4.4 ^b	3.9	4.2 ^a	4.0	3.6	3.7	3.4
Cigars	6.2 ^b	6.2 ^b	6.6 ^b	5.8 ^b	5.5 ^b	6.1 ^b	5.4 ^b	5.3 ^b	4.3 ^b	4.4 ^b	3.5	3.2
Pipe Tobacco	0.7	0.9	0.9	0.8	0.9	0.9	0.8	1.3 ^b	0.8	0.8	0.7	0.7
ALCOHOL	17.4 ^b	17.1 ^b	17.2 ^b	15.9 ^b	16.3 ^b	16.0 ^b	14.4 ^b	15.3 ^b	13.7 ^b	13.3 ^b	12.6 ^a	11.2
Binge Alcohol Use ²	11.4 ^b	11.1 ^b	11.6 ^b	10.4 ^b	10.7 ^b	10.6 ^b	9.0 ^b	9.7 ^b	8.3 ^b	7.9 ^b	7.4	6.6
Heavy Alcohol Use ²	3.1 ^b	2.9 ^b	3.2 ^b	3.0 ^b	2.8 ^b	2.8 ^b	2.3 ^b	2.4 ^b	2.1 ^b	1.8 ^a	1.4	1.4
FEMALE												
TOBACCO PRODUCTS¹	14.4 ^b	13.3 ^b	13.5 ^b	11.9 ^b	11.8 ^b	10.7 ^b	10.3 ^b	9.6 ^b	9.1 ^b	8.3 ^b	7.2	6.5
Cigarettes	13.6 ^b	12.5 ^b	12.5 ^b	10.8 ^b	10.8 ^b	9.7 ^b	9.3 ^b	8.7 ^b	8.2 ^b	7.3 ^b	6.3	5.5
Smokeless Tobacco	0.4	0.3	0.4	0.4	0.4	0.4	0.5	0.5	0.6	0.5	0.4	0.4
Cigars	2.7 ^b	2.7 ^b	2.8 ^b	2.5 ^b	2.7 ^b	2.4 ^b	2.2 ^b	2.7 ^b	2.1 ^b	2.4 ^b	1.6	1.4
Pipe Tobacco	0.4	0.3 ^a	0.5	0.4	0.4	0.5	0.6	0.6	0.5	0.7	0.6	0.6
ALCOHOL	17.9 ^b	18.3 ^b	18.0 ^b	17.2 ^b	17.0 ^b	16.1 ^b	15.1 ^b	14.4 ^b	13.5 ^b	13.3 ^a	13.2 ^a	11.9
Binge Alcohol Use ²	9.9 ^b	10.1 ^b	10.5 ^b	9.4 ^b	9.9 ^b	8.8 ^b	8.8 ^b	8.0 ^b	7.4 ^b	6.9 ^a	7.0 ^b	5.8
Heavy Alcohol Use ²	1.9 ^b	2.3 ^b	2.1 ^b	1.8 ^b	1.9 ^b	1.8 ^b	1.6 ^b	1.8 ^b	1.3	1.2	1.2	1.0

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.31A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 25, by Gender: Numbers in Thousands, 2002-2013

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL												
TOBACCO PRODUCTS¹	14,049 ^b	14,201 ^b	14,359 ^b	14,382 ^b	14,396 ^b	13,700 ^b	13,638 ^b	13,986 ^b	13,934 ^b	13,532 ^b	13,167	12,882
Cigarettes	12,650 ^b	12,764 ^b	12,731 ^b	12,667 ^b	12,595 ^b	11,845 ^b	11,774 ^b	12,038 ^b	11,702 ^b	11,488 ^b	11,008	10,657
Smokeless Tobacco	1,502 ^b	1,486 ^b	1,589 ^b	1,664 ^b	1,715 ^b	1,718 ^b	1,762 ^a	2,056	2,182	1,867	1,911	2,018
Cigars	3,417	3,623	4,103 ^b	3,895 ^b	3,972 ^b	3,887 ^b	3,770 ^a	3,871 ^b	3,858 ^b	3,724	3,716	3,472
Pipe Tobacco	332 ^b	292 ^b	396 ^b	471 ^b	430 ^b	395 ^b	461 ^b	592 ^b	619 ^a	635	625 ^a	758
ALCOHOL	18,759 ^b	19,466 ^b	19,474 ^b	19,783 ^b	20,298	20,049 ^b	20,125 ^a	20,752	20,917	20,814	20,828	20,738
Binge Alcohol Use ²	12,699 ^a	13,188	13,271	13,597	13,838 ^b	13,709 ^a	13,573	14,045 ^b	13,796 ^a	13,653	13,662 ^a	13,187
Heavy Alcohol Use ²	4,625 ^b	4,788 ^b	4,848 ^b	4,967 ^b	5,105 ^b	4,837 ^b	4,807 ^b	4,627 ^b	4,617 ^b	4,165	4,386 ^b	3,939
MALE												
TOBACCO PRODUCTS¹	8,097	8,226	8,368	8,425 ^a	8,414 ^a	8,229	8,068	8,411 ^a	8,445 ^a	8,155	8,091	8,080
Cigarettes	6,897 ^b	7,040 ^b	7,041 ^b	7,007 ^b	6,915 ^b	6,669	6,532	6,817 ^b	6,588	6,582	6,343	6,346
Smokeless Tobacco	1,455 ^b	1,418 ^b	1,532 ^b	1,588 ^b	1,644 ^b	1,633 ^b	1,687 ^a	1,926	2,063	1,769	1,820	1,888
Cigars	2,605	2,758	3,179 ^b	2,997 ^b	3,078 ^b	3,051 ^b	2,892 ^a	2,967 ^b	2,906 ^a	2,742	2,836 ^a	2,602
Pipe Tobacco	262 ^b	228 ^b	335 ^b	372 ^b	353 ^b	314 ^b	339 ^b	466	418 ^a	449	465	555
ALCOHOL	10,129 ^b	10,652	10,501 ^a	10,830	10,871	10,756	10,630	11,126	11,360 ^b	10,867	10,908	10,875
Binge Alcohol Use ²	7,787	8,163 ^a	8,101 ^a	8,442 ^b	8,295 ^b	8,214 ^b	8,013	8,402 ^b	8,322 ^b	7,961	7,941	7,750
Heavy Alcohol Use ²	3,282 ^b	3,372 ^b	3,434 ^b	3,545 ^b	3,469 ^b	3,284 ^b	3,305 ^b	3,224 ^b	3,173 ^b	2,814	3,016 ^b	2,659
FEMALE												
TOBACCO PRODUCTS¹	5,952 ^b	5,975 ^b	5,990 ^b	5,957 ^b	5,982 ^b	5,471 ^b	5,570 ^b	5,575 ^b	5,489 ^b	5,377 ^b	5,076	4,802
Cigarettes	5,753 ^b	5,724 ^b	5,690 ^b	5,660 ^b	5,680 ^b	5,176 ^b	5,243 ^b	5,221 ^b	5,114 ^b	4,906 ^b	4,665 ^a	4,310
Smokeless Tobacco	47 ^b	67 ^b	56 ^b	75 ^a	71 ^b	86	75 ^a	131	119	98	91	130
Cigars	813	865	924	898	894	836	878	905	952	982	880	870
Pipe Tobacco	69 ^b	65 ^b	61 ^b	100 ^b	77 ^b	82 ^b	123 ^b	126 ^b	201	186	160	203
ALCOHOL	8,630 ^b	8,814 ^b	8,974 ^b	8,953 ^b	9,427 ^b	9,292 ^b	9,494 ^a	9,626	9,558	9,947	9,920	9,864
Binge Alcohol Use ²	4,911 ^b	5,025 ^b	5,170	5,155	5,543	5,496	5,561	5,643	5,474	5,692	5,721	5,437
Heavy Alcohol Use ²	1,343	1,417	1,414	1,422	1,636 ^b	1,553 ^b	1,502 ^a	1,402	1,444	1,351	1,370	1,280

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.31B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 to 25, by Gender: Percentages, 2002-2013

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL												
TOBACCO PRODUCTS¹	45.3 ^b	44.8 ^b	44.6 ^b	44.3 ^b	44.0 ^b	41.9 ^b	41.4 ^b	41.6 ^b	40.9 ^b	39.5 ^b	38.1	37.0
Cigarettes	40.8 ^b	40.2 ^b	39.5 ^b	39.0 ^b	38.5 ^b	36.2 ^b	35.7 ^b	35.8 ^b	34.3 ^b	33.5 ^b	31.8	30.6
Smokeless Tobacco	4.8 ^b	4.7 ^b	4.9 ^b	5.1 ^a	5.2 ^a	5.2 ^a	5.3	6.1	6.4	5.4	5.5	5.8
Cigars	11.0 ^b	11.4 ^b	12.7 ^b	12.0 ^b	12.1 ^b	11.9 ^b	11.4 ^b	11.5 ^b	11.3 ^b	10.9 ^a	10.7	10.0
Pipe Tobacco	1.1 ^b	0.9 ^b	1.2 ^b	1.5 ^b	1.3 ^b	1.2 ^b	1.4 ^b	1.8 ^a	1.8 ^a	1.9	1.8 ^a	2.2
ALCOHOL	60.5	61.4 ^a	60.5	60.9	62.0 ^b	61.3 ^a	61.1 ^a	61.8 ^b	61.4 ^a	60.7	60.2	59.6
Binge Alcohol Use ²	40.9 ^b	41.6 ^b	41.2 ^b	41.9 ^b	42.3 ^b	41.9 ^b	41.2 ^b	41.8 ^b	40.5 ^b	39.8 ^a	39.5 ^a	37.9
Heavy Alcohol Use ²	14.9 ^b	15.1 ^b	15.1 ^b	15.3 ^b	15.6 ^b	14.8 ^b	14.6 ^b	13.8 ^b	13.5 ^b	12.1	12.7 ^b	11.3
MALE												
TOBACCO PRODUCTS¹	52.1 ^b	51.7 ^b	51.7 ^b	51.6 ^b	51.0 ^b	49.9 ^b	48.7 ^a	49.8 ^b	48.9 ^b	47.5	46.6	46.3
Cigarettes	44.4 ^b	44.2 ^b	43.5 ^b	42.9 ^b	41.9 ^b	40.5 ^b	39.4 ^b	40.4 ^b	38.1	38.3 ^a	36.6	36.3
Smokeless Tobacco	9.4 ^b	8.9 ^b	9.5 ^a	9.7 ^a	10.0	9.9	10.2	11.4	11.9	10.3	10.5	10.8
Cigars	16.8 ^b	17.3 ^b	19.7 ^b	18.3 ^b	18.7 ^b	18.5 ^b	17.5 ^b	17.6 ^b	16.8 ^b	16.0	16.4 ^a	14.9
Pipe Tobacco	1.7 ^b	1.4 ^b	2.1 ^b	2.3 ^b	2.1 ^b	1.9 ^b	2.0 ^b	2.8	2.4 ^a	2.6	2.7	3.2
ALCOHOL	65.2 ^b	66.9 ^b	64.9 ^b	66.3 ^b	65.9 ^b	65.3 ^b	64.2 ^a	65.9 ^b	65.7 ^b	63.3	62.9	62.3
Binge Alcohol Use ²	50.2 ^b	51.3 ^b	50.1 ^b	51.7 ^b	50.3 ^b	49.8 ^b	48.4 ^b	49.8 ^b	48.1 ^b	46.3	45.8	44.4
Heavy Alcohol Use ²	21.1 ^b	21.2 ^b	21.2 ^b	21.7 ^b	21.0 ^b	19.9 ^b	19.9 ^b	19.1 ^b	18.4 ^b	16.4	17.4 ^b	15.2
FEMALE												
TOBACCO PRODUCTS¹	38.4 ^b	37.8 ^b	37.4 ^b	36.9 ^b	36.8 ^b	33.7 ^b	34.0 ^b	33.4 ^b	32.7 ^b	31.4 ^b	29.4 ^a	27.7
Cigarettes	37.1 ^b	36.2 ^b	35.5 ^b	35.0 ^b	35.0 ^b	31.9 ^b	32.0 ^b	31.3 ^b	30.5 ^b	28.7 ^b	27.1 ^b	24.9
Smokeless Tobacco	0.3 ^b	0.4 ^a	0.4 ^b	0.5 ^a	0.4 ^a	0.5	0.5 ^a	0.8	0.7	0.6	0.5	0.8
Cigars	5.2	5.5	5.8	5.6	5.5	5.1	5.4	5.4	5.7	5.7	5.1	5.0
Pipe Tobacco	0.4 ^b	0.4 ^b	0.4 ^b	0.6 ^b	0.5 ^b	0.5 ^b	0.7 ^a	0.8 ^a	1.2	1.1	0.9	1.2
ALCOHOL	55.7	55.8	56.0	55.4	58.0	57.2	58.0	57.7	56.9	58.1	57.5	56.9
Binge Alcohol Use ²	31.7	31.8	32.3	31.9	34.1 ^b	33.8 ^a	34.0 ^b	33.8 ^b	32.6	33.2 ^a	33.2 ^a	31.4
Heavy Alcohol Use ²	8.7 ^a	9.0 ^b	8.8 ^b	8.8 ^b	10.1 ^b	9.6 ^b	9.2 ^b	8.4	8.6 ^a	7.9	7.9	7.4

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.32A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 26 or Older, by Gender: Numbers in Thousands, 2002-2013

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL												
TOBACCO PRODUCTS¹	53,683	52,946	52,263	53,813	55,200 ^b	54,232	54,446 ^a	52,946	53,117	52,203	54,178	52,046
Cigarettes	45,278	44,626	44,166	45,133	46,331 ^a	45,843	45,777	44,469	44,593	43,392	44,882	43,724
Smokeless Tobacco	5,797	5,728	4,994 ^b	5,495 ^a	5,910	5,722	6,388	5,976	6,127	5,859	6,609	6,308
Cigars	8,217	8,099	8,423	8,681	8,680	8,340	8,504	8,484	8,627	8,283	9,055	8,389
Pipe Tobacco	1,347	1,166	1,261	1,561	1,717	1,467	1,246	1,280	1,381	1,320	1,740	1,353
ALCOHOL	96,696 ^b	95,073 ^b	97,023 ^b	102,054 ^b	100,835 ^b	102,777 ^b	105,089 ^b	106,242 ^b	107,138 ^b	109,245 ^b	111,457	113,253
Binge Alcohol Use ²	38,447 ^b	37,924 ^b	38,661 ^b	38,980 ^b	40,220 ^b	41,692 ^b	42,586 ^b	43,456	42,827 ^a	42,839 ^a	44,224	45,322
Heavy Alcohol Use ²	10,605 ^b	10,704 ^b	11,170 ^a	10,457 ^b	11,250	11,594	12,070	12,028	11,874	11,321	12,309	12,310
MALE												
TOBACCO PRODUCTS¹	31,874	31,074	31,229	31,907	33,198 ^b	32,359 ^a	32,202 ^a	30,787	31,647	30,602	32,161 ^a	30,310
Cigarettes	24,184	23,709	23,784	23,917	25,027 ^b	24,669 ^a	24,229	22,929	23,718	22,701	23,813	22,973
Smokeless Tobacco	5,351	5,199	4,677 ^b	5,110 ^a	5,648	5,396	6,062	5,754	5,807	5,446	6,205	5,885
Cigars	7,274	6,825	7,344	7,610 ^a	7,305	7,139	7,404	7,107	7,138	6,875	7,475	6,745
Pipe Tobacco	1,136	1,051	1,133	1,396	1,559	1,364	1,051	1,158	1,223	1,178	1,487	1,235
ALCOHOL	52,880 ^b	53,090 ^b	53,601 ^b	55,610 ^b	55,064 ^b	55,316 ^b	57,451 ^b	57,324 ^b	57,695 ^b	58,172 ^a	58,672	60,302
Binge Alcohol Use ²	26,227 ^b	25,981 ^b	26,598 ^b	26,242 ^b	27,691 ^b	28,566	29,231	29,069	28,757	28,410	29,395	29,784
Heavy Alcohol Use ²	8,539	8,212 ^a	8,548	8,245 ^a	8,943	9,139	9,332	9,114	9,030	8,614	9,275	9,261
FEMALE												
TOBACCO PRODUCTS¹	21,809	21,872	21,034	21,906	22,002	21,873	22,245	22,159	21,470	21,601	22,017	21,736
Cigarettes	21,094	20,918	20,382	21,215	21,304	21,173	21,548	21,539	20,875	20,691	21,069	20,752
Smokeless Tobacco	447	529	318	385	262	325	327	221	320	413	404	423
Cigars	942 ^b	1,274	1,079 ^b	1,071 ^b	1,374	1,201 ^a	1,100 ^b	1,377	1,489	1,408	1,581	1,644
Pipe Tobacco	212	115	128	165	158	103	196	123	158	142	253 ^a	118
ALCOHOL	43,816 ^b	41,983 ^b	43,423 ^b	46,444 ^b	45,771 ^b	47,460 ^b	47,638 ^b	48,918 ^b	49,443 ^b	51,073 ^a	52,785	52,951
Binge Alcohol Use ²	12,220 ^b	11,943 ^b	12,063 ^b	12,738 ^b	12,530 ^b	13,126 ^b	13,355 ^b	14,387 ^a	14,070 ^a	14,429	14,829	15,538
Heavy Alcohol Use ²	2,067 ^b	2,492 ^a	2,623	2,212 ^b	2,306 ^b	2,455 ^a	2,739	2,914	2,843	2,707	3,034	3,049

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.32B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 26 or Older, by Gender: Percentages, 2002-2013

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL												
TOBACCO PRODUCTS¹	29.9 ^b	29.3 ^b	28.5 ^b	29.0 ^b	29.4 ^b	28.6 ^b	28.4 ^b	27.3 ^b	27.2 ^b	26.3	27.0 ^a	25.7
Cigarettes	25.2 ^b	24.7 ^b	24.1 ^b	24.3 ^b	24.7 ^b	24.1 ^b	23.8 ^b	23.0 ^b	22.8 ^a	21.9	22.4	21.6
Smokeless Tobacco	3.2	3.2	2.7 ^a	3.0	3.1	3.0	3.3	3.1	3.1	3.0	3.3	3.1
Cigars	4.6	4.5	4.6	4.7 ^a	4.6 ^a	4.4	4.4	4.4	4.4	4.2	4.5	4.1
Pipe Tobacco	0.8	0.6	0.7	0.8	0.9 ^a	0.8	0.6	0.7	0.7	0.7	0.9	0.7
ALCOHOL	53.9 ^b	52.5 ^b	53.0 ^b	55.1	53.7 ^b	54.1 ^a	54.7	54.9	54.9	55.1	55.6	55.9
Binge Alcohol Use ²	21.4	21.0 ^b	21.1 ^a	21.0 ^b	21.4	22.0	22.2	22.4	21.9	21.6	22.1	22.4
Heavy Alcohol Use ²	5.9	5.9	6.1	5.6	6.0	6.1	6.3	6.2	6.1	5.7	6.1	6.1
MALE												
TOBACCO PRODUCTS¹	37.3 ^b	36.0 ^b	35.7 ^b	36.0 ^b	36.9 ^b	35.6 ^b	35.0 ^b	33.2 ^a	33.8 ^b	32.3	33.6 ^b	31.3
Cigarettes	28.3 ^b	27.5 ^b	27.2 ^b	27.0 ^b	27.8 ^b	27.1 ^b	26.3 ^b	24.7	25.3 ^a	24.0	24.9	23.7
Smokeless Tobacco	6.3	6.0	5.3	5.8	6.3	5.9	6.6	6.2	6.2	5.8	6.5	6.1
Cigars	8.5 ^b	7.9 ^a	8.4 ^b	8.6 ^b	8.1 ^a	7.9 ^a	8.0 ^a	7.7	7.6	7.3	7.8	7.0
Pipe Tobacco	1.3	1.2	1.3	1.6	1.7 ^a	1.5	1.1	1.2	1.3	1.2	1.6	1.3
ALCOHOL	61.9	61.5	61.3	62.7	61.3	60.9	62.5	61.7	61.6	61.4	61.2	62.2
Binge Alcohol Use ²	30.7	30.1	30.4	29.6	30.8	31.4	31.8	31.3	30.7	30.0	30.7	30.7
Heavy Alcohol Use ²	10.0	9.5	9.8	9.3	9.9	10.1	10.1	9.8	9.6	9.1	9.7	9.6
FEMALE												
TOBACCO PRODUCTS¹	23.2 ^b	23.1 ^b	22.0 ^a	22.6 ^b	22.5 ^b	22.1 ^a	22.2 ^a	22.0 ^a	21.1	20.8	21.0	20.6
Cigarettes	22.5 ^b	22.1 ^b	21.3 ^a	21.9 ^b	21.7 ^b	21.4 ^b	21.5 ^b	21.4 ^b	20.6	20.0	20.1	19.6
Smokeless Tobacco	0.5	0.6	0.3	0.4	0.3	0.3	0.3	0.2	0.3	0.4	0.4	0.4
Cigars	1.0 ^b	1.3	1.1 ^a	1.1 ^a	1.4	1.2 ^a	1.1 ^b	1.4	1.5	1.4	1.5	1.6
Pipe Tobacco	0.2	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.1	0.2 ^a	0.1
ALCOHOL	46.6 ^b	44.3 ^b	45.4 ^b	48.0 ^a	46.7 ^b	47.9 ^a	47.6 ^b	48.5	48.7	49.3	50.4	50.1
Binge Alcohol Use ²	13.0 ^b	12.6 ^b	12.6 ^b	13.2 ^b	12.8 ^b	13.3 ^a	13.4 ^a	14.3	13.9	13.9	14.2	14.7
Heavy Alcohol Use ²	2.2 ^a	2.6	2.7	2.3 ^a	2.4 ^a	2.5	2.7	2.9	2.8	2.6	2.9	2.9

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.33A Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 or Older, by Gender: Numbers in Thousands, 2002-2013

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL												
TOBACCO PRODUCTS¹	67,732 ^a	67,147	66,622	68,195 ^b	69,596 ^b	67,932 ^a	68,085 ^b	66,932	67,051	65,735	67,345 ^a	64,928
Cigarettes	57,928 ^b	57,391 ^b	56,897 ^a	57,799 ^b	58,926 ^b	57,688 ^b	57,551 ^b	56,507	56,295	54,880	55,890	54,381
Smokeless Tobacco	7,299 ^a	7,214 ^b	6,583 ^b	7,158 ^b	7,625	7,440 ^a	8,150	8,032	8,309	7,726	8,521	8,326
Cigars	11,634	11,722	12,526	12,576	12,652	12,227	12,274	12,355	12,485	12,007	12,772	11,862
Pipe Tobacco	1,679	1,458 ^b	1,657 ^a	2,032	2,147	1,863	1,707	1,873	2,000	1,955	2,365	2,111
ALCOHOL	115,455 ^b	114,539 ^b	116,498 ^b	121,837 ^b	121,133 ^b	122,825 ^b	125,213 ^b	126,994 ^b	128,055 ^b	130,059 ^b	132,285	133,991
Binge Alcohol Use ²	51,146 ^b	51,112 ^b	51,931 ^b	52,577 ^b	54,058 ^b	55,401 ^b	56,159 ^a	57,501	56,623	56,491	57,886	58,508
Heavy Alcohol Use ²	15,231	15,492	16,018	15,424	16,354	16,431	16,877	16,655	16,490	15,486	16,695	16,248
MALE												
TOBACCO PRODUCTS¹	39,972	39,300	39,597	40,332 ^a	41,612 ^b	40,587 ^a	40,270 ^a	39,198	40,093 ^a	38,757	40,251 ^a	38,390
Cigarettes	31,080 ^a	30,749	30,825 ^a	30,924 ^a	31,942 ^b	31,338 ^a	30,760	29,746	30,307	29,282	30,156	29,319
Smokeless Tobacco	6,806 ^a	6,618 ^b	6,209 ^b	6,698 ^b	7,291	7,029 ^a	7,749	7,680	7,870	7,215	8,026	7,773
Cigars	9,879	9,583	10,523 ^b	10,607 ^b	10,383 ^a	10,190 ^a	10,296 ^a	10,073	10,044	9,617	10,311 ^a	9,348
Pipe Tobacco	1,398 ^a	1,279 ^b	1,469	1,768	1,912	1,678	1,389 ^a	1,624	1,641	1,627	1,952	1,790
ALCOHOL	63,009 ^b	63,742 ^b	64,101 ^b	66,440 ^b	65,935 ^b	66,073 ^b	68,081 ^b	68,450 ^b	69,055 ^a	69,039 ^a	69,580	71,176
Binge Alcohol Use ²	34,014 ^b	34,144 ^b	34,699 ^b	34,684 ^b	35,985 ^a	36,780	37,244	37,470	37,078	36,371	37,336	37,534
Heavy Alcohol Use ²	11,821	11,584	11,981	11,790	12,412	12,423	12,637	12,338	12,203	11,428	12,291	11,920
FEMALE												
TOBACCO PRODUCTS¹	27,761	27,847	27,025	27,863	27,984 ^a	27,345	27,815	27,734	26,958	26,979	27,093	26,538
Cigarettes	26,847 ^a	26,641 ^a	26,072	26,875 ^a	26,984 ^b	26,349	26,791 ^a	26,761 ^a	25,989	25,598	25,734	25,062
Smokeless Tobacco	493	596	374	460	333	411	402	352	439	511	495	553
Cigars	1,755 ^b	2,139	2,003 ^a	1,969 ^b	2,268	2,037 ^a	1,978 ^b	2,282	2,441	2,390	2,461	2,514
Pipe Tobacco	281	179 ^b	189 ^a	264	234	185 ^b	318	249	359	328	414	320
ALCOHOL	52,446 ^b	50,797 ^b	52,396 ^b	55,397 ^b	55,198 ^b	56,752 ^b	57,133 ^b	58,543 ^b	59,000 ^b	61,020	62,706	62,815
Binge Alcohol Use ²	17,132 ^b	16,968 ^b	17,232 ^b	17,893 ^b	18,073 ^b	18,621 ^b	18,915 ^b	20,030	19,544 ^a	20,121	20,550	20,975
Heavy Alcohol Use ²	3,409 ^b	3,908	4,037	3,634 ^a	3,942	4,008	4,241	4,316	4,287	4,058	4,404	4,328

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.33B Tobacco Product and Alcohol Use in the Past Month among Persons Aged 18 or Older, by Gender: Percentages, 2002-2013

Gender/Substance	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
TOTAL												
TOBACCO PRODUCTS¹	32.2 ^b	31.6 ^b	30.9 ^b	31.3 ^b	31.5 ^b	30.5 ^b	30.3 ^b	29.5 ^b	29.2 ^b	28.3	28.6 ^b	27.3
Cigarettes	27.5 ^b	27.0 ^b	26.4 ^b	26.5 ^b	26.7 ^b	25.9 ^b	25.6 ^b	24.9 ^b	24.6 ^b	23.6	23.8	22.9
Smokeless Tobacco	3.5	3.4	3.1 ^b	3.3	3.5	3.3	3.6	3.5	3.6	3.3	3.6	3.5
Cigars	5.5 ^a	5.5 ^a	5.8 ^b	5.8 ^b	5.7 ^b	5.5 ^a	5.5 ^a	5.4 ^a	5.4 ^a	5.2	5.4 ^a	5.0
Pipe Tobacco	0.8	0.7 ^a	0.8	0.9	1.0	0.8	0.8	0.8	0.9	0.8	1.0	0.9
ALCOHOL	54.9 ^a	53.9 ^b	54.1 ^b	55.9	54.9 ^a	55.2 ^a	55.7	55.9	55.9	55.9	56.3	56.4
Binge Alcohol Use ²	24.3	24.0	24.1	24.1	24.5	24.9	25.0	25.3	24.7	24.3	24.6	24.6
Heavy Alcohol Use ²	7.2	7.3	7.4 ^a	7.1	7.4 ^a	7.4 ^a	7.5 ^a	7.3	7.2	6.7	7.1	6.8
MALE												
TOBACCO PRODUCTS¹	39.6 ^b	38.4 ^b	38.2 ^b	38.4 ^b	39.1 ^b	37.8 ^b	37.1 ^b	35.7 ^b	36.1 ^b	34.6	35.6 ^b	33.6
Cigarettes	30.8 ^b	30.1 ^b	29.8 ^b	29.5 ^b	30.0 ^b	29.2 ^b	28.3 ^b	27.1 ^a	27.3 ^a	26.2	26.7	25.6
Smokeless Tobacco	6.7	6.5	6.0 ^a	6.4	6.9	6.5	7.1	7.0	7.1	6.4	7.1	6.8
Cigars	9.8 ^b	9.4 ^b	10.2 ^b	10.1 ^b	9.8 ^b	9.5 ^b	9.5 ^b	9.2 ^a	9.1 ^a	8.6	9.1 ^a	8.2
Pipe Tobacco	1.4	1.3	1.4	1.7	1.8	1.6	1.3	1.5	1.5	1.5	1.7	1.6
ALCOHOL	62.4	62.4	61.9	63.3	62.0	61.5	62.7	62.4	62.2	61.7	61.5	62.2
Binge Alcohol Use ²	33.7	33.4	33.5	33.0	33.8	34.3	34.3	34.1	33.4	32.5	33.0	32.8
Heavy Alcohol Use ²	11.7 ^b	11.3 ^a	11.6 ^a	11.2	11.7 ^b	11.6 ^a	11.6 ^b	11.2	11.0	10.2	10.9	10.4
FEMALE												
TOBACCO PRODUCTS¹	25.4 ^b	25.2 ^b	24.2 ^b	24.7 ^b	24.5 ^b	23.7 ^b	23.9 ^b	23.6 ^b	22.8	22.3	22.2	21.6
Cigarettes	24.5 ^b	24.1 ^b	23.3 ^b	23.8 ^b	23.6 ^b	22.9 ^b	23.0 ^b	22.8 ^b	22.0 ^b	21.2	21.1	20.4
Smokeless Tobacco	0.5	0.5	0.3	0.4	0.3	0.4	0.3	0.3	0.4	0.4	0.4	0.4
Cigars	1.6 ^b	1.9	1.8	1.7	2.0	1.8	1.7 ^a	1.9	2.1	2.0	2.0	2.0
Pipe Tobacco	0.3	0.2 ^a	0.2 ^a	0.2	0.2	0.2 ^b	0.3	0.2	0.3	0.3	0.3	0.3
ALCOHOL	47.9 ^b	46.0 ^b	46.9 ^b	49.1 ^a	48.3 ^b	49.3 ^a	49.1 ^a	49.8	49.9	50.5	51.4	51.0
Binge Alcohol Use ²	15.7 ^b	15.4 ^b	15.4 ^b	15.8 ^a	15.8 ^a	16.2	16.3	17.0	16.5	16.7	16.8	17.0
Heavy Alcohol Use ²	3.1	3.5	3.6	3.2	3.5	3.5	3.6	3.7	3.6	3.4	3.6	3.5

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

² Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.