

Table 7.35C Perceived Risk of Harm Associated with Substance Use and Perceived Availability of Substances among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2013

Risk/Availability	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
PERCEPTIONS OF GREAT RISK¹												
Cigarettes												
Smoke One or More Packs Per Day	108	104	104	110	106	108	101	103	107	107	106	109
Marijuana												
Smoke Once a Month	97	101	109	107	109	107	112	101	101	98	101	97
Smoke Once or Twice a Week	105	109	112	117	114	117	110	111	109	120	113	110
Cocaine												
Use Once a Month	108	112	106	114	107	110	108	110	107	115	109	108
Use Once or Twice a Week	86	88	92	95	90	95	95	93	91	92	94	97
Heroin												
Try Once or Twice	108	108	103	110	109	114	106	110	108	107	106	111
Use Once or Twice a Week	82	85	86	86	90	90	91	88	87	91	88	89
LSD												
Try Once or Twice	109	111	105	115	106	111	105	108	111	112	106	109
Use Once or Twice a Week	93	99	88	95	94	96	100	100	98	104	99	104
Alcohol												
Have Four or Five Drinks Nearly Every Day	118	112	112	108	109	108	108	107	104	114	103	106
Have Five or More Drinks Once or Twice a Week	106	103	101	118	108	112	111	101	109	120	111	109
PERCEIVED AVAILABILITY²												
Fairly or Very Easy to Obtain ³												
Marijuana	109	106	108	110	110	109	110	111	119	116	109	111
Cocaine	86	90	102	99	97	97	94	89	85	80	88	79
Crack	90	91	100	96	99	94	96	94	89	81	82	80
Heroin	73	79	80	74	78	75	73	74	68	65	71	64
LSD	79	84	84	79	75	74	74	71	71	69	68	70
Approached in the Past Month by Someone Selling Drugs	82	83	85	86	76	79	79	79	81	80	77	79

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

² Respondents with unknown Perceived Availability data were excluded.

³ Response categories for the Perceived Availability questions pertaining to the listed illicit drugs include "Probably impossible," "Very difficult," "Fairly difficult," "Fairly easy," and "Very easy." The estimates in this table correspond to persons reporting "Fairly easy" or "Very easy."

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.35D Perceived Risk of Harm Associated with Substance Use and Perceived Availability of Substances among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2013

Risk/Availability	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
PERCEPTIONS OF GREAT RISK¹												
Cigarettes												
Smoke One or More Packs Per Day	0.44	0.42	0.42	0.44	0.42	0.43	0.41	0.42	0.44	0.43	0.43	0.44
Marijuana												
Smoke Once a Month	0.40	0.41	0.44	0.43	0.44	0.43	0.46	0.42	0.42	0.40	0.41	0.40
Smoke Once or Twice a Week	0.43	0.44	0.45	0.47	0.45	0.47	0.45	0.46	0.46	0.49	0.46	0.45
Cocaine												
Use Once a Month	0.44	0.46	0.43	0.46	0.43	0.44	0.44	0.46	0.45	0.47	0.45	0.45
Use Once or Twice a Week	0.35	0.36	0.37	0.38	0.36	0.39	0.39	0.38	0.38	0.38	0.39	0.40
Heroin												
Try Once or Twice	0.45	0.44	0.42	0.44	0.44	0.46	0.44	0.46	0.46	0.44	0.44	0.46
Use Once or Twice a Week	0.34	0.35	0.35	0.35	0.36	0.36	0.38	0.37	0.37	0.37	0.36	0.37
LSD												
Try Once or Twice	0.46	0.46	0.44	0.48	0.44	0.47	0.45	0.46	0.49	0.47	0.45	0.47
Use Once or Twice a Week	0.39	0.41	0.36	0.39	0.39	0.41	0.42	0.43	0.43	0.44	0.42	0.45
Alcohol												
Have Four or Five Drinks Nearly Every Day	0.48	0.45	0.45	0.43	0.43	0.43	0.44	0.44	0.43	0.46	0.42	0.43
Have Five or More Drinks Once or Twice a Week	0.43	0.42	0.40	0.47	0.43	0.45	0.45	0.42	0.45	0.49	0.45	0.45
PERCEIVED AVAILABILITY²												
Fairly or Very Easy to Obtain ³												
Marijuana	0.45	0.44	0.44	0.44	0.44	0.45	0.45	0.47	0.50	0.48	0.45	0.46
Cocaine	0.36	0.38	0.42	0.41	0.40	0.40	0.39	0.38	0.37	0.33	0.37	0.33
Crack	0.37	0.38	0.41	0.39	0.41	0.39	0.40	0.40	0.38	0.34	0.35	0.34
Heroin	0.31	0.33	0.33	0.31	0.32	0.31	0.31	0.32	0.30	0.28	0.30	0.28
LSD	0.34	0.36	0.35	0.33	0.32	0.31	0.32	0.31	0.32	0.29	0.29	0.30
Approached in the Past Month by Someone Selling Drugs	0.33	0.33	0.34	0.34	0.30	0.31	0.32	0.32	0.33	0.32	0.31	0.32

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

² Respondents with unknown Perceived Availability data were excluded.

³ Response categories for the Perceived Availability questions pertaining to the listed illicit drugs include "Probably impossible," "Very difficult," "Fairly difficult," "Fairly easy," and "Very easy." The estimates in this table correspond to persons reporting "Fairly easy" or "Very easy."

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.35P Perceived Risk of Harm Associated with Substance Use and Perceived Availability of Substances among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Risk/Availability	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
PERCEPTIONS OF GREAT RISK¹												
Cigarettes												
Smoke One or More Packs Per Day	0.0763	0.9144	0.0000	0.0000	0.0000	0.0000	0.0000	0.0381	0.0860	0.0022	0.0223	
Marijuana												
Smoke Once a Month	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	
Smoke Once or Twice a Week	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Cocaine												
Use Once a Month	0.0535	0.0008	0.5574	0.5040	0.6406	0.6416	0.8641	0.8954	0.8471	0.0726	0.0961	
Use Once or Twice a Week	0.0092	0.0000	0.0122	0.0076	0.1494	0.4124	0.2197	0.9957	0.8635	0.5752	0.3844	
Heroin												
Try Once or Twice	0.6992	0.4069	0.0476	0.0058	0.1067	0.0508	0.2047	0.0168	0.2193	0.0092	0.1431	
Use Once or Twice a Week	0.0000	0.0000	0.0010	0.0001	0.0053	0.0178	0.0036	0.0386	0.2004	0.8873	0.6762	
LSD												
Try Once or Twice	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1442	0.3047	0.8890	0.9013	
Use Once or Twice a Week	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0012	0.0107	0.2671	0.1683	
Alcohol												
Have Four or Five Drinks Nearly Every Day	0.6499	0.1559	0.2734	0.0308	0.0006	0.0000	0.0000	0.0059	0.0003	0.0002	0.0135	
Have Five or More Drinks Once or Twice a Week	0.2246	0.4096	0.1337	0.3723	0.6173	0.6141	0.1000	0.3133	0.0273	0.0068	0.2236	
PERCEIVED AVAILABILITY²												
Fairly or Very Easy to Obtain ³												
Marijuana	0.0000	0.0000	0.0000	0.0004	0.0195	0.3749	0.2644	0.0310	0.7116	0.1708	0.1830	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0012	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	
Heroin	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0694	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0468	0.7210	
Approached in the Past Month by Someone Selling Drugs	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0042	0.0000	0.0001	0.0028	0.1080	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Response categories for the Perception of Risk questions include "No risk," "Slight risk," "Moderate risk," and "Great risk." The estimates in this table correspond to persons reporting "Great risk." Respondents with unknown Perception of Risk data were excluded.

² Respondents with unknown Perceived Availability data were excluded.

³ Response categories for the Perceived Availability questions pertaining to the listed illicit drugs include "Probably impossible," "Very difficult," "Fairly difficult," "Fairly easy," and "Very easy." The estimates in this table correspond to persons reporting "Fairly easy" or "Very easy."

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.