

Table 1.1A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	118,705	119,508	37,954	38,806	21,813	22,622
Marijuana and Hashish	104,446	106,232	28,521	29,206	16,718	17,373
Cocaine	36,599	37,210	4,797	4,499	1,637	1,466
Crack	8,359	9,158	1,016	871	492	378
Heroin	3,683	4,126	605	618	195	239
Hallucinogens	37,256	37,476	4,509	4,517	1,258	1,208
LSD	23,635	23,320	779	874	158	154
PCP	6,239	6,258	122	95	53	35
Ecstasy	14,234 ^b	15,901	2,799	2,645	760	695
Inhalants	22,448	21,660	2,090	2,030	560	685
Nonmedical Use of Psychotherapeutics ^{2,3}	51,771	51,641	16,006	16,031	6,953	6,967
Pain Relievers	35,046	34,776	12,405	12,213	5,257	5,100
OxyContin [®]	5,829	6,121	1,677	1,869	510	564
Tranquilizers	21,755	22,103	5,460	5,581	2,010	2,160
Stimulants ³	21,930	21,660	3,060	2,887	1,290	1,077
Methamphetamine ³	12,837	13,012	1,165	954	502	353
Sedatives	8,605 ^a	7,631	811	907	370	374
ILLCIT DRUGS OTHER THAN MARIJUANA¹	75,780	76,203	21,000	20,576	9,157	9,017

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.1B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	47.1	47.1	15.1	15.3	8.7	8.9
Marijuana and Hashish	41.5	41.9	11.3	11.5	6.6	6.9
Cocaine	14.5	14.7	1.9	1.8	0.7	0.6
Crack	3.3	3.6	0.4	0.3	0.2	0.1
Heroin	1.5	1.6	0.2	0.2	0.1	0.1
Hallucinogens	14.8	14.8	1.8	1.8	0.5	0.5
LSD	9.4	9.2	0.3	0.3	0.1	0.1
PCP	2.5	2.5	0.0	0.0	0.0	0.0
Ecstasy	5.7 ^b	6.3	1.1	1.0	0.3	0.3
Inhalants	8.9	8.5	0.8	0.8	0.2	0.3
Nonmedical Use of Psychotherapeutics ^{2,3}	20.6	20.4	6.4	6.3	2.8	2.7
Pain Relievers	13.9	13.7	4.9	4.8	2.1	2.0
OxyContin [®]	2.3	2.4	0.7	0.7	0.2	0.2
Tranquilizers	8.6	8.7	2.2	2.2	0.8	0.9
Stimulants ³	8.7	8.5	1.2	1.1	0.5	0.4
Methamphetamine ³	5.1	5.1	0.5	0.4	0.2	0.1
Sedatives	3.4 ^a	3.0	0.3	0.4	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	30.1	30.0	8.3	8.1	3.6	3.6

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.2A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	968	1,012	601	678	270	315
Marijuana and Hashish	208	230	151	197	62	69
Cocaine	14	10	11	3	6	*
Crack	4	6	4	1	2	*
Heroin	5	8	2	7	1	2
Hallucinogens	85	66	41	41	12	16
LSD	16	14	12	5	4	2
PCP	12	6	9	2	2	*
Ecstasy	37	23	17	19	6	14
Inhalants	580	592	301	311	106	113
Nonmedical Use of Psychotherapeutics ^{2,3}	371	418	245	289	120	156
Pain Relievers	312	358	202	256	105	138
OxyContin [®]	10	21	8	15	2	2
Tranquilizers	41	40	22	28	9	9
Stimulants ³	52	53	35	24	12	11
Methamphetamine ³	19	9	13	6	4	1
Sedatives	43	36	27	14	12	5
ILLCIT DRUGS OTHER THAN MARIJUANA¹	859	897	518	567	227	271

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.2B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	12.9	12.8	8.0	8.6	3.6	4.0
Marijuana and Hashish	2.8	2.9	2.0	2.5	0.8	0.9
Cocaine	0.2	0.1	0.1	0.0	0.1	*
Crack	0.1	0.1	0.0	0.0	0.0	*
Heroin	0.1	0.1	0.0	0.1	0.0	0.0
Hallucinogens	1.1	0.8	0.5	0.5	0.2	0.2
LSD	0.2	0.2	0.2	0.1	0.0	0.0
PCP	0.2	0.1	0.1	0.0	0.0	*
Ecstasy	0.5	0.3	0.2	0.2	0.1	0.2
Inhalants	7.7	7.5	4.0	3.9	1.4	1.4
Nonmedical Use of Psychotherapeutics ^{2,3}	4.9	5.3	3.3	3.7	1.6	2.0
Pain Relievers	4.1	4.5	2.7	3.2	1.4	1.7
OxyContin [®]	0.1	0.3	0.1	0.2	0.0	0.0
Tranquilizers	0.5	0.5	0.3	0.4	0.1	0.1
Stimulants ³	0.7	0.7	0.5	0.3	0.2	0.1
Methamphetamine ³	0.3	0.1	0.2	0.1	0.1	0.0
Sedatives	0.6	0.5	0.4	0.2	0.2	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	11.4	11.3	6.9	7.2	3.0	3.4

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.3A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	2,215 ^a	2,038	1,613	1,524	770	752
Marijuana and Hashish	1,313	1,249	1,083	1,059	537	521
Cocaine	81	95	55	71	9	16
Crack	13	15	10	5	5	2
Heroin	12	11	10	5	5	1
Hallucinogens	304	272	222	226	66	88
LSD	64	70	43	46	9	14
PCP	31	38	16	25	5	3
Ecstasy	162	165	125	132	36	48
Inhalants	893 ^b	748	366	354	67	100
Nonmedical Use of Psychotherapeutics ^{2,3}	921	818	653	569	284	240
Pain Relievers	763	707	570 ^a	474	231	204
OxyContin [®]	106	106	67	78	19	21
Tranquilizers	220	200	153	153	41	47
Stimulants ³	203	157	113	110	48	37
Methamphetamine ³	67	61	37	43	18	12
Sedatives	71	77	36	58	9	21
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,565 ^a	1,395	968	895	369	374

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.3B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	25.9	25.3	18.9	18.9	9.0	9.3
Marijuana and Hashish	15.4	15.5	12.7	13.2	6.3	6.5
Cocaine	1.0	1.2	0.6	0.9	0.1	0.2
Crack	0.2	0.2	0.1	0.1	0.1	0.0
Heroin	0.1	0.1	0.1	0.1	0.1	0.0
Hallucinogens	3.6	3.4	2.6	2.8	0.8	1.1
LSD	0.7	0.9	0.5	0.6	0.1	0.2
PCP	0.4	0.5	0.2	0.3	0.1	0.0
Ecstasy	1.9	2.0	1.5	1.6	0.4	0.6
Inhalants	10.5	9.3	4.3	4.4	0.8 ^a	1.2
Nonmedical Use of Psychotherapeutics ^{2,3}	10.8	10.2	7.6	7.1	3.3	3.0
Pain Relievers	8.9	8.8	6.7	5.9	2.7	2.5
OxyContin [®]	1.2	1.3	0.8	1.0	0.2	0.3
Tranquilizers	2.6	2.5	1.8	1.9	0.5	0.6
Stimulants ³	2.4	2.0	1.3	1.4	0.6	0.5
Methamphetamine ³	0.8	0.8	0.4	0.5	0.2	0.2
Sedatives	0.8	1.0	0.4	0.7	0.1	0.3
ILLCIT DRUGS OTHER THAN MARIJUANA¹	18.3	17.3	11.3	11.1	4.3	4.7

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.4A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	3,405	3,201	2,594	2,529	1,431	1,399
Marijuana and Hashish	2,660	2,660	2,104	2,144	1,200	1,205
Cocaine	307	257	175	165	54	44
Crack	40	39	14	13	1	2
Heroin	39	27	22	15	7	5
Hallucinogens	623	660	471	480	139	111
LSD	169	147	86	85	22	30
PCP	55 ^a	31	22	9	5	3
Ecstasy	373	432	274	315	74	61
Inhalants	795 ^a	665	288 ^a	217	72	50
Nonmedical Use of Psychotherapeutics ^{2,3}	1,504 ^a	1,348	988	954	368	328
Pain Relievers	1,303	1,173	844	791	317	268
OxyContin [®]	262	240	147	141	48 ^a	24
Tranquilizers	432	481	285	285	93	78
Stimulants ³	327	319	185	189	69	59
Methamphetamine ³	99	87	35	49	14	12
Sedatives	109 ^a	64	63	38	18	8
ILLICIT DRUGS OTHER THAN MARIJUANA¹	2,049 ^a	1,859	1,348	1,291	523	450

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.4B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	39.8	38.1	30.3	30.1	16.7	16.6
Marijuana and Hashish	31.1	31.7	24.6	25.5	14.0	14.3
Cocaine	3.6	3.1	2.0	2.0	0.6	0.5
Crack	0.5	0.5	0.2	0.1	0.0	0.0
Heroin	0.5	0.3	0.3	0.2	0.1	0.1
Hallucinogens	7.3	7.9	5.5	5.7	1.6	1.3
LSD	2.0	1.7	1.0	1.0	0.3	0.4
PCP	0.6 ^a	0.4	0.3	0.1	0.1	0.0
Ecstasy	4.4	5.1	3.2	3.8	0.9	0.7
Inhalants	9.3 ^a	7.9	3.4 ^a	2.6	0.8	0.6
Nonmedical Use of Psychotherapeutics ^{2,3}	17.6	16.0	11.5	11.4	4.3	3.9
Pain Relievers	15.2	14.0	9.9	9.4	3.7	3.2
OxyContin [®]	3.1	2.9	1.7	1.7	0.6 ^a	0.3
Tranquilizers	5.1	5.7	3.3	3.4	1.1	0.9
Stimulants ³	3.8	3.8	2.2	2.3	0.8	0.7
Methamphetamine ³	1.2	1.0	0.4	0.6	0.2	0.1
Sedatives	1.3 ^a	0.8	0.7	0.5	0.2	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	24.0 ^a	22.1	15.8	15.4	6.1	5.4

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.5A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	7,285	7,234	5,206	5,166	3,028	3,160
Marijuana and Hashish	6,454	6,361	4,524	4,484	2,650	2,775
Cocaine	1,361 ^a	1,160	635	561	151	161
Crack	192	194	54	65	14	23
Heroin	150 ^a	214	77	96	34	39
Hallucinogens	2,024	1,936	1,144	1,075	320	318
LSD	590	619	249	250	46	52
PCP	93	127	24	17	3	*
Ecstasy	1,278	1,354	679	726	193	187
Inhalants	1,177	1,177	306	305	76	52
Nonmedical Use of Psychotherapeutics ^{2,3}	3,452	3,362	2,094	1,992	847	813
Pain Relievers	2,933	2,846	1,683	1,570	682	613
OxyContin [®]	693	703	319	326	74	106
Tranquilizers	1,382	1,389	771	684	231	200
Stimulants ³	1,040	1,075	498	528	160	182
Methamphetamine ³	381	332	110	108	17	42
Sedatives	164	141	53	64	19	28
ILLCIT DRUGS OTHER THAN MARIJUANA¹	4,404	4,274	2,751	2,610	1,134	1,100

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.5B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	53.4	52.8	38.2	37.7	22.2	23.1
Marijuana and Hashish	47.3	46.4	33.2	32.7	19.4	20.3
Cocaine	10.0 ^a	8.5	4.7	4.1	1.1	1.2
Crack	1.4	1.4	0.4	0.5	0.1	0.2
Heroin	1.1 ^a	1.6	0.6	0.7	0.3	0.3
Hallucinogens	14.8	14.1	8.4	7.9	2.3	2.3
LSD	4.3	4.5	1.8	1.8	0.3	0.4
PCP	0.7	0.9	0.2	0.1	0.0	*
Ecstasy	9.4	9.9	5.0	5.3	1.4	1.4
Inhalants	8.6	8.6	2.2	2.2	0.6	0.4
Nonmedical Use of Psychotherapeutics ^{2,3}	25.3	24.5	15.3	14.5	6.2	5.9
Pain Relievers	21.5	20.8	12.3	11.5	5.0	4.5
OxyContin [®]	5.1	5.1	2.3	2.4	0.5	0.8
Tranquilizers	10.1	10.1	5.7	5.0	1.7	1.5
Stimulants ³	7.6	7.8	3.7	3.9	1.2	1.3
Methamphetamine ³	2.8	2.4	0.8	0.8	0.1	0.3
Sedatives	1.2	1.0	0.4	0.5	0.1	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA¹	32.3	31.2	20.2	19.1	8.3	8.0

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.6A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	12,224	12,185	6,888	6,768	4,096	4,168
Marijuana and Hashish	11,090	11,054	5,735	5,677	3,432	3,517
Cocaine	3,603	3,369	1,138	1,015	312	335
Crack	769	681	115	111	25	48
Heroin	423	393	98	114	31	50
Hallucinogens	4,341	4,325	1,265	1,347	297	355
LSD	1,704	1,557	266	294	50	53
PCP	374	310	10	18	2	5
Ecstasy	2,890	2,862	769	771	184	219
Inhalants	2,405	2,186	320	284	72	83
Nonmedical Use of Psychotherapeutics ^{2,3}	6,367	6,418	2,933	2,870	1,272	1,190
Pain Relievers	5,223	5,252	2,317	2,199	919	906
OxyContin [®]	1,391	1,426	440	420	101	131
Tranquilizers	2,908	3,083	1,016	1,106	385	365
Stimulants ³	2,516	2,435	724	705	261	228
Methamphetamine ³	1,129	1,021	191	158	66	41
Sedatives	359	323	107	99	65 ^a	29
ILLICIT DRUGS OTHER THAN MARIJUANA¹	8,095	8,071	3,901	3,758	1,659	1,611

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.6B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	61.3	59.8	34.6	33.2	20.5	20.5
Marijuana and Hashish	55.6	54.2	28.8	27.9	17.2	17.3
Cocaine	18.1 ^a	16.5	5.7	5.0	1.6	1.6
Crack	3.9	3.3	0.6	0.5	0.1	0.2
Heroin	2.1	1.9	0.5	0.6	0.2	0.2
Hallucinogens	21.8	21.2	6.3	6.6	1.5	1.7
LSD	8.5 ^a	7.6	1.3	1.4	0.3	0.3
PCP	1.9	1.5	0.1	0.1	0.0	0.0
Ecstasy	14.5	14.0	3.9	3.8	0.9	1.1
Inhalants	12.1 ^b	10.7	1.6	1.4	0.4	0.4
Nonmedical Use of Psychotherapeutics ^{2,3}	31.9	31.5	14.7	14.1	6.4	5.8
Pain Relievers	26.2	25.8	11.6	10.8	4.6	4.4
OxyContin [®]	7.0	7.0	2.2	2.1	0.5	0.6
Tranquilizers	14.6	15.1	5.1	5.4	1.9	1.8
Stimulants ³	12.6	11.9	3.6	3.5	1.3	1.1
Methamphetamine ³	5.7	5.0	1.0	0.8	0.3	0.2
Sedatives	1.8	1.6	0.5	0.5	0.3 ^a	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	40.6	39.6	19.6	18.4	8.3	7.9

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.7A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	21,483	21,798	7,825	8,185	4,468	5,031
Marijuana and Hashish	19,199	19,687	6,045	6,412	3,479	3,852
Cocaine	6,569	6,965	1,216	1,302	369	404
Crack	1,716	1,864	190	133	92 ^a	17
Heroin	790	851	122	168	32	29
Hallucinogens	8,671	8,660	968	948	339	243
LSD	5,320	5,241	94	159	20	4
PCP	800	865	37	3	36	3
Ecstasy	5,639	5,977	674	539	215	145
Inhalants	4,966	4,833	195	208	62	79
Nonmedical Use of Psychotherapeutics ^{2,3}	10,578	10,557	3,406	3,461	1,390	1,593
Pain Relievers	8,149	8,214	2,681	2,833	1,033	1,175
OxyContin [®]	1,743	1,805	355	460	134	134
Tranquilizers	4,611	4,741	1,143	1,197	412	451
Stimulants ³	4,499	4,339	665	579	293	269
Methamphetamine ³	2,838	2,703	273	191	127	77
Sedatives	649	759	161	183	81	86
ILLCIT DRUGS OTHER THAN MARIJUANA¹	14,688	14,788	4,471	4,413	1,915	2,021

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.7B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	59.3	59.7	21.6	22.4	12.3	13.8
Marijuana and Hashish	53.0	53.9	16.7	17.6	9.6	10.5
Cocaine	18.1	19.1	3.4	3.6	1.0	1.1
Crack	4.7	5.1	0.5	0.4	0.3 ^a	0.0
Heroin	2.2	2.3	0.3	0.5	0.1	0.1
Hallucinogens	23.9	23.7	2.7	2.6	0.9	0.7
LSD	14.7	14.3	0.3	0.4	0.1	0.0
PCP	2.2	2.4	0.1 ^a	0.0	0.1	0.0
Ecstasy	15.6	16.4	1.9	1.5	0.6	0.4
Inhalants	13.7	13.2	0.5	0.6	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	29.2	28.9	9.4	9.5	3.8	4.4
Pain Relievers	22.5	22.5	7.4	7.8	2.9	3.2
OxyContin [®]	4.8	4.9	1.0	1.3	0.4	0.4
Tranquilizers	12.7	13.0	3.2	3.3	1.1	1.2
Stimulants ³	12.4	11.9	1.8	1.6	0.8	0.7
Methamphetamine ³	7.8	7.4	0.8	0.5	0.4	0.2
Sedatives	1.8	2.1	0.4	0.5	0.2	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA¹	40.6	40.5	12.3	12.1	5.3	5.5

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.8A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	71,124	72,040	13,227	13,955	7,750	7,797
Marijuana and Hashish	63,522	64,992	8,878	9,233	5,358	5,433
Cocaine	24,664	25,355	1,568	1,383	737	506
Crack	5,624	6,359	628	543	352	286
Heroin	2,264	2,622	273	212	84	112
Hallucinogens	21,208	21,556	397	400	85	77
LSD	15,772	15,672	28	35	*	*
PCP	4,872	4,879	*	21	*	21
Ecstasy	3,854 ^b	5,089	261	142	52	20
Inhalants	11,634	11,459	313	353	105	208
Nonmedical Use of Psychotherapeutics ^{2,3}	28,578	28,721	5,687	5,896	2,672	2,647
Pain Relievers	16,364	16,225	4,107	4,090	1,971	1,796
OxyContin [®]	1,624	1,821	340	430	132	146
Tranquilizers	12,160	12,169	2,070	2,129	838	1,009
Stimulants ³	13,294	13,282	839	751	448	290
Methamphetamine ³	8,303	8,800	506	398	256	167
Sedatives	7,209 ^a	6,231	365	451	165	195
ILLCIT DRUGS OTHER THAN MARIJUANA¹	44,120	44,918	7,042	7,041	3,329	3,191

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.8B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	45.2	45.4	8.4	8.8	4.9	4.9
Marijuana and Hashish	40.4	41.0	5.6	5.8	3.4	3.4
Cocaine	15.7	16.0	1.0	0.9	0.5	0.3
Crack	3.6	4.0	0.4	0.3	0.2	0.2
Heroin	1.4	1.7	0.2	0.1	0.1	0.1
Hallucinogens	13.5	13.6	0.3	0.3	0.1	0.0
LSD	10.0	9.9	0.0	0.0	*	*
PCP	3.1	3.1	*	0.0	*	0.0
Ecstasy	2.4 ^b	3.2	0.2	0.1	0.0	0.0
Inhalants	7.4	7.2	0.2	0.2	0.1	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	18.2	18.1	3.6	3.7	1.7	1.7
Pain Relievers	10.4	10.2	2.6	2.6	1.3	1.1
OxyContin [®]	1.0	1.1	0.2	0.3	0.1	0.1
Tranquilizers	7.7	7.7	1.3	1.3	0.5	0.6
Stimulants ³	8.4	8.4	0.5	0.5	0.3	0.2
Methamphetamine ³	5.3	5.5	0.3	0.3	0.2	0.1
Sedatives	4.6 ^a	3.9	0.2	0.3	0.1	0.1
ILLICIT DRUGS OTHER THAN MARIJUANA¹	28.0	28.3	4.5	4.4	2.1	2.0

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.9A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	63,482	64,433	21,873	22,507	13,240	13,810
Marijuana and Hashish	56,831	58,279	17,339	17,804	10,537	11,212
Cocaine	21,904	22,331	3,075	3,083	1,118	997
Crack	5,317	5,909	652	495	335	210
Heroin	2,490	2,853	424	424	101	163
Hallucinogens	22,589	22,848	2,808	2,912	779	763
LSD	15,024	14,834	529	596	100	119
PCP	4,234	4,250	60	60	24	27
Ecstasy	8,173 ^b	9,617	1,662	1,573	440	409
Inhalants	14,862	14,185	1,248	1,188	337	445
Nonmedical Use of Psychotherapeutics ^{2,3}	26,979	27,807	8,445	8,609	3,840	3,686
Pain Relievers	19,365	19,412	6,865	6,941	2,976	2,882
OxyContin [®]	3,595	3,861	1,022	1,059	328	294
Tranquilizers	11,276	11,902	2,851	2,744	1,030	987
Stimulants ³	11,988	12,057	1,556	1,565	718	577
Methamphetamine ³	7,625	7,897	660	600	301	200
Sedatives	5,010	4,381	398	539	221	256
ILLCIT DRUGS OTHER THAN MARIJUANA¹	41,507	42,139	11,651	11,590	5,245	5,028

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.9B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	51.9	52.2	17.9	18.2	10.8	11.2
Marijuana and Hashish	46.5	47.2	14.2	14.4	8.6	9.1
Cocaine	17.9	18.1	2.5	2.5	0.9	0.8
Crack	4.3	4.8	0.5	0.4	0.3	0.2
Heroin	2.0	2.3	0.3	0.3	0.1	0.1
Hallucinogens	18.5	18.5	2.3	2.4	0.6	0.6
LSD	12.3	12.0	0.4	0.5	0.1	0.1
PCP	3.5	3.4	0.0	0.0	0.0	0.0
Ecstasy	6.7 ^b	7.8	1.4	1.3	0.4	0.3
Inhalants	12.2	11.5	1.0	1.0	0.3	0.4
Nonmedical Use of Psychotherapeutics ^{2,3}	22.1	22.5	6.9	7.0	3.1	3.0
Pain Relievers	15.8	15.7	5.6	5.6	2.4	2.3
OxyContin [®]	2.9	3.1	0.8	0.9	0.3	0.2
Tranquilizers	9.2	9.6	2.3	2.2	0.8	0.8
Stimulants ³	9.8	9.8	1.3	1.3	0.6	0.5
Methamphetamine ³	6.2	6.4	0.5	0.5	0.2	0.2
Sedatives	4.1	3.5	0.3	0.4	0.2	0.2
ILLCIT DRUGS OTHER THAN MARIJUANA¹	33.9	34.1	9.5	9.4	4.3	4.1

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.10A Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	55,224	55,075	16,081	16,299	8,574	8,813
Marijuana and Hashish	47,615	47,953	11,182	11,402	6,182	6,161
Cocaine	14,695	14,879	1,723 ^a	1,417	519	470
Crack	3,042	3,250	364	376	157	168
Heroin	1,193	1,273	181	195	93	76
Hallucinogens	14,667	14,627	1,700	1,606	479	446
LSD	8,612	8,485	250	278	58	35
PCP	2,004	2,008	62	35	29	9
Ecstasy	6,061	6,284	1,136	1,072	319	286
Inhalants	7,586	7,474	842	842	223	240
Nonmedical Use of Psychotherapeutics ^{2,3}	24,792	23,834	7,561	7,422	3,114	3,281
Pain Relievers	15,682	15,363	5,539	5,272	2,281	2,218
OxyContin [®]	2,234	2,260	655	810	182	270
Tranquilizers	10,479	10,200	2,609	2,837	980	1,173
Stimulants ³	9,942	9,603	1,504	1,322	572	500
Methamphetamine ³	5,212	5,115	505	354	201	153
Sedatives	3,595	3,251	413	369	150	118
ILLCIT DRUGS OTHER THAN MARIJUANA¹	34,273	34,064	9,349	8,986	3,913	3,989

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.10B Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	42.6	42.3	12.4	12.5	6.6	6.8
Marijuana and Hashish	36.8	36.8	8.6	8.8	4.8	4.7
Cocaine	11.3	11.4	1.3 ^a	1.1	0.4	0.4
Crack	2.3	2.5	0.3	0.3	0.1	0.1
Heroin	0.9	1.0	0.1	0.1	0.1	0.1
Hallucinogens	11.3	11.2	1.3	1.2	0.4	0.3
LSD	6.6	6.5	0.2	0.2	0.0	0.0
PCP	1.5	1.5	0.0	0.0	0.0	0.0
Ecstasy	4.7	4.8	0.9	0.8	0.2	0.2
Inhalants	5.9	5.7	0.7	0.6	0.2	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	19.1	18.3	5.8	5.7	2.4	2.5
Pain Relievers	12.1	11.8	4.3	4.0	1.8	1.7
OxyContin [®]	1.7	1.7	0.5	0.6	0.1	0.2
Tranquilizers	8.1	7.8	2.0	2.2	0.8	0.9
Stimulants ³	7.7	7.4	1.2	1.0	0.4	0.4
Methamphetamine ³	4.0	3.9	0.4	0.3	0.2	0.1
Sedatives	2.8	2.5	0.3	0.3	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	26.5	26.2	7.2	6.9	3.0	3.1

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.