

Table 1.44A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	22,448	21,660	2,090	2,030	560	685
AGE						
12-17	2,267 ^b	2,005	956	881	245	263
18-25	3,581	3,363	626	589	148	135
26 or Older	16,599	16,292	508	561	167	288
GENDER						
Male	14,862	14,185	1,248	1,188	337	445
Female	7,586	7,474	842	842	223	240
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	20,107	19,331	1,667	1,649	420	537
White	18,156	17,114	1,335	1,387	323	442
Black or African American	1,088	1,156	178	155	52	71
American Indian or Alaska Native	131 ^a	219	13	20	2	6
Native Hawaiian or Other Pacific Islander	25	34	5	2	1	1
Asian	358	421	77	43	28	8
Two or More Races	349	386	58	43	14	9
Hispanic or Latino	2,341	2,329	423	381	140	149

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.44B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	8.9	8.5	0.8	0.8	0.2	0.3
AGE						
12-17	9.2 ^b	8.2	3.9	3.6	1.0	1.1
18-25	10.7 ^a	9.9	1.9	1.7	0.4	0.4
26 or Older	8.6	8.3	0.3	0.3	0.1	0.1
GENDER						
Male	12.2	11.5	1.0	1.0	0.3	0.4
Female	5.9	5.7	0.7	0.6	0.2	0.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	9.3	8.9	0.8	0.8	0.2	0.2
White	10.7	10.1	0.8	0.8	0.2	0.3
Black or African American	3.6	3.8	0.6	0.5	0.2	0.2
American Indian or Alaska Native	10.7 ^a	18.2	1.1	1.6	0.2	0.5
Native Hawaiian or Other Pacific Islander	3.1	4.7	0.6	0.3	0.2	0.2
Asian	3.2	3.7	0.7	0.4	0.3	0.1
Two or More Races	11.8	12.1	2.0	1.3	0.5	0.3
Hispanic or Latino	6.5	6.3	1.2	1.0	0.4	0.4

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.45A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	2,267 ^b	2,005	956	881	245	263
GENDER						
Male	1,103 ^a	982	455 ^a	380	121	115
Female	1,164 ^a	1,023	501	501	124	147
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	1,813 ^b	1,544	774 ^a	665	189	194
White	1,269 ^b	1,092	546	508	124	141
Black or African American	362 ^a	279	159 ^a	100	43	44
American Indian or Alaska Native	18	20	6	8	2	4
Native Hawaiian or Other Pacific Islander	*	*	*	1	*	1
Asian	104	90	37	28	15	3
Two or More Races	54	58	25	21	5	2
Hispanic or Latino	455	460	181	216	56	69
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	611	543	248	225	52	67
Female, White, Not Hispanic	659 ^a	550	298	283	72	74
Male, Black, Not Hispanic	173	137	60	43	14	16
Female, Black, Not Hispanic	189	142	99 ^a	56	29	28
Male, Hispanic	231	214	101	86	38	29
Female, Hispanic	224	246	80 ^a	131	18	40

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.45B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	9.2 ^b	8.2	3.9	3.6	1.0	1.1
GENDER						
Male	8.8	7.9	3.6	3.1	1.0	0.9
Female	9.7 ^a	8.6	4.2	4.2	1.0	1.2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	9.2 ^b	7.9	3.9	3.4	1.0	1.0
White	8.8 ^a	7.8	3.8	3.6	0.9	1.0
Black or African American	9.8 ^a	7.8	4.3 ^a	2.8	1.2	1.2
American Indian or Alaska Native	14.0	14.9	4.6	6.0	1.3	2.9
Native Hawaiian or Other Pacific Islander	*	*	*	1.5	*	0.8
Asian	10.5	8.5	3.7	2.6	1.5	0.3
Two or More Races	10.2	11.0	4.8	4.0	0.9	0.4
Hispanic or Latino	9.5	9.4	3.8	4.4	1.2	1.4
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	8.3	7.5	3.4	3.1	0.7	0.9
Female, White, Not Hispanic	9.4 ^a	8.0	4.2	4.1	1.0	1.1
Male, Black, Not Hispanic	9.3	7.6	3.2	2.4	0.8	0.9
Female, Black, Not Hispanic	10.3	7.9	5.4 ^a	3.2	1.6	1.6
Male, Hispanic	9.4	8.4	4.1	3.4	1.5	1.1
Female, Hispanic	9.5	10.4	3.4 ^a	5.5	0.8	1.7

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.46A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	3,581	3,363	626	589	148	135
GENDER						
Male	2,187	2,043	404	369	103	85
Female	1,395	1,320	222	220	44	50
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	2,995	2,848	492	497	110	109
White	2,698	2,491	440	431	97	76
Black or African American	149	190	19	30	9	23
American Indian or Alaska Native	44	27	5	*	*	2
Native Hawaiian or Other Pacific Islander	*	*	*	1	*	*
Asian	48	72	15	15	2	5
Two or More Races	50	59	9	10	0	1
Hispanic or Latino	586	515	134	92	38	26
EDUCATION						
< High School	712	599	138	142	35	30
High School Graduate	1,266	1,180	212	213	50	54
Some College	1,139	1,131	224	182	57	36
College Graduate	464	452	52	52	6	14
CURRENT EMPLOYMENT						
Full-Time	1,475	1,304	173	214	39	53
Part-Time	921	949	167	179	56	41
Unemployed	565	507	143 ^a	80	30	18
Other ¹	621	602	142	116	23	22

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.46B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	10.7 ^a	9.9	1.9	1.7	0.4	0.4
GENDER						
Male	12.9	11.8	2.4	2.1	0.6	0.5
Female	8.4	7.9	1.3	1.3	0.3	0.3
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	10.9	10.4	1.8	1.8	0.4	0.4
White	13.2 ^a	12.3	2.2	2.1	0.5	0.4
Black or African American	3.1	3.9	0.4	0.6	0.2	0.5
American Indian or Alaska Native	18.9	14.9	2.2	*	*	1.3
Native Hawaiian or Other Pacific Islander	*	*	*	0.6	*	*
Asian	3.2	5.0	1.0	1.0	0.2	0.3
Two or More Races	11.6	10.8	2.1	1.8	0.0	0.2
Hispanic or Latino	9.6	7.8	2.2	1.4	0.6	0.4
EDUCATION						
< High School	11.7	10.2	2.3	2.4	0.6	0.5
High School Graduate	10.8	10.0	1.8	1.8	0.4	0.5
Some College	10.3	9.7	2.0	1.6	0.5	0.3
College Graduate	9.8	9.5	1.1	1.1	0.1	0.3
CURRENT EMPLOYMENT						
Full-Time	11.9 ^a	10.5	1.4	1.7	0.3	0.4
Part-Time	9.8	9.9	1.8	1.9	0.6	0.4
Unemployed	12.4	11.2	3.1 ^a	1.8	0.7	0.4
Other ¹	8.5	8.0	2.0	1.5	0.3	0.3

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.47A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	16,599	16,292	508	561	167	288
GENDER						
Male	11,572	11,161	389	439	112	245
Female	5,027	5,132	119	121	55	43
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	15,299	14,938	401	487	122	234
White	14,189	13,531	349	449	101	225
Black or African American	577	687	*	25	*	3
American Indian or Alaska Native	69 ^b	173	2	1	0	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	207	259	25	1	11	*
Two or More Races	246	269	24	12	9	5
Hispanic or Latino	1,300	1,354	107	73	46	54
EDUCATION						
< High School	1,814	1,886	54	44	8	10
High School Graduate	3,949	3,628	75	58	44	33
Some College	4,620	4,504	183	279	43	132
College Graduate	6,216	6,274	196	179	73	112
CURRENT EMPLOYMENT						
Full-Time	10,973	10,646	273	383	120	217
Part-Time	1,995	2,119	102	80	6	38
Unemployed	1,226	931	60	29	17	29
Other ¹	2,405	2,595	74	68	23	4

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.47B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	8.6	8.3	0.3	0.3	0.1	0.1
GENDER						
Male	12.5	11.9	0.4	0.5	0.1	0.3
Female	5.0	5.1	0.1	0.1	0.1	0.0
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	9.1	8.8	0.2	0.3	0.1	0.1
White	10.5	10.0	0.3	0.3	0.1	0.2
Black or African American	2.7	3.2	*	0.1	*	0.0
American Indian or Alaska Native	8.0 ^b	19.4	0.3	0.1	0.1	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.4	2.9	0.3	0.0	0.1	*
Two or More Races	12.3	12.8	1.2	0.6	0.5	0.3
Hispanic or Latino	5.2	5.4	0.4	0.3	0.2	0.2
EDUCATION						
< High School	6.3	6.5	0.2	0.2	0.0	0.0
High School Graduate	6.8	6.3	0.1	0.1	0.1	0.1
Some College	9.9	9.5	0.4	0.6	0.1	0.3
College Graduate	10.3	10.3	0.3	0.3	0.1	0.2
CURRENT EMPLOYMENT						
Full-Time	10.7	10.5	0.3	0.4	0.1	0.2
Part-Time	8.9	9.0	0.5	0.3	0.0	0.2
Unemployed	12.0	9.1	0.6	0.3	0.2	0.3
Other ¹	4.1	4.4	0.1	0.1	0.0	0.0

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.48A Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	20,180	19,655	1,134	1,149	315	423
GENDER						
Male	13,759	13,204	793	808	216	330
Female	6,421	6,451	341	341	99	93
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	18,295	17,787	892	984	232	343
White	16,887	16,022	789	880	198	301
Black or African American	726	877	19	55	9	27
American Indian or Alaska Native	112 ^a	200	7	12	0	2
Native Hawaiian or Other Pacific Islander	20	28	3	1	1	1
Asian	254	332	40	15	13	5
Two or More Races	296	328	33	21	9	7
Hispanic or Latino	1,886	1,869	242	165	84	80
EDUCATION						
< High School	2,526	2,485	192	186	43	40
High School Graduate	5,215	4,808	288	271	93	88
Some College	5,759	5,635	407	461	100	168
College Graduate	6,681	6,727	248	231	79	126
CURRENT EMPLOYMENT						
Full-Time	12,448	11,951	446	597	159	271
Part-Time	2,916	3,069	269	259	62	79
Unemployed	1,790 ^a	1,438	203 ^a	110	47	47
Other ¹	3,026	3,198	217	184	47	26

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.48B Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	8.9	8.6	0.5	0.5	0.1	0.2
GENDER						
Male	12.5	11.9	0.7	0.7	0.2	0.3
Female	5.5	5.5	0.3	0.3	0.1	0.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	9.3	9.0	0.5	0.5	0.1	0.2
White	10.9	10.3	0.5	0.6	0.1	0.2
Black or African American	2.8	3.3	0.1	0.2	0.0	0.1
American Indian or Alaska Native	10.3 ^a	18.6	0.7	1.1	0.0	0.2
Native Hawaiian or Other Pacific Islander	2.7	4.3	0.4	0.1	0.1	0.1
Asian	2.5	3.2	0.4	0.1	0.1	0.0
Two or More Races	12.2	12.4	1.4	0.8	0.4	0.3
Hispanic or Latino	6.1	5.9	0.8	0.5	0.3	0.3
EDUCATION						
< High School	7.3	7.1	0.6	0.5	0.1	0.1
High School Graduate	7.4	6.9	0.4	0.4	0.1	0.1
Some College	10.0	9.5	0.7	0.8	0.2	0.3
College Graduate	10.3	10.3	0.4	0.4	0.1	0.2
CURRENT EMPLOYMENT						
Full-Time	10.8	10.5	0.4	0.5	0.1	0.2
Part-Time	9.2	9.3	0.8	0.8	0.2	0.2
Unemployed	12.1 ^a	9.7	1.4 ^a	0.7	0.3	0.3
Other ¹	4.6	4.8	0.3	0.3	0.1	0.0

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.