

**Table 1.64A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	104,950	106,613	28,688	29,301	16,826	17,409
<b>GEOGRAPHIC DIVISION</b>						
Northeast	20,431	21,091	6,133	5,808	3,593	3,471
New England	6,216	6,140	2,007	1,831	1,242	1,153
Middle Atlantic	14,215	14,951	4,126	3,977	2,352	2,317
Midwest	23,836	23,357	5,842	5,989	3,428	3,563
East North Central	16,853	16,612	4,177	4,396	2,460	2,666
West North Central	6,982	6,746	1,665	1,593	968	897
South	35,155	36,311	9,023	9,044	5,192	5,256
South Atlantic	19,456	19,793	5,127	5,074	3,013	2,914
East South Central	5,597	5,746	1,279	1,313	692	745
West South Central	10,101	10,772	2,617	2,657	1,486	1,597
West	25,529	25,854	7,690	8,460	4,613	5,118
Mountain	7,801	8,039	2,119 <sup>a</sup>	2,584	1,263	1,521
Pacific	17,728	17,815	5,571	5,876	3,350	3,597
<b>COUNTY TYPE</b>						
Large Metro	56,797	59,003	16,168	16,653	9,455	9,785
Small Metro	32,521	32,371	8,744	8,826	5,210	5,285
250K – 1 Mil. Pop.	21,819	22,125	5,743	5,929	3,450	3,540
< 250K Pop.	10,702	10,246	3,001	2,897	1,760	1,744
Nonmetro	15,632	15,239	3,776	3,822	2,162	2,339
Urbanized	7,182	6,899	1,766	1,756	1,017	1,177
Less Urbanized	7,025	7,258	1,729	1,840	1,006	1,062
Completely Rural	1,425	1,081	281	227	139	100

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.64B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	41.7	42.0	11.4	11.6	6.7	6.9
<b>GEOGRAPHIC DIVISION</b>						
Northeast	44.0	45.3	13.2	12.5	7.7	7.5
New England	51.0	50.1	16.5	14.9	10.2	9.4
Middle Atlantic	41.6	43.6	12.1	11.6	6.9	6.8
Midwest	43.2	42.2	10.6	10.8	6.2	6.4
East North Central	43.8	43.1	10.9	11.4	6.4	6.9
West North Central	41.8	40.1	10.0	9.5	5.8	5.3
South	38.2	39.1	9.8	9.7	5.6	5.7
South Atlantic	40.1	40.4	10.6	10.4	6.2	5.9
East South Central	37.3	38.1	8.5	8.7	4.6	4.9
West South Central	35.5	37.3	9.2	9.2	5.2	5.5
West	43.9	44.0	13.2	14.4	7.9	8.7
Mountain	43.8	44.6	11.9 <sup>a</sup>	14.3	7.1	8.4
Pacific	43.9	43.7	13.8	14.4	8.3	8.8
<b>COUNTY TYPE</b>						
Large Metro	42.4	43.5	12.1	12.3	7.1	7.2
Small Metro	42.4	41.8	11.4	11.4	6.8	6.8
250K – 1 Mil. Pop.	43.1	43.0	11.3	11.5	6.8	6.9
< 250K Pop.	41.0	39.5	11.5	11.2	6.7	6.7
Nonmetro	37.9	37.7	9.2	9.4	5.2	5.8
Urbanized	39.8	40.4	9.8	10.3	5.6	6.9
Less Urbanized	36.9	36.9	9.1	9.4	5.3	5.4
Completely Rural	34.0	29.0	6.7	6.1	3.3	2.7

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.65A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:  
Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	4,204	4,157	3,363	3,414	1,813	1,802
<b>GEOGRAPHIC DIVISION</b>						
Northeast	735	742	635	644	365	397
New England	226	227	198	192	114	119
Middle Atlantic	509	515	437	453	250	278
Midwest	928 <sup>a</sup>	836	733	676	413	358
East North Central	692 <sup>b</sup>	572	559 <sup>b</sup>	470	325 <sup>b</sup>	247
West North Central	236	263	174	206	89	111
South	1,382	1,428	1,071	1,151	535	549
South Atlantic	731	773	571	634	280	302
East South Central	188	197	139	157	63	68
West South Central	464	459	362	360	192	180
West	1,159	1,151	923	942	500	497
Mountain	349	364	278	291	156	135
Pacific	809	787	646	651	345	363
<b>COUNTY TYPE</b>						
Large Metro	2,249	2,208	1,829	1,859	973	1,020
Small Metro	1,343	1,364	1,066	1,083	619	560
250K – 1 Mil. Pop.	952	944	773	761	447	424
< 250K Pop.	390	420	292	322	173	135
Nonmetro	612	585	468	472	221	222
Urbanized	286 <sup>a</sup>	218	217	178	108	84
Less Urbanized	278	327	217	262	98	123
Completely Rural	48	40	34	31	15	15

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.65B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	17.1	17.1	13.7	14.0	7.4	7.4
<b>GEOGRAPHIC DIVISION</b>						
Northeast	17.1	17.5	14.7	15.2	8.5	9.4
New England	20.3	20.7	17.8	17.5	10.3	10.9
Middle Atlantic	15.9	16.4	13.7	14.4	7.8	8.9
Midwest	17.1	15.7	13.5	12.7	7.6	6.7
East North Central	18.2 <sup>b</sup>	15.3	14.7 <sup>b</sup>	12.6	8.6 <sup>b</sup>	6.6
West North Central	14.6	16.5	10.7	13.0	5.5	7.0
South	15.3	15.9	11.9	12.9	5.9	6.1
South Atlantic	16.1	17.2	12.6	14.1	6.2	6.7
East South Central	12.9	13.6	9.6	10.9	4.3	4.7
West South Central	15.4	15.2	12.0	11.9	6.4	6.0
West	19.7	19.8	15.7	16.2	8.5	8.5
Mountain	19.4	20.4	15.4	16.3	8.6	7.5
Pacific	19.8	19.5	15.8	16.1	8.5	9.0
<b>COUNTY TYPE</b>						
Large Metro	17.3	16.9	14.0	14.3	7.5	7.8
Small Metro	17.5	18.1	13.9	14.4	8.1	7.4
250K – 1 Mil. Pop.	18.6	18.7	15.1	15.1	8.7	8.4
< 250K Pop.	15.3	16.9	11.4	13.0	6.8	5.4
Nonmetro	15.7	15.5	12.0	12.5	5.7	5.9
Urbanized	16.7	14.3	12.6	11.7	6.3	5.5
Less Urbanized	15.5	16.8	12.0	13.5	5.4	6.3
Completely Rural	12.3	12.7	8.9	9.8	3.9	4.8

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.66A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:  
Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	17,677	17,529	10,343	10,215	6,128	6,313
<b>GEOGRAPHIC DIVISION</b>						
Northeast	3,479	3,382	2,293 <sup>a</sup>	2,068	1,375	1,285
New England	1,021	1,043	693	700	426	452
Middle Atlantic	2,459	2,339	1,601 <sup>b</sup>	1,368	949	833
Midwest	3,893	3,869	2,165	2,218	1,241	1,344
East North Central	2,775	2,673	1,583	1,562	910	954
West North Central	1,118	1,196	582	655	331	390
South	5,999	5,937	3,248	3,312	1,934	2,034
South Atlantic	3,148	3,138	1,783	1,869	1,043	1,152
East South Central	903	879	472	453	275	255
West South Central	1,948	1,920	993	990	616	627
West	4,305	4,341	2,636	2,617	1,578	1,649
Mountain	1,223	1,286	697	729	413	439
Pacific	3,082	3,055	1,939	1,888	1,164	1,210
<b>COUNTY TYPE</b>						
Large Metro	9,461	9,387	5,729	5,695	3,419	3,493
Small Metro	5,584	5,851	3,240	3,314	1,942	2,091
250K – 1 Mil. Pop.	3,558	3,801	2,002	2,150	1,177	1,331
< 250K Pop.	2,026	2,050	1,238	1,165	765	760
Nonmetro	2,632	2,292	1,374	1,206	767	728
Urbanized	1,346	1,152	726	643	400	393
Less Urbanized	1,113	996	558	491	315	290
Completely Rural	174	143	90	72	52	45

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.66B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	52.6	51.4	30.8	30.0	18.2	18.5
<b>GEOGRAPHIC DIVISION</b>						
Northeast	56.8	56.0	37.5 <sup>a</sup>	34.2	22.5	21.3
New England	63.9	64.2	43.4	43.1	26.6	27.8
Middle Atlantic	54.4	52.9	35.4 <sup>a</sup>	31.0	21.0	18.8
Midwest	53.1	51.6	29.5	29.6	16.9	17.9
East North Central	54.7	52.0	31.2	30.4	17.9	18.6
West North Central	49.5	50.8	25.7	27.8	14.7	16.6
South	49.9	47.8	27.0	26.7	16.1	16.4
South Atlantic	51.5	49.7	29.2	29.6	17.1	18.2
East South Central	47.5	44.2	24.8	22.8	14.5	12.9
West South Central	48.6	46.7	24.8	24.1	15.4	15.2
West	53.2	53.5	32.5	32.3	19.5	20.3
Mountain	50.5	51.5	28.8	29.2	17.1	17.6
Pacific	54.3	54.4	34.1	33.6	20.5	21.6
<b>COUNTY TYPE</b>						
Large Metro	53.0	51.7	32.1	31.4	19.2	19.2
Small Metro	53.2	52.6	30.9	29.8	18.5	18.8
250K – 1 Mil. Pop.	53.2	54.1	29.9	30.6	17.6	19.0
< 250K Pop.	53.3	50.0	32.5	28.4	20.1	18.6
Nonmetro	50.2	47.8	26.2	25.2	14.6	15.2
Urbanized	53.5	54.6	28.9	30.4	15.9 <sup>a</sup>	18.6
Less Urbanized	46.3	42.7	23.2	21.1	13.1	12.4
Completely Rural	53.6 <sup>a</sup>	41.0	27.7	20.7	15.9	13.0

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.67A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	83,070	84,927	14,983	15,672	8,885	9,294
<b>GEOGRAPHIC DIVISION</b>						
Northeast	16,216	16,967	3,205	3,095	1,854	1,789
New England	4,969	4,871	1,116	939	702	582
Middle Atlantic	11,247	12,096	2,089	2,156	1,152	1,207
Midwest	19,015	18,653	2,944	3,095	1,773	1,860
East North Central	13,387	13,366	2,035	2,364	1,225	1,464
West North Central	5,628	5,286	909	732	548	396
South	27,774	28,945	4,703	4,580	2,723	2,673
South Atlantic	15,578	15,882	2,773	2,571	1,691	1,460
East South Central	4,506	4,671	668	703	354	422
West South Central	7,690	8,393	1,262	1,306	678	791
West	20,065	20,362	4,130	4,901	2,535	2,972
Mountain	6,229	6,389	1,144 <sup>b</sup>	1,564	694 <sup>a</sup>	948
Pacific	13,837	13,972	2,986	3,337	1,841	2,025
<b>COUNTY TYPE</b>						
Large Metro	45,087	47,408	8,610	9,099	5,063	5,272
Small Metro	25,595	25,156	4,439	4,429	2,649	2,634
250K – 1 Mil. Pop.	17,309	17,381	2,968	3,019	1,827	1,785
< 250K Pop.	8,286	7,776	1,471	1,410	822	849
Nonmetro	12,388	12,363	1,934	2,144	1,173	1,389
Urbanized	5,551	5,530	823	935	509	700
Less Urbanized	5,634	5,935	955	1,086	593	649
Completely Rural	1,203	898	157	123	72	39

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.67B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	42.9	43.5	7.7	8.0	4.6	4.8
<b>GEOGRAPHIC DIVISION</b>						
Northeast	45.1	46.8	8.9	8.5	5.2	4.9
New England	52.5	51.1	11.8	9.9	7.4	6.1
Middle Atlantic	42.5	45.3	7.9	8.1	4.3	4.5
Midwest	44.8	43.9	6.9	7.3	4.2	4.4
East North Central	45.2	45.1	6.9	8.0	4.1	4.9
West North Central	43.9	41.1	7.1	5.7	4.3	3.1
South	39.1	40.4	6.6	6.4	3.8	3.7
South Atlantic	41.1	41.6	7.3	6.7	4.5	3.8
East South Central	38.7	40.1	5.7	6.0	3.0	3.6
West South Central	35.8	38.6	5.9	6.0	3.2	3.6
West	45.4	45.4	9.3	10.9	5.7	6.6
Mountain	45.8	46.5	8.4 <sup>a</sup>	11.4	5.1 <sup>a</sup>	6.9
Pacific	45.2	44.9	9.7	10.7	6.0	6.5
<b>COUNTY TYPE</b>						
Large Metro	43.8	45.4	8.4	8.7	4.9	5.0
Small Metro	43.7	42.8	7.6	7.5	4.5	4.5
250K – 1 Mil. Pop.	44.6	44.1	7.6	7.7	4.7	4.5
< 250K Pop.	42.0	40.1	7.4	7.3	4.2	4.4
Nonmetro	38.6	38.8	6.0	6.7	3.7	4.4
Urbanized	40.2	41.1	6.0	7.0	3.7	5.2
Less Urbanized	38.0	38.6	6.4	7.1	4.0	4.2
Completely Rural	34.6	29.4	4.5	4.0	2.1	1.3

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.68A (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	100,747	102,456	25,325	25,887	15,013	15,607
<b>GEOGRAPHIC DIVISION</b>						
Northeast	19,695	20,349	5,498	5,164	3,229	3,074
New England	5,990	5,914	1,809	1,639	1,127	1,034
Middle Atlantic	13,705	14,436	3,689	3,524	2,101	2,039
Midwest	22,908	22,522	5,109	5,313	3,015	3,205
East North Central	16,162	16,039	3,618	3,926	2,135	2,419
West North Central	6,746	6,483	1,491	1,387	879	786
South	33,773	34,882	7,952	7,892	4,657	4,707
South Atlantic	18,726	19,020	4,556	4,440	2,734	2,613
East South Central	5,409	5,549	1,140	1,156	629	677
West South Central	9,638	10,313	2,256	2,297	1,294	1,417
West	24,371	24,703	6,766	7,518	4,113	4,621
Mountain	7,452	7,675	1,842 <sup>b</sup>	2,293	1,107 <sup>a</sup>	1,386
Pacific	16,919	17,028	4,925	5,225	3,005	3,235
<b>COUNTY TYPE</b>						
Large Metro	54,548	56,795	14,339	14,794	8,482	8,765
Small Metro	31,179	31,007	7,678	7,743	4,591	4,725
250K – 1 Mil. Pop.	20,867	21,181	4,970	5,168	3,004	3,116
< 250K Pop.	10,312	9,826	2,708	2,575	1,587	1,609
Nonmetro	15,020	14,655	3,308	3,350	1,941	2,117
Urbanized	6,896	6,682	1,549	1,577	909	1,093
Less Urbanized	6,746	6,932	1,512	1,578	908	939
Completely Rural	1,377	1,041	247	195	123	85

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.68B (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	44.3	44.7	11.1	11.3	6.6	6.8
<b>GEOGRAPHIC DIVISION</b>						
Northeast	46.8	48.1	13.1	12.2	7.7	7.3
New England	54.1	53.0	16.3	14.7	10.2	9.3
Middle Atlantic	44.2	46.3	11.9	11.3	6.8	6.5
Midwest	46.0	45.0	10.3	10.6	6.1	6.4
East North Central	46.6	46.1	10.4	11.3	6.2	7.0
West North Central	44.7	42.6	9.9	9.1	5.8	5.2
South	40.7	41.5	9.6	9.4	5.6	5.6
South Atlantic	42.5	42.7	10.3	10.0	6.2	5.9
East South Central	40.0	40.7	8.4	8.5	4.6	5.0
West South Central	37.8	39.9	8.9	8.9	5.1	5.5
West	46.6	46.6	12.9	14.2	7.9	8.7
Mountain	46.5	47.2	11.5 <sup>a</sup>	14.1	6.9 <sup>a</sup>	8.5
Pacific	46.6	46.4	13.6	14.2	8.3	8.8
<b>COUNTY TYPE</b>						
Large Metro	45.2	46.3	11.9	12.1	7.0	7.1
Small Metro	45.1	44.3	11.1	11.1	6.6	6.8
250K – 1 Mil. Pop.	45.8	45.6	10.9	11.1	6.6	6.7
< 250K Pop.	43.8	41.8	11.5	11.0	6.7	6.9
Nonmetro	40.2	40.0	8.9	9.1	5.2	5.8
Urbanized	42.2	43.0	9.5	10.1	5.6	7.0
Less Urbanized	39.2	39.1	8.8	8.9	5.3	5.3
Completely Rural	36.3	30.6	6.5	5.7	3.2	2.5

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.