

Table 1.69A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	36,742	37,361	4,806	4,533	1,642	1,472
GEOGRAPHIC DIVISION						
Northeast	7,353	7,305	1,126	996	415	366
New England	2,472 ^a	2,046	354	282	158	126
Middle Atlantic	4,881	5,259	772	714	257	240
Midwest	7,181	6,983	827	747	261	205
East North Central	4,955	4,870	604	573	204	169
West North Central	2,226	2,113	223	174	57	36
South	11,352	12,071	1,592	1,522	632	516
South Atlantic	5,868	6,672	918	897	379	301
East South Central	1,641	1,488	153	202	52	69
West South Central	3,843	3,911	521	423	200	146
West	10,856	11,002	1,260	1,268	334	385
Mountain	3,204	3,434	427	395	142	84
Pacific	7,652	7,569	833	873	193	301
COUNTY TYPE						
Large Metro	19,917	20,613	2,615	2,715	896	920
Small Metro	11,525	11,435	1,609	1,374	588	441
250K – 1 Mil. Pop.	7,685	7,633	1,131	935	473	330
< 250K Pop.	3,840	3,802	478	438	116	111
Nonmetro	5,300	5,313	582	444	157	111
Urbanized	2,438	2,476	280	207	42	64
Less Urbanized	2,456	2,519	271	224	112	46
Completely Rural	406	318	31	13	3	2

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.69B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	14.6	14.7	1.9	1.8	0.7	0.6
GEOGRAPHIC DIVISION						
Northeast	15.9	15.7	2.4	2.1	0.9	0.8
New England	20.3 ^a	16.7	2.9	2.3	1.3	1.0
Middle Atlantic	14.3	15.3	2.3	2.1	0.8	0.7
Midwest	13.0	12.6	1.5	1.4	0.5	0.4
East North Central	12.9	12.6	1.6	1.5	0.5	0.4
West North Central	13.3	12.6	1.3	1.0	0.3	0.2
South	12.3	13.0	1.7	1.6	0.7	0.6
South Atlantic	12.1	13.6	1.9	1.8	0.8	0.6
East South Central	11.0	9.9	1.0	1.3	0.3	0.5
West South Central	13.5	13.5	1.8	1.5	0.7	0.5
West	18.6	18.7	2.2	2.2	0.6	0.7
Mountain	18.0	19.0	2.4	2.2	0.8	0.5
Pacific	18.9	18.6	2.1	2.1	0.5	0.7
COUNTY TYPE						
Large Metro	14.9	15.2	2.0	2.0	0.7	0.7
Small Metro	15.0	14.8	2.1	1.8	0.8	0.6
250K – 1 Mil. Pop.	15.2	14.8	2.2	1.8	0.9	0.6
< 250K Pop.	14.7	14.6	1.8	1.7	0.4	0.4
Nonmetro	12.8	13.1	1.4	1.1	0.4	0.3
Urbanized	13.5	14.5	1.6	1.2	0.2	0.4
Less Urbanized	12.9	12.8	1.4	1.1	0.6	0.2
Completely Rural	9.7	8.5	0.7	0.4	0.1	0.0

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.70A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	405	363	242	239	70	60
GEOGRAPHIC DIVISION						
Northeast	56	42	36	31	14	9
New England	15	15	10	8	3	2
Middle Atlantic	41	27	26	24	11	7
Midwest	72	62	47	42	12	9
East North Central	54 ^a	35	37	22	9	5
West North Central	17	27	10	20	3	4
South	140	129	75	84	16	24
South Atlantic	58	43	27	27	5	11
East South Central	19	16	15	13	3	4
West South Central	62	70	33	45	7	8
West	138	130	83	82	29	19
Mountain	45 ^a	27	25	15	6	3
Pacific	92	103	58	66	23	16
COUNTY TYPE						
Large Metro	200	189	126	133	33	30
Small Metro	153	128	87	72	27	16
250K – 1 Mil. Pop.	94	95	53	56	18	13
< 250K Pop.	58 ^a	33	34	16	9	3
Nonmetro	52	46	29	34	10	15
Urbanized	26	15	18	14	4	7
Less Urbanized	23	28	11	19	5	8
Completely Rural	3	3	1	2	1	*

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.70B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	1.6	1.5	1.0	1.0	0.3	0.2
GEOGRAPHIC DIVISION						
Northeast	1.3	1.0	0.8	0.7	0.3	0.2
New England	1.3	1.4	0.9	0.7	0.3	0.1
Middle Atlantic	1.3	0.9	0.8	0.7	0.3	0.2
Midwest	1.3	1.2	0.9	0.8	0.2	0.2
East North Central	1.4 ^a	0.9	1.0	0.6	0.2	0.1
West North Central	1.1	1.7	0.6	1.2	0.2	0.3
South	1.6	1.4	0.8	0.9	0.2	0.3
South Atlantic	1.3	1.0	0.6	0.6	0.1	0.2
East South Central	1.3	1.1	1.0	0.9	0.2	0.3
West South Central	2.1	2.3	1.1	1.5	0.2	0.3
West	2.3	2.2	1.4	1.4	0.5	0.3
Mountain	2.5 ^a	1.5	1.4	0.9	0.3	0.1
Pacific	2.3	2.6	1.4	1.6	0.6	0.4
COUNTY TYPE						
Large Metro	1.5	1.4	1.0	1.0	0.3	0.2
Small Metro	2.0	1.7	1.1	1.0	0.3	0.2
250K – 1 Mil. Pop.	1.8	1.9	1.0	1.1	0.3	0.3
< 250K Pop.	2.3 ^a	1.3	1.3	0.6	0.4	0.1
Nonmetro	1.3	1.2	0.8	0.9	0.3	0.4
Urbanized	1.5	1.0	1.0	0.9	0.3	0.5
Less Urbanized	1.3	1.4	0.6	1.0	0.3	0.4
Completely Rural	0.7	1.0	0.3	0.5	0.2	*

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.71A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	4,997 ^b	4,568	1,790 ^a	1,593	466	503
GEOGRAPHIC DIVISION						
Northeast	983 ^b	807	462 ^a	344	148	143
New England	309	259	149 ^a	107	64	45
Middle Atlantic	673 ^a	548	313	237	84	97
Midwest	992	942	330	295	88	78
East North Central	697	638	240	217	72	60
West North Central	294	304	90	78	15	18
South	1,671	1,552	552	467	117	121
South Atlantic	800	765	296	264	68	74
East South Central	213	181	53	45	9	13
West South Central	658	607	203	159	40	34
West	1,352	1,267	446	487	113	161
Mountain	487 ^a	401	150	137	49	40
Pacific	864	866	296	350	64	121
COUNTY TYPE						
Large Metro	2,556	2,310	944	835	248	277
Small Metro	1,666	1,629	608	573	169	171
250K – 1 Mil. Pop.	1,105	1,037	395	363	122	116
< 250K Pop.	560	592	213	210	47	55
Nonmetro	775 ^a	629	238	186	49	54
Urbanized	389	317	131	101	22	30
Less Urbanized	344 ^a	265	95	82	24	23
Completely Rural	42	48	12 ^b	2	3	1

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.71B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	14.9 ^b	13.4	5.3 ^a	4.7	1.4	1.5
GEOGRAPHIC DIVISION						
Northeast	16.1 ^b	13.3	7.6 ^a	5.7	2.4	2.4
New England	19.4	16.0	9.3 ^a	6.6	4.0	2.8
Middle Atlantic	14.9 ^a	12.4	6.9	5.4	1.9	2.2
Midwest	13.5	12.6	4.5	3.9	1.2	1.0
East North Central	13.7	12.4	4.7	4.2	1.4	1.2
West North Central	13.0	12.9	4.0	3.3	0.7	0.8
South	13.9	12.5	4.6	3.8	1.0	1.0
South Atlantic	13.1	12.1	4.8	4.2	1.1	1.2
East South Central	11.2	9.1	2.8	2.2	0.5	0.7
West South Central	16.4	14.7	5.1	3.9	1.0	0.8
West	16.7	15.6	5.5	6.0	1.4	2.0
Mountain	20.1 ^b	16.0	6.2	5.5	2.0	1.6
Pacific	15.2	15.4	5.2	6.2	1.1	2.2
COUNTY TYPE						
Large Metro	14.3 ^a	12.7	5.3	4.6	1.4	1.5
Small Metro	15.9	14.6	5.8	5.2	1.6	1.5
250K – 1 Mil. Pop.	16.5	14.8	5.9	5.2	1.8	1.7
< 250K Pop.	14.7	14.4	5.6	5.1	1.2	1.3
Nonmetro	14.8	13.1	4.5	3.9	0.9	1.1
Urbanized	15.5	15.0	5.2	4.8	0.9	1.4
Less Urbanized	14.3	11.4	4.0	3.5	1.0	1.0
Completely Rural	13.0	13.7	3.6 ^b	0.7	0.8	0.3

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.72A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	31,339	32,430	2,773	2,700	1,106	909
GEOGRAPHIC DIVISION						
Northeast	6,314	6,456	627	621	253	214
New England	2,148	1,771	195	167	91	79
Middle Atlantic	4,166	4,684	432	454	162	135
Midwest	6,118	5,979	450	410	161	118
East North Central	4,204	4,198	327	334	123	104
West North Central	1,914	1,782	123	76	39	14
South	9,541	10,390	965	970	499	371
South Atlantic	5,009 ^a	5,864	595	606	306	216
East South Central	1,409	1,292	85	144	39	52
West South Central	3,123	3,234	285	220	153	104
West	9,366	9,606	731	699	192	205
Mountain	2,671	3,006	252	242	87	41
Pacific	6,695	6,600	479	457	105	164
COUNTY TYPE						
Large Metro	17,161	18,114	1,546	1,747	615	612
Small Metro	9,706	9,678	913	729	393	254
250K – 1 Mil. Pop.	6,485	6,501	683	516	333	200
< 250K Pop.	3,221	3,177	231	213	59	54
Nonmetro	4,473	4,638	314	224	98	42
Urbanized	2,024	2,144	131	92	15	27
Less Urbanized	2,088	2,227	165	123	83	15
Completely Rural	361	268	17	9	*	1

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.72B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	16.2	16.6	1.4	1.4	0.6	0.5
GEOGRAPHIC DIVISION						
Northeast	17.6	17.8	1.7	1.7	0.7	0.6
New England	22.7	18.6	2.1	1.8	1.0	0.8
Middle Atlantic	15.7	17.5	1.6	1.7	0.6	0.5
Midwest	14.4	14.1	1.1	1.0	0.4	0.3
East North Central	14.2	14.2	1.1	1.1	0.4	0.4
West North Central	14.9	13.9	1.0	0.6	0.3	0.1
South	13.4	14.5	1.4	1.4	0.7	0.5
South Atlantic	13.2 ^a	15.4	1.6	1.6	0.8	0.6
East South Central	12.1	11.1	0.7	1.2	0.3	0.4
West South Central	14.5	14.9	1.3	1.0	0.7	0.5
West	21.2	21.4	1.7	1.6	0.4	0.5
Mountain	19.6	21.9	1.9	1.8	0.6	0.3
Pacific	21.9	21.2	1.6	1.5	0.3	0.5
COUNTY TYPE						
Large Metro	16.7	17.3	1.5	1.7	0.6	0.6
Small Metro	16.6	16.5	1.6	1.2	0.7	0.4
250K – 1 Mil. Pop.	16.7	16.5	1.8	1.3	0.9	0.5
< 250K Pop.	16.3	16.4	1.2	1.1	0.3	0.3
Nonmetro	13.9	14.6	1.0	0.7	0.3	0.1
Urbanized	14.7	16.0	1.0	0.7	0.1	0.2
Less Urbanized	14.1	14.5	1.1	0.8	0.6	0.1
Completely Rural	10.4	8.8	0.5	0.3	*	0.0

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.73A (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	36,337	36,998	4,564	4,294	1,572	1,412
GEOGRAPHIC DIVISION						
Northeast	7,297	7,262	1,090	965	401	357
New England	2,458 ^a	2,031	344	274	155	125
Middle Atlantic	4,839	5,232	746	691	246	232
Midwest	7,109	6,922	780	705	249	196
East North Central	4,901	4,836	567	551	195	164
West North Central	2,208	2,086	213	154	54	32
South	11,212	11,942	1,517	1,437	616	493
South Atlantic	5,809 ^a	6,629	891	870	374	290
East South Central	1,622	1,473	138	189	49	65
West South Central	3,781	3,841	488	378	194	138
West	10,718	10,872	1,177	1,186	306	366
Mountain	3,159	3,407	402	379	136	81
Pacific	7,559	7,465	775	807	170	285
COUNTY TYPE						
Large Metro	19,717	20,424	2,489	2,582	863	889
Small Metro	11,372	11,307	1,522	1,302	562	425
250K – 1 Mil. Pop.	7,591	7,538	1,077	879	455	317
< 250K Pop.	3,781	3,769	444	423	107	109
Nonmetro	5,248	5,267	553	410	147	97
Urbanized	2,412	2,461	263	193	38	57
Less Urbanized	2,433	2,491	261	205	107	38
Completely Rural	403	315	29	11	3	2

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.73B (REVISED) Cocaine Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	16.0	16.1	2.0	1.9	0.7	0.6
GEOGRAPHIC DIVISION						
Northeast	17.3	17.2	2.6	2.3	1.0	0.8
New England	22.2 ^a	18.2	3.1	2.5	1.4	1.1
Middle Atlantic	15.6	16.8	2.4	2.2	0.8	0.7
Midwest	14.3	13.8	1.6	1.4	0.5	0.4
East North Central	14.1	13.9	1.6	1.6	0.6	0.5
West North Central	14.6	13.7	1.4	1.0	0.4	0.2
South	13.5	14.2	1.8	1.7	0.7	0.6
South Atlantic	13.2	14.9	2.0	2.0	0.8	0.7
East South Central	12.0	10.8	1.0	1.4	0.4	0.5
West South Central	14.8	14.9	1.9	1.5	0.8	0.5
West	20.5	20.5	2.2	2.2	0.6	0.7
Mountain	19.7	21.0	2.5	2.3	0.8	0.5
Pacific	20.8	20.3	2.1	2.2	0.5	0.8
COUNTY TYPE						
Large Metro	16.3	16.6	2.1	2.1	0.7	0.7
Small Metro	16.5	16.2	2.2	1.9	0.8	0.6
250K – 1 Mil. Pop.	16.7	16.2	2.4	1.9	1.0	0.7
< 250K Pop.	16.1	16.1	1.9	1.8	0.5	0.5
Nonmetro	14.1	14.4	1.5	1.1	0.4	0.3
Urbanized	14.8	15.8	1.6	1.2	0.2	0.4
Less Urbanized	14.1	14.1	1.5	1.2	0.6	0.2
Completely Rural	10.6	9.3	0.8	0.3	0.1	0.0

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.