

Table 1.1C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	971	1,026	600	646	457	488
Marijuana and Hashish	953	1,021	541	557	395	406
Cocaine	655	682	211	203	136	108
Crack	316	378	106	91	77	60
Heroin	220	248	85	75	38	43
Hallucinogens	665	689	158	177	91	84
LSD	562	562	54	71	22	20
PCP	297	321	21	24	18	21
Ecstasy	370	429	126	128	69	61
Inhalants	473	473	109	114	57	82
Nonmedical Use of Psychotherapeutics ^{2,3}	738	785	367	398	250	268
Pain Relievers	583	608	322	336	214	214
OxyContin [®]	222	245	105	116	59	67
Tranquilizers	492	494	220	208	135	138
Stimulants ³	507	556	147	157	98	86
Methamphetamine ³	403	451	101	104	67	53
Sedatives	352	355	80	104	56	73
ILLCIT DRUGS OTHER THAN MARIJUANA¹	879	902	422	447	292	300

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.1D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.39	0.40	0.24	0.25	0.18	0.19
Marijuana and Hashish	0.38	0.40	0.21	0.22	0.16	0.16
Cocaine	0.26	0.27	0.08	0.08	0.05	0.04
Crack	0.13	0.15	0.04	0.04	0.03	0.02
Heroin	0.09	0.10	0.03	0.03	0.02	0.02
Hallucinogens	0.26	0.27	0.06	0.07	0.04	0.03
LSD	0.22	0.22	0.02	0.03	0.01	0.01
PCP	0.12	0.13	0.01	0.01	0.01	0.01
Ecstasy	0.15	0.17	0.05	0.05	0.03	0.02
Inhalants	0.19	0.19	0.04	0.04	0.02	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.29	0.31	0.15	0.16	0.10	0.11
Pain Relievers	0.23	0.24	0.13	0.13	0.09	0.08
OxyContin [®]	0.09	0.10	0.04	0.05	0.02	0.03
Tranquilizers	0.20	0.19	0.09	0.08	0.05	0.05
Stimulants ³	0.20	0.22	0.06	0.06	0.04	0.03
Methamphetamine ³	0.16	0.18	0.04	0.04	0.03	0.02
Sedatives	0.14	0.14	0.03	0.04	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.35	0.36	0.17	0.18	0.12	0.12

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.1P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	0.9724		0.5062		0.3272	
Marijuana and Hashish	0.4465		0.5246		0.3338	
Cocaine	0.7060		0.2565		0.3024	
Crack	0.1444		0.2790		0.2397	
Heroin	0.2269		0.9387		0.4545	
Hallucinogens	0.9606		0.9194		0.6274	
LSD	0.5338		0.3372		0.8629	
PCP	0.9523		0.3684		0.5134	
Ecstasy	0.0045		0.3328		0.4443	
Inhalants	0.1639		0.6370		0.2311	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.6509		0.8698		0.9220	
Pain Relievers	0.5360		0.5388		0.5266	
OxyContin [®]	0.4505		0.2488		0.5772	
Tranquilizers	0.7856		0.7850		0.4667	
Stimulants ³	0.5635		0.3676		0.0900	
Methamphetamine ³	0.8892		0.1509		0.0775	
Sedatives	0.0375		0.4848		0.9956	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.9231		0.3494		0.6272	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.2C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	45	45	36	37	26	26
Marijuana and Hashish	21	22	18	21	12	12
Cocaine	5	5	4	1	4	*
Crack	2	5	2	1	1	*
Heroin	2	4	1	4	1	2
Hallucinogens	14	11	9	9	4	7
LSD	4	4	4	2	2	1
PCP	6	3	6	1	2	*
Ecstasy	11	7	6	7	2	6
Inhalants	34	35	24	26	16	17
Nonmedical Use of Psychotherapeutics ^{2,3}	27	28	22	23	15	18
Pain Relievers	25	27	21	22	15	17
OxyContin [®]	4	6	4	5	1	1
Tranquilizers	8	8	5	7	3	4
Stimulants ³	10	10	9	6	4	4
Methamphetamine ³	7	4	7	3	2	1
Sedatives	10	8	8	4	6	3
ILLCIT DRUGS OTHER THAN MARIJUANA¹	42	42	34	35	24	24

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.2D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: Standard Errors of Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.51	0.52	0.43	0.44	0.33	0.32
Marijuana and Hashish	0.27	0.27	0.23	0.25	0.15	0.15
Cocaine	0.06	0.07	0.06	0.02	0.05	*
Crack	0.03	0.06	0.02	0.01	0.02	*
Heroin	0.03	0.05	0.02	0.05	0.01	0.03
Hallucinogens	0.18	0.14	0.12	0.11	0.05	0.08
LSD	0.06	0.05	0.05	0.02	0.03	0.01
PCP	0.08	0.04	0.07	0.02	0.02	*
Ecstasy	0.14	0.09	0.08	0.09	0.03	0.08
Inhalants	0.42	0.43	0.31	0.33	0.21	0.21
Nonmedical Use of Psychotherapeutics ^{2,3}	0.34	0.34	0.28	0.28	0.20	0.22
Pain Relievers	0.32	0.32	0.27	0.27	0.19	0.21
OxyContin [®]	0.05	0.08	0.05	0.07	0.01	0.01
Tranquilizers	0.10	0.10	0.07	0.09	0.04	0.05
Stimulants ³	0.13	0.12	0.11	0.08	0.06	0.06
Methamphetamine ³	0.10	0.05	0.09	0.04	0.02	0.01
Sedatives	0.14	0.10	0.10	0.06	0.08	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.49	0.50	0.41	0.41	0.31	0.30

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.2P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or 13: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	0.9202		0.3642		0.3691	
Marijuana and Hashish	0.6916		0.1678		0.8091	
Cocaine	0.5726		0.0820		*	
Crack	0.7780		0.1380		*	
Heroin	0.5320		0.1911		0.4793	
Hallucinogens	0.2000		0.8944		0.6691	
LSD	0.6274		0.0549		0.4261	
PCP	0.3460		0.2022		*	
Ecstasy	0.2270		0.8640		0.2167	
Inhalants	0.7068		0.8614		0.9527	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.4696		0.3233		0.1907	
Pain Relievers	0.4018		0.1643		0.2115	
OxyContin [®]	0.1546		0.3192		0.9815	
Tranquilizers	0.8292		0.6048		0.8920	
Stimulants ³	0.9030		0.2504		0.7759	
Methamphetamine ³	0.1843		0.2796		0.0987	
Sedatives	0.4738		0.1062		0.2868	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.9088		0.6459		0.3377	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.3C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	72	67	60	56	38	41
Marijuana and Hashish	53	52	49	48	32	34
Cocaine	11	13	9	12	4	6
Crack	5	5	5	3	4	2
Heroin	4	4	4	3	3	1
Hallucinogens	24	23	22	21	12	14
LSD	10	11	8	9	4	4
PCP	8	8	5	7	3	2
Ecstasy	20	18	18	17	10	11
Inhalants	43	41	25	26	10	14
Nonmedical Use of Psychotherapeutics ^{2,3}	42	40	36	33	23	22
Pain Relievers	38	38	34	31	21	20
OxyContin [®]	14	14	11	13	6	7
Tranquilizers	20	19	16	17	8	9
Stimulants ³	19	17	15	15	9	9
Methamphetamine ³	12	12	8	10	6	6
Sedatives	11	12	8	11	4	7
ILLCIT DRUGS OTHER THAN MARIJUANA¹	59	55	44	42	26	28

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.3D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: Standard Errors of Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	0.69	0.68	0.59	0.61	0.42	0.48
Marijuana and Hashish	0.54	0.58	0.51	0.54	0.36	0.40
Cocaine	0.13	0.16	0.11	0.15	0.05	0.07
Crack	0.06	0.06	0.05	0.03	0.04	0.02
Heroin	0.05	0.05	0.04	0.03	0.03	0.01
Hallucinogens	0.27	0.27	0.25	0.26	0.14	0.17
LSD	0.12	0.14	0.09	0.12	0.04	0.05
PCP	0.09	0.10	0.06	0.08	0.04	0.02
Ecstasy	0.24	0.22	0.21	0.20	0.11	0.14
Inhalants	0.47	0.47	0.28	0.31	0.12	0.17
Nonmedical Use of Psychotherapeutics ^{2,3}	0.45	0.45	0.40	0.39	0.27	0.26
Pain Relievers	0.41	0.44	0.37	0.37	0.24	0.25
OxyContin [®]	0.16	0.17	0.13	0.16	0.07	0.09
Tranquilizers	0.22	0.23	0.18	0.21	0.09	0.12
Stimulants ³	0.22	0.21	0.17	0.18	0.11	0.11
Methamphetamine ³	0.14	0.15	0.10	0.13	0.07	0.08
Sedatives	0.13	0.15	0.09	0.13	0.04	0.08
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.60	0.59	0.47	0.49	0.30	0.33

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.3P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 14 or 15: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.5120		0.9583		0.5960	
Marijuana and Hashish	0.8558		0.5243		0.7221	
Cocaine	0.2618		0.1817		0.3235	
Crack	0.6945		0.2662		0.4339	
Heroin	0.8579		0.3015		0.1623	
Hallucinogens	0.6439		0.5688		0.1127	
LSD	0.4982		0.6421		0.3668	
PCP	0.4221		0.2607		0.7150	
Ecstasy	0.6527		0.5309		0.2791	
Inhalants	0.0701		0.7852		0.0295	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2954		0.2748		0.3684	
Pain Relievers	0.7785		0.1250		0.6435	
OxyContin [®]	0.7612		0.3806		0.7679	
Tranquilizers	0.7866		0.6690		0.4723	
Stimulants ³	0.1502		0.8255		0.5371	
Methamphetamine ³	0.8711		0.4857		0.4930	
Sedatives	0.4807		0.0517		0.0987	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2152		0.7451		0.4500	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.4C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	82	87	72	78	51	55
Marijuana and Hashish	73	76	63	70	48	51
Cocaine	25	23	20	19	11	10
Crack	8	8	4	4	1	1
Heroin	8	7	6	6	4	2
Hallucinogens	34	36	30	32	15	15
LSD	17	17	11	14	5	9
PCP	10	6	7	3	3	2
Ecstasy	26	30	22	27	12	10
Inhalants	40	35	24	21	12	10
Nonmedical Use of Psychotherapeutics ^{2,3}	53	54	43	46	24	26
Pain Relievers	50	51	39	42	22	23
OxyContin [®]	23	23	16	18	9	7
Tranquilizers	26	31	20	25	12	12
Stimulants ³	23	24	16	18	11	11
Methamphetamine ³	14	14	7	10	5	5
Sedatives	15	12	12	10	6	3
ILLCIT DRUGS OTHER THAN MARIJUANA¹	64	64	51	54	30	31

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.4D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: Standard Errors of Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.74	0.78	0.67	0.74	0.53	0.58
Marijuana and Hashish	0.70	0.71	0.63	0.69	0.51	0.54
Cocaine	0.28	0.27	0.23	0.22	0.13	0.11
Crack	0.09	0.10	0.05	0.04	0.01	0.01
Heroin	0.09	0.08	0.07	0.07	0.04	0.03
Hallucinogens	0.38	0.41	0.33	0.37	0.18	0.18
LSD	0.20	0.20	0.13	0.17	0.06	0.10
PCP	0.11	0.08	0.08	0.04	0.03	0.03
Ecstasy	0.29	0.35	0.25	0.32	0.14	0.12
Inhalants	0.44	0.39	0.27	0.25	0.14	0.12
Nonmedical Use of Psychotherapeutics ^{2,3}	0.55	0.57	0.46	0.49	0.27	0.30
Pain Relievers	0.52	0.54	0.43	0.46	0.25	0.27
OxyContin [®]	0.27	0.26	0.19	0.21	0.11	0.08
Tranquilizers	0.29	0.35	0.23	0.29	0.14	0.14
Stimulants ³	0.27	0.27	0.19	0.21	0.12	0.13
Methamphetamine ³	0.16	0.16	0.08	0.12	0.05	0.06
Sedatives	0.17	0.14	0.13	0.12	0.07	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.65	0.65	0.53	0.58	0.33	0.35

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.4P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 16 or 17: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	0.1181		0.8307		0.9196	
Marijuana and Hashish	0.5721		0.3174		0.6712	
Cocaine	0.1596		0.7909		0.5541	
Crack	0.9683		0.8083		0.7860	
Heroin	0.2923		0.4827		0.6356	
Hallucinogens	0.3001		0.6789		0.2260	
LSD	0.4112		0.9925		0.3968	
PCP	0.0421		0.0854		0.5833	
Ecstasy	0.0888		0.1916		0.4661	
Inhalants	0.0184		0.0273		0.1803	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0507		0.7910		0.3271	
Pain Relievers	0.0887		0.4792		0.1585	
OxyContin [®]	0.5869		0.8757		0.0424	
Tranquilizers	0.1374		0.8640		0.4302	
Stimulants ³	0.9331		0.7540		0.5558	
Methamphetamine ³	0.6016		0.2313		0.7460	
Sedatives	0.0207		0.1265		0.1428	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.0469		0.6241		0.1243	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.5C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	173	171	141	149	103	109
Marijuana and Hashish	159	159	131	138	97	102
Cocaine	63	61	42	42	20	23
Crack	22	24	11	15	6	11
Heroin	18	26	12	20	9	12
Hallucinogens	81	79	61	60	33	31
LSD	39	39	26	25	11	12
PCP	16	19	7	8	2	*
Ecstasy	60	66	44	48	23	25
Inhalants	60	56	31	31	15	11
Nonmedical Use of Psychotherapeutics ^{2,3}	105	104	81	80	47	49
Pain Relievers	94	93	70	70	40	44
OxyContin [®]	42	43	27	31	12	18
Tranquilizers	61	63	46	45	23	22
Stimulants ³	57	52	42	37	21	22
Methamphetamine ³	31	30	17	18	7	13
Sedatives	23	19	12	13	7	9
ILLCIT DRUGS OTHER THAN MARIJUANA¹	125	119	96	93	59	58

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.5D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: Standard Errors of Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	0.72	0.73	0.69	0.77	0.60	0.66
Marijuana and Hashish	0.72	0.75	0.68	0.75	0.58	0.63
Cocaine	0.43	0.42	0.29	0.30	0.15	0.17
Crack	0.16	0.17	0.08	0.11	0.04	0.08
Heroin	0.13	0.19	0.09	0.14	0.07	0.09
Hallucinogens	0.52	0.53	0.40	0.41	0.24	0.22
LSD	0.28	0.27	0.19	0.18	0.08	0.09
PCP	0.11	0.14	0.05	0.06	0.01	*
Ecstasy	0.41	0.46	0.30	0.33	0.17	0.18
Inhalants	0.40	0.39	0.22	0.22	0.11	0.08
Nonmedical Use of Psychotherapeutics ^{2,3}	0.60	0.63	0.50	0.53	0.32	0.35
Pain Relievers	0.56	0.59	0.45	0.48	0.28	0.31
OxyContin [®]	0.29	0.31	0.20	0.22	0.09	0.13
Tranquilizers	0.42	0.43	0.32	0.32	0.17	0.16
Stimulants ³	0.37	0.35	0.28	0.26	0.15	0.16
Methamphetamine ³	0.22	0.21	0.12	0.13	0.05	0.09
Sedatives	0.16	0.14	0.09	0.10	0.05	0.07
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.67	0.67	0.57	0.59	0.39	0.40

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.5P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 20: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.5661		0.6653		0.3135	
Marijuana and Hashish	0.3948		0.6733		0.3195	
Cocaine	0.0117		0.1812		0.7367	
Crack	0.9753		0.5536		0.4727	
Heroin	0.0437		0.4290		0.7608	
Hallucinogens	0.3323		0.3543		0.9304	
LSD	0.6021		1.0000		0.7051	
PCP	0.1758		0.5255		*	
Ecstasy	0.3963		0.4723		0.8358	
Inhalants	0.9567		0.9714		0.1820	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.3836		0.2580		0.5593	
Pain Relievers	0.3747		0.1779		0.2130	
OxyContin [®]	0.9012		0.8883		0.1454	
Tranquilizers	0.9886		0.1443		0.3318	
Stimulants ³	0.6445		0.5879		0.4589	
Methamphetamine ³	0.2316		0.9330		0.0925	
Sedatives	0.4131		0.4934		0.3209	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2564		0.1807		0.6047	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.6C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	244	231	178	168	121	121
Marijuana and Hashish	230	218	158	153	108	110
Cocaine	113	105	59	59	30	32
Crack	41	41	16	16	9	11
Heroin	32	30	14	16	7	12
Hallucinogens	128	125	63	71	30	36
LSD	73	71	28	37	12	12
PCP	32	28	4	6	2	3
Ecstasy	99	102	51	54	24	28
Inhalants	84	81	34	29	15	18
Nonmedical Use of Psychotherapeutics ^{2,3}	163	153	107	102	63	58
Pain Relievers	137	133	89	85	50	49
OxyContin [®]	62	64	33	32	14	18
Tranquilizers	100	101	57	59	33	33
Stimulants ³	93	89	49	47	29	27
Methamphetamine ³	57	55	24	20	14	11
Sedatives	33	28	18	15	16	7
ILLCIT DRUGS OTHER THAN MARIJUANA¹	187	176	122	123	72	71

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.6D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: Standard Errors of Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.59	0.60	0.60	0.60	0.50	0.49
Marijuana and Hashish	0.62	0.60	0.58	0.59	0.46	0.47
Cocaine	0.49	0.45	0.28	0.27	0.15	0.15
Crack	0.20	0.20	0.08	0.08	0.05	0.06
Heroin	0.16	0.15	0.07	0.08	0.03	0.06
Hallucinogens	0.53	0.52	0.30	0.33	0.15	0.17
LSD	0.34	0.33	0.14	0.18	0.06	0.06
PCP	0.16	0.14	0.02	0.03	0.01	0.02
Ecstasy	0.44	0.44	0.25	0.25	0.12	0.14
Inhalants	0.37	0.35	0.17	0.14	0.08	0.09
Nonmedical Use of Psychotherapeutics ^{2,3}	0.60	0.55	0.46	0.43	0.29	0.27
Pain Relievers	0.54	0.51	0.39	0.37	0.24	0.23
OxyContin [®]	0.28	0.30	0.16	0.16	0.07	0.09
Tranquilizers	0.45	0.43	0.26	0.27	0.16	0.16
Stimulants ³	0.40	0.39	0.24	0.22	0.15	0.13
Methamphetamine ³	0.27	0.26	0.12	0.10	0.07	0.05
Sedatives	0.16	0.14	0.09	0.07	0.08	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.63	0.60	0.49	0.50	0.33	0.32

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.6P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 21 to 25: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	0.0666		0.0968		0.8883	
Marijuana and Hashish	0.0974		0.2471		0.9422	
Cocaine	0.0199		0.0627		0.7145	
Crack	0.0684		0.7782		0.1253	
Heroin	0.3688		0.4946		0.1703	
Hallucinogens	0.4549		0.5412		0.2713	
LSD	0.0494		0.6078		0.9127	
PCP	0.0863		0.3219		0.4479	
Ecstasy	0.4820		0.8432		0.4068	
Inhalants	0.0092		0.3208		0.6947	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.5775		0.3001		0.1617	
Pain Relievers	0.5500		0.1108		0.6069	
OxyContin [®]	0.9573		0.5129		0.2182	
Tranquilizers	0.3704		0.3627		0.5206	
Stimulants ³	0.2197		0.5637		0.3285	
Methamphetamine ³	0.0797		0.2582		0.1470	
Sedatives	0.2984		0.6723		0.0347	
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.2351		0.0921		0.3477	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.7C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	298	313	254	271	195	228
Marijuana and Hashish	308	318	239	247	170	199
Cocaine	227	242	108	121	63	66
Crack	125	132	44	35	35	9
Heroin	88	96	31	44	18	15
Hallucinogens	273	256	100	102	71	52
LSD	223	211	27	44	11	3
PCP	87	94	17	3	17	3
Ecstasy	238	233	88	81	57	41
Inhalants	212	203	48	46	21	24
Nonmedical Use of Psychotherapeutics ^{2,3}	274	281	173	178	115	123
Pain Relievers	250	259	157	173	94	113
OxyContin [®]	136	126	61	67	36	31
Tranquilizers	197	204	102	107	60	63
Stimulants ³	209	203	82	69	51	49
Methamphetamine ³	174	164	49	39	30	24
Sedatives	76	86	41	39	29	28
ILLCIT DRUGS OTHER THAN MARIJUANA¹	303	310	200	202	141	144

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.7D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: Standard Errors of Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.82	0.86	0.70	0.74	0.54	0.62
Marijuana and Hashish	0.85	0.87	0.66	0.68	0.47	0.54
Cocaine	0.63	0.66	0.30	0.33	0.17	0.18
Crack	0.35	0.36	0.12	0.10	0.10	0.03
Heroin	0.24	0.26	0.09	0.12	0.05	0.04
Hallucinogens	0.75	0.70	0.28	0.28	0.20	0.14
LSD	0.62	0.58	0.07	0.12	0.03	0.01
PCP	0.24	0.26	0.05	0.01	0.05	0.01
Ecstasy	0.66	0.64	0.24	0.22	0.16	0.11
Inhalants	0.58	0.56	0.13	0.13	0.06	0.07
Nonmedical Use of Psychotherapeutics ^{2,3}	0.76	0.77	0.48	0.49	0.32	0.34
Pain Relievers	0.69	0.71	0.43	0.47	0.26	0.31
OxyContin [®]	0.38	0.34	0.17	0.18	0.10	0.09
Tranquilizers	0.54	0.56	0.28	0.29	0.17	0.17
Stimulants ³	0.58	0.56	0.23	0.19	0.14	0.13
Methamphetamine ³	0.48	0.45	0.14	0.11	0.08	0.06
Sedatives	0.21	0.24	0.11	0.11	0.08	0.08
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.84	0.85	0.55	0.55	0.39	0.39

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.7P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 26 to 34: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.7595		0.4212		0.0750	
Marijuana and Hashish	0.4600		0.3515		0.1842	
Cocaine	0.2976		0.6447		0.7280	
Crack	0.4596		0.3020		0.0372	
Heroin	0.6789		0.4155		0.8640	
Hallucinogens	0.8218		0.8421		0.2649	
LSD	0.6807		0.2224		0.1384	
PCP	0.6458		0.0500		0.0553	
Ecstasy	0.3827		0.2405		0.3078	
Inhalants	0.5642		0.8640		0.5977	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.7714		0.9156		0.2481	
Pain Relievers	0.9893		0.5634		0.3558	
OxyContin [®]	0.7984		0.2585		0.9798	
Tranquilizers	0.7492		0.7651		0.6835	
Stimulants ³	0.4830		0.3957		0.7084	
Methamphetamine ³	0.4919		0.1924		0.1837	
Sedatives	0.3651		0.7061		0.9123	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.9541		0.7301		0.6518	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.8C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	868	906	451	481	351	368
Marijuana and Hashish	840	908	380	398	288	301
Cocaine	596	622	152	134	112	75
Crack	288	339	94	77	69	58
Heroin	198	222	77	55	31	37
Hallucinogens	561	576	68	75	30	33
LSD	487	489	17	16	*	*
PCP	278	301	*	20	*	20
Ecstasy	226	296	55	37	22	18
Inhalants	396	408	74	88	43	73
Nonmedical Use of Psychotherapeutics ^{2,3}	642	674	281	317	205	217
Pain Relievers	479	486	242	251	178	159
OxyContin [®]	151	183	63	80	43	54
Tranquilizers	425	422	176	165	113	118
Stimulants ³	448	492	101	113	74	60
Methamphetamine ³	353	404	82	85	56	43
Sedatives	344	340	65	94	43	66
ILLCIT DRUGS OTHER THAN MARIJUANA¹	777	781	325	335	235	234

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.8D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: Standard Errors of Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.55	0.57	0.29	0.30	0.22	0.23
Marijuana and Hashish	0.53	0.57	0.24	0.25	0.18	0.19
Cocaine	0.38	0.39	0.10	0.08	0.07	0.05
Crack	0.18	0.21	0.06	0.05	0.04	0.04
Heroin	0.13	0.14	0.05	0.03	0.02	0.02
Hallucinogens	0.36	0.36	0.04	0.05	0.02	0.02
LSD	0.31	0.31	0.01	0.01	*	*
PCP	0.18	0.19	*	0.01	*	0.01
Ecstasy	0.14	0.19	0.03	0.02	0.01	0.01
Inhalants	0.25	0.26	0.05	0.06	0.03	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.41	0.42	0.18	0.20	0.13	0.14
Pain Relievers	0.30	0.31	0.15	0.16	0.11	0.10
OxyContin [®]	0.10	0.12	0.04	0.05	0.03	0.03
Tranquilizers	0.27	0.27	0.11	0.10	0.07	0.07
Stimulants ³	0.28	0.31	0.06	0.07	0.05	0.04
Methamphetamine ³	0.22	0.25	0.05	0.05	0.04	0.03
Sedatives	0.22	0.21	0.04	0.06	0.03	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.49	0.49	0.21	0.21	0.15	0.15

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.8P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Persons Aged 35 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.7806		0.3376		0.9763	
Marijuana and Hashish	0.4302		0.6060		0.9383	
Cocaine	0.5674		0.3417		0.0888	
Crack	0.1332		0.4693		0.4654	
Heroin	0.2694		0.5003		0.5592	
Hallucinogens	0.8262		1.0000		0.8502	
LSD	0.7424		0.7498		*	
PCP	0.9378		*		*	
Ecstasy	0.0011		0.0766		0.2519	
Inhalants	0.6427		0.7465		0.2201	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.9271		0.6998		0.8766	
Pain Relievers	0.6934		0.8858		0.4340	
OxyContin [®]	0.4482		0.4115		0.8475	
Tranquilizers	0.8838		0.8639		0.3047	
Stimulants ³	0.8585		0.5350		0.0969	
Methamphetamine ³	0.4242		0.3535		0.2053	
Sedatives	0.0310		0.4666		0.7179	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.6888		0.9008		0.6274	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.9C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	655	706	445	496	353	386
Marijuana and Hashish	642	698	405	428	307	329
Cocaine	494	527	167	173	111	91
Crack	260	299	89	65	67	44
Heroin	189	222	79	63	28	37
Hallucinogens	498	531	124	143	76	67
LSD	433	451	45	56	17	19
PCP	265	273	15	23	11	20
Ecstasy	274	351	100	101	56	49
Inhalants	384	386	94	103	46	78
Nonmedical Use of Psychotherapeutics ^{2,3}	504	576	271	314	184	200
Pain Relievers	420	446	244	273	159	170
OxyContin [®]	181	199	82	84	50	43
Tranquilizers	352	374	173	162	101	93
Stimulants ³	381	424	102	116	75	64
Methamphetamine ³	308	361	71	88	54	42
Sedatives	273	280	54	87	45	68
ILLICIT DRUGS OTHER THAN MARIJUANA¹	599	665	317	349	223	233

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.9D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: Standard Errors of Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	0.54	0.57	0.36	0.40	0.29	0.31
Marijuana and Hashish	0.53	0.57	0.33	0.35	0.25	0.27
Cocaine	0.40	0.43	0.14	0.14	0.09	0.07
Crack	0.21	0.24	0.07	0.05	0.05	0.04
Heroin	0.15	0.18	0.06	0.05	0.02	0.03
Hallucinogens	0.41	0.43	0.10	0.12	0.06	0.05
LSD	0.35	0.37	0.04	0.05	0.01	0.02
PCP	0.22	0.22	0.01	0.02	0.01	0.02
Ecstasy	0.22	0.28	0.08	0.08	0.05	0.04
Inhalants	0.31	0.31	0.08	0.08	0.04	0.06
Nonmedical Use of Psychotherapeutics ^{2,3}	0.41	0.47	0.22	0.25	0.15	0.16
Pain Relievers	0.34	0.36	0.20	0.22	0.13	0.14
OxyContin [®]	0.15	0.16	0.07	0.07	0.04	0.04
Tranquilizers	0.29	0.30	0.14	0.13	0.08	0.08
Stimulants ³	0.31	0.34	0.08	0.09	0.06	0.05
Methamphetamine ³	0.25	0.29	0.06	0.07	0.04	0.03
Sedatives	0.22	0.23	0.04	0.07	0.04	0.06
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.49	0.54	0.26	0.28	0.18	0.19

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.9P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Males Aged 12 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.7075		0.5188		0.3969	
Marijuana and Hashish	0.3300		0.6095		0.2005	
Cocaine	0.7535		0.9321		0.3653	
Crack	0.1719		0.1401		0.1110	
Heroin	0.2687		0.9646		0.1923	
Hallucinogens	0.9462		0.6797		0.8134	
LSD	0.5946		0.4125		0.4953	
PCP	0.9511		0.9575		0.9187	
Ecstasy	0.0017		0.4534		0.6236	
Inhalants	0.1407		0.6113		0.2390	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.4501		0.8332		0.4901	
Pain Relievers	0.8267		0.9749		0.6065	
OxyContin [®]	0.3861		0.8114		0.5916	
Tranquilizers	0.3039		0.5775		0.6944	
Stimulants ³	0.9391		0.9739		0.1350	
Methamphetamine ³	0.6669		0.5750		0.1287	
Sedatives	0.0807		0.1774		0.6818	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.7843		0.7136		0.4188	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.10C Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Standard Errors of Numbers in Thousands, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	654	662	341	367	248	262
Marijuana and Hashish	643	648	288	302	216	206
Cocaine	399	398	114	101	65	58
Crack	181	191	57	63	40	42
Heroin	108	116	31	41	25	22
Hallucinogens	394	388	95	92	51	48
LSD	322	311	27	37	14	7
PCP	147	157	16	8	13	4
Ecstasy	220	227	78	70	42	34
Inhalants	240	255	56	53	33	28
Nonmedical Use of Psychotherapeutics ^{2,3}	506	501	229	242	160	167
Pain Relievers	380	382	194	198	136	128
OxyContin [®]	123	130	67	80	33	55
Tranquilizers	332	328	137	144	91	103
Stimulants ³	324	338	100	92	62	58
Methamphetamine ³	246	252	72	43	41	32
Sedatives	222	206	58	57	33	25
ILLICIT DRUGS OTHER THAN MARIJUANA¹	578	567	258	266	176	180

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.10D Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: Standard Errors of Percentages, 2009 and 2010

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLICIT DRUGS¹	0.51	0.51	0.26	0.28	0.19	0.20
Marijuana and Hashish	0.50	0.50	0.22	0.23	0.17	0.16
Cocaine	0.31	0.31	0.09	0.08	0.05	0.04
Crack	0.14	0.15	0.04	0.05	0.03	0.03
Heroin	0.08	0.09	0.02	0.03	0.02	0.02
Hallucinogens	0.30	0.30	0.07	0.07	0.04	0.04
LSD	0.25	0.24	0.02	0.03	0.01	0.01
PCP	0.11	0.12	0.01	0.01	0.01	0.00
Ecstasy	0.17	0.17	0.06	0.05	0.03	0.03
Inhalants	0.19	0.20	0.04	0.04	0.03	0.02
Nonmedical Use of Psychotherapeutics ^{2,3}	0.39	0.38	0.18	0.19	0.12	0.13
Pain Relievers	0.29	0.29	0.15	0.15	0.10	0.10
OxyContin [®]	0.09	0.10	0.05	0.06	0.03	0.04
Tranquilizers	0.26	0.25	0.11	0.11	0.07	0.08
Stimulants ³	0.25	0.26	0.08	0.07	0.05	0.04
Methamphetamine ³	0.19	0.19	0.06	0.03	0.03	0.02
Sedatives	0.17	0.16	0.04	0.04	0.03	0.02
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.45	0.44	0.20	0.20	0.14	0.14

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.10P Types of Illicit Drug Use in Lifetime, Past Year, and Past Month among Females Aged 12 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Drug	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
ILLCIT DRUGS¹	0.6368		0.7835		0.5837	
Marijuana and Hashish	0.9151		0.6935		0.8607	
Cocaine	0.8463		0.0385		0.5567	
Crack	0.4780		0.9035		0.8658	
Heroin	0.6358		0.8020		0.5933	
Hallucinogens	0.8336		0.4392		0.6122	
LSD	0.6978		0.5716		0.1518	
PCP	0.9727		0.1367		0.1507	
Ecstasy	0.5421		0.5145		0.5313	
Inhalants	0.6662		0.9537		0.7214	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1365		0.5985		0.5095	
Pain Relievers	0.4627		0.2889		0.6909	
OxyContin [®]	0.9353		0.1572		0.1810	
Tranquilizers	0.4887		0.2728		0.1641	
Stimulants ³	0.3999		0.1530		0.3747	
Methamphetamine ³	0.7251		0.0741		0.3584	
Sedatives	0.2370		0.5709		0.4284	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.6306		0.2729		0.8231	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.