

Table 1.34C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	316	378	106	91	77	60
AGE						
12-17	10	11	6	5	4	2
18-25	46	46	20	22	11	16
26 or Older	314	370	104	88	77	58
GENDER						
Male	260	299	89	65	67	44
Female	181	191	57	63	40	42
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	298	362	104	87	74	59
White	264	317	82	69	54	45
Black or African American	122	157	57	47	46	38
American Indian or Alaska Native	35	26	1	6	1	*
Native Hawaiian or Other Pacific Islander	7	6	1	1	*	*
Asian	38	16	1	4	1	*
Two or More Races	32	30	20	1	*	1
Hispanic or Latino	106	115	28	27	27	13

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.34D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.13	0.15	0.04	0.04	0.03	0.02
AGE						
12-17	0.04	0.04	0.03	0.02	0.02	0.01
18-25	0.14	0.14	0.06	0.06	0.03	0.05
26 or Older	0.16	0.19	0.05	0.05	0.04	0.03
GENDER						
Male	0.21	0.24	0.07	0.05	0.05	0.04
Female	0.14	0.15	0.04	0.05	0.03	0.03
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.14	0.17	0.05	0.04	0.03	0.03
White	0.16	0.19	0.05	0.04	0.03	0.03
Black or African American	0.41	0.52	0.19	0.16	0.15	0.13
American Indian or Alaska Native	2.82	2.13	0.11	0.51	0.10	*
Native Hawaiian or Other Pacific Islander	0.91	0.86	0.08	0.17	*	*
Asian	0.34	0.14	0.01	0.03	0.01	*
Two or More Races	1.05	0.92	0.67	0.03	*	0.04
Hispanic or Latino	0.30	0.31	0.08	0.07	0.07	0.03

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.34P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.1444		0.2790		0.2397	
AGE						
12-17	0.8333		0.1848		0.2902	
18-25	0.1259		0.8751		0.1037	
26 or Older	0.1000		0.2803		0.1408	
GENDER						
Male	0.1719		0.1401		0.1110	
Female	0.4780		0.9035		0.8658	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1838		0.2850		0.3673	
White	0.4565		0.4557		0.7879	
Black or African American	0.0156		0.5108		0.4161	
American Indian or Alaska Native	0.9865		0.2377		*	
Native Hawaiian or Other Pacific Islander	0.8349		0.6617		*	
Asian	0.0181		0.4201		*	
Two or More Races	0.3480		0.2296		*	
Hispanic or Latino	0.4923		0.8799		0.3107	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.35C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	10	11	6	5	4	2
GENDER						
Male	7	9	5	3	4	*
Female	6	6	4	4	2	2
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	8	7	5	4	2	2
White	8	7	5	4	2	2
Black or African American	1	*	1	*	*	*
American Indian or Alaska Native	1	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	2	0	0	0	*	0
Hispanic or Latino	5	8	4	2	3	*
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	6	5	4	2	2	*
Female, White, Not Hispanic	5	5	3	4	2	2
Male, Black, Not Hispanic	1	*	1	*	*	*
Female, Black, Not Hispanic	*	*	*	*	*	*
Male, Hispanic	4	8	4	2	3	*
Female, Hispanic	4	3	2	*	0	*

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.35D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.04	0.04	0.03	0.02	0.02	0.01
GENDER						
Male	0.06	0.07	0.04	0.02	0.03	*
Female	0.05	0.05	0.03	0.03	0.01	0.02
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.04	0.04	0.03	0.02	0.01	0.01
White	0.05	0.05	0.03	0.03	0.02	0.01
Black or African American	0.02	*	0.02	*	*	*
American Indian or Alaska Native	0.58	*	*	*	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	*	*	*	*	*	*
Two or More Races	0.44	0.08	0.02	0.08	*	0.05
Hispanic or Latino	0.11	0.17	0.09	0.04	0.07	*
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.08	0.07	0.05	0.03	0.02	*
Female, White, Not Hispanic	0.07	0.08	0.05	0.05	0.02	0.03
Male, Black, Not Hispanic	0.04	*	0.04	*	*	*
Female, Black, Not Hispanic	*	*	*	*	*	*
Male, Hispanic	0.15	0.30	0.15	0.07	0.13	*
Female, Hispanic	0.15	0.12	0.07	*	0.02	*

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.35P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.8333		0.1848		0.2902	
GENDER						
Male	0.5427		0.1772		*	
Female	0.6484		0.7293		0.8806	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.5672		0.6274		0.7399	
White	0.8088		0.6960		0.7785	
Black or African American	*		*		*	
American Indian or Alaska Native	*		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	*		*		*	
Two or More Races	0.2496		0.2094		*	
Hispanic or Latino	0.3618		0.1544		*	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.5585		0.4354		*	
Female, White, Not Hispanic	0.7977		0.8974		0.8461	
Male, Black, Not Hispanic	*		*		*	
Female, Black, Not Hispanic	*		*		*	
Male, Hispanic	0.1620		0.3845		*	
Female, Hispanic	0.5002		*		*	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.36C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	46	46	20	22	11	16
GENDER						
Male	37	34	16	17	9	12
Female	28	31	13	13	6	11
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	40	41	16	18	6	12
White	38	40	16	16	6	10
Black or African American	5	5	4	3	3	2
American Indian or Alaska Native	5	6	1	*	*	*
Native Hawaiian or Other Pacific Islander	*	1	*	*	*	*
Asian	4	6	0	4	*	*
Two or More Races	6	3	1	1	*	1
Hispanic or Latino	23	23	12	12	9	11
EDUCATION						
< High School	28	24	12	11	5	7
High School Graduate	29	31	13	16	8	13
Some College	21	22	8	9	4	5
College Graduate	11	12	4	4	*	2
CURRENT EMPLOYMENT						
Full-Time	30	30	10	11	3	7
Part-Time	24	21	12	11	9	7
Unemployed	17	22	9	13	3	12
Other ¹	20	18	8	6	3	3

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.36D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.14	0.14	0.06	0.06	0.03	0.05
GENDER						
Male	0.22	0.19	0.09	0.10	0.05	0.07
Female	0.17	0.19	0.08	0.08	0.04	0.06
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.14	0.15	0.06	0.07	0.02	0.04
White	0.18	0.20	0.08	0.08	0.03	0.05
Black or African American	0.11	0.10	0.08	0.06	0.05	0.05
American Indian or Alaska Native	2.10	3.26	0.26	*	*	*
Native Hawaiian or Other Pacific Islander	*	0.57	*	*	*	*
Asian	0.29	0.39	0.02	0.25	*	*
Two or More Races	1.30	0.57	0.28	0.13	*	0.11
Hispanic or Latino	0.38	0.35	0.19	0.19	0.14	0.16
EDUCATION						
< High School	0.45	0.39	0.20	0.18	0.09	0.11
High School Graduate	0.24	0.26	0.11	0.13	0.07	0.11
Some College	0.19	0.19	0.08	0.08	0.04	0.04
College Graduate	0.22	0.24	0.09	0.08	*	0.04
CURRENT EMPLOYMENT						
Full-Time	0.23	0.24	0.08	0.09	0.03	0.06
Part-Time	0.25	0.22	0.13	0.12	0.10	0.07
Unemployed	0.37	0.47	0.19	0.29	0.06	0.26
Other ¹	0.28	0.23	0.10	0.08	0.05	0.04

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.36P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.1259		0.8751		0.1037	
GENDER						
Male	0.0764		0.3107		0.1147	
Female	0.7933		0.3122		0.5163	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1597		0.8538		0.0666	
White	0.2452		0.9724		0.0932	
Black or African American	0.7065		0.5468		0.7947	
American Indian or Alaska Native	0.6950		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.7077		0.1937		*	
Two or More Races	0.2339		0.3188		*	
Hispanic or Latino	0.5442		1.0000		0.6385	
EDUCATION						
< High School	0.0905		0.8147		0.4051	
High School Graduate	0.7760		0.5955		0.1816	
Some College	0.2549		0.8209		0.8457	
College Graduate	0.7183		0.6484		*	
CURRENT EMPLOYMENT						
Full-Time	0.2548		0.3532		0.0423	
Part-Time	0.3882		0.7432		0.5059	
Unemployed	0.2042		0.5656		0.0649	
Other ¹	0.0348		0.2159		0.9546	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.37C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	314	370	104	88	77	58
GENDER						
Male	258	294	88	62	67	42
Female	179	187	55	61	39	41
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	297	356	102	85	74	58
White	262	320	79	66	53	44
Black or African American	126	163	57	47	46	39
American Indian or Alaska Native	*	25	1	3	1	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	39	15	1	*	1	*
Two or More Races	31	29	*	1	*	1
Hispanic or Latino	105	112	25	25	25	7
EDUCATION						
< High School	155	161	66	50	48	42
High School Graduate	174	223	55	45	51	33
Some College	156	181	46	47	31	23
College Graduate	117	138	27	17	10	*
CURRENT EMPLOYMENT						
Full-Time	210	258	57	49	30	30
Part-Time	96	149	26	40	24	33
Unemployed	98	98	60	31	48	19
Other ¹	166	182	54	47	44	32

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.37D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.16	0.19	0.05	0.05	0.04	0.03
GENDER						
Male	0.28	0.31	0.09	0.07	0.07	0.04
Female	0.18	0.18	0.05	0.06	0.04	0.04
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.18	0.21	0.06	0.05	0.04	0.03
White	0.19	0.23	0.06	0.05	0.04	0.03
Black or African American	0.57	0.72	0.26	0.22	0.21	0.18
American Indian or Alaska Native	*	2.78	0.12	0.31	0.12	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.46	0.16	0.02	*	0.02	*
Two or More Races	1.52	1.40	*	0.05	*	0.05
Hispanic or Latino	0.42	0.44	0.10	0.10	0.10	0.03
EDUCATION						
< High School	0.54	0.55	0.23	0.17	0.17	0.14
High School Graduate	0.29	0.37	0.09	0.08	0.09	0.06
Some College	0.33	0.38	0.10	0.10	0.07	0.05
College Graduate	0.19	0.22	0.04	0.03	0.02	*
CURRENT EMPLOYMENT						
Full-Time	0.20	0.25	0.06	0.05	0.03	0.03
Part-Time	0.43	0.61	0.12	0.17	0.11	0.14
Unemployed	0.93	0.93	0.59	0.30	0.47	0.19
Other ¹	0.29	0.30	0.09	0.08	0.07	0.05

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.37P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.1000		0.2803		0.1408	
GENDER						
Male	0.1146		0.0973		0.0644	
Female	0.4512		0.7122		0.9820	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1387		0.2674		0.2447	
White	0.3778		0.4560		0.5976	
Black or African American	0.0173		0.5318		0.4163	
American Indian or Alaska Native	*		0.2922		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.0203		*		*	
Two or More Races	0.4935		*		*	
Hispanic or Latino	0.4315		0.9901		0.1983	
EDUCATION						
< High School	0.8866		0.7446		0.8755	
High School Graduate	0.5412		0.3870		0.0863	
Some College	0.0138		0.8600		0.3540	
College Graduate	0.5204		0.1240		*	
CURRENT EMPLOYMENT						
Full-Time	0.2127		0.2617		0.7000	
Part-Time	0.2089		0.5867		0.9394	
Unemployed	0.7682		0.2063		0.0902	
Other ¹	0.5345		0.9431		0.4079	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.38C Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	316	377	106	91	77	60
GENDER						
Male	259	298	89	64	67	44
Female	180	191	57	63	40	42
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	298	361	103	87	74	59
White	266	326	81	69	54	45
Black or African American	126	163	57	48	46	39
American Indian or Alaska Native	35	26	1	6	1	*
Native Hawaiian or Other Pacific Islander	7	6	1	1	*	*
Asian	38	16	1	4	1	*
Two or More Races	32	30	20	1	*	1
Hispanic or Latino	106	115	28	27	26	13
EDUCATION						
< High School	158	163	67	51	49	43
High School Graduate	177	227	57	48	51	36
Some College	157	181	46	48	31	23
College Graduate	117	139	27	17	10	*
CURRENT EMPLOYMENT						
Full-Time	213	261	58	51	30	31
Part-Time	99	151	29	41	26	34
Unemployed	100	101	62	33	49	23
Other ¹	167	184	54	47	44	33

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.38D Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.14	0.16	0.05	0.04	0.03	0.03
GENDER						
Male	0.24	0.27	0.08	0.06	0.06	0.04
Female	0.15	0.16	0.05	0.05	0.03	0.04
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.15	0.18	0.05	0.04	0.04	0.03
White	0.17	0.20	0.05	0.04	0.03	0.03
Black or African American	0.46	0.59	0.21	0.18	0.17	0.14
American Indian or Alaska Native	3.16	2.39	0.11	0.58	0.10	*
Native Hawaiian or Other Pacific Islander	1.02	0.95	0.09	0.18	*	*
Asian	0.38	0.15	0.01	0.03	0.01	*
Two or More Races	1.27	1.11	0.81	0.03	*	0.04
Hispanic or Latino	0.34	0.36	0.09	0.09	0.08	0.04
EDUCATION						
< High School	0.45	0.46	0.19	0.14	0.14	0.12
High School Graduate	0.25	0.31	0.08	0.07	0.07	0.05
Some College	0.27	0.30	0.08	0.08	0.05	0.04
College Graduate	0.18	0.21	0.04	0.03	0.01	*
CURRENT EMPLOYMENT						
Full-Time	0.18	0.22	0.05	0.04	0.03	0.03
Part-Time	0.31	0.44	0.09	0.12	0.08	0.10
Unemployed	0.66	0.66	0.42	0.23	0.33	0.15
Other ¹	0.26	0.27	0.08	0.07	0.07	0.05

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.38P Crack Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.1539		0.3043		0.2561	
GENDER						
Male	0.1854		0.1571		0.1248	
Female	0.4799		0.8907		0.8740	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1906		0.2884		0.3687	
White	0.4687		0.4623		0.7925	
Black or African American	0.0174		0.5056		0.4083	
American Indian or Alaska Native	0.9965		0.1941		*	
Native Hawaiian or Other Pacific Islander	0.8301		0.6643		*	
Asian	0.0183		0.4193		*	
Two or More Races	0.3553		0.2184		*	
Hispanic or Latino	0.5298		0.9873		0.3714	
EDUCATION						
< High School	0.6964		0.7126		0.7830	
High School Graduate	0.5225		0.4945		0.1860	
Some College	0.0248		0.8246		0.3737	
College Graduate	0.5414		0.1504		*	
CURRENT EMPLOYMENT						
Full-Time	0.2735		0.3572		1.0000	
Part-Time	0.2746		0.6877		0.9186	
Unemployed	0.5816		0.2789		0.2207	
Other ¹	0.7022		0.8072		0.4100	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.