

Table 1.39C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	665	689	158	177	91	84
AGE						
12-17	43	44	38	40	20	21
18-25	133	134	81	90	46	48
26 or Older	644	654	122	129	77	61
GENDER						
Male	498	531	124	143	76	67
Female	394	388	95	92	51	48
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	624	644	143	165	80	76
White	592	579	128	147	68	62
Black or African American	151	164	53	58	32	43
American Indian or Alaska Native	64	44	32	7	23	3
Native Hawaiian or Other Pacific Islander	*	*	3	3	1	1
Asian	101	103	23	27	6	4
Two or More Races	63	90	19	15	12	4
Hispanic or Latino	206	204	61	61	42	35

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.39D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.26	0.27	0.06	0.07	0.04	0.03
AGE						
12-17	0.18	0.18	0.16	0.16	0.08	0.09
18-25	0.40	0.39	0.24	0.26	0.14	0.14
26 or Older	0.33	0.33	0.06	0.07	0.04	0.03
GENDER						
Male	0.41	0.43	0.10	0.12	0.06	0.05
Female	0.30	0.30	0.07	0.07	0.04	0.04
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.29	0.30	0.07	0.08	0.04	0.04
White	0.35	0.34	0.08	0.09	0.04	0.04
Black or African American	0.50	0.54	0.18	0.19	0.11	0.14
American Indian or Alaska Native	3.85	3.37	2.50	0.62	1.78	0.23
Native Hawaiian or Other Pacific Islander	*	*	0.37	0.39	0.15	0.14
Asian	0.90	0.87	0.20	0.24	0.06	0.03
Two or More Races	1.91	2.45	0.64	0.48	0.40	0.14
Hispanic or Latino	0.57	0.56	0.17	0.17	0.12	0.10

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.39P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.9606		0.9194		0.6274	
AGE						
12-17	0.9617		0.7009		0.9720	
18-25	0.2886		0.8521		0.4801	
26 or Older	0.9163		0.8720		0.2688	
GENDER						
Male	0.9462		0.6797		0.8134	
Female	0.8336		0.4392		0.6122	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8817		0.5888		0.4110	
White	0.5253		0.9627		0.6668	
Black or African American	0.2301		0.5908		0.8732	
American Indian or Alaska Native	0.7378		0.1027		0.1323	
Native Hawaiian or Other Pacific Islander	*		0.8279		0.6449	
Asian	0.4959		0.8325		0.5516	
Two or More Races	0.4783		0.3896		0.0961	
Hispanic or Latino	0.6669		0.2706		0.6119	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.40C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	43	44	38	40	20	21
GENDER						
Male	32	31	27	28	16	16
Female	30	31	26	29	12	14
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	37	36	32	32	17	15
White	35	35	29	30	14	13
Black or African American	11	10	10	9	8	4
American Indian or Alaska Native	4	3	3	3	2	1
Native Hawaiian or Other Pacific Islander	*	0	*	0	*	0
Asian	6	6	3	5	1	3
Two or More Races	12	6	11	5	6	2
Hispanic or Latino	23	26	20	24	9	16
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	24	23	20	20	11	10
Female, White, Not Hispanic	24	26	20	23	9	9
Male, Black, Not Hispanic	9	9	8	9	6	3
Female, Black, Not Hispanic	7	6	6	4	5	3
Male, Hispanic	19	21	17	19	8	12
Female, Hispanic	14	17	11	16	6	9

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.40D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.18	0.18	0.16	0.16	0.08	0.09
GENDER						
Male	0.26	0.25	0.22	0.22	0.12	0.13
Female	0.25	0.26	0.21	0.24	0.10	0.12
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.19	0.19	0.16	0.16	0.09	0.07
White	0.23	0.24	0.20	0.21	0.10	0.09
Black or African American	0.28	0.28	0.28	0.26	0.21	0.12
American Indian or Alaska Native	2.92	2.11	1.93	1.96	1.37	0.77
Native Hawaiian or Other Pacific Islander	*	0.51	*	0.28	*	0.28
Asian	0.59	0.58	0.29	0.48	0.07	0.24
Two or More Races	2.09	1.15	2.01	0.94	1.06	0.44
Hispanic or Latino	0.47	0.53	0.41	0.48	0.20	0.32
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.31	0.31	0.26	0.27	0.15	0.14
Female, White, Not Hispanic	0.33	0.36	0.29	0.32	0.13	0.13
Male, Black, Not Hispanic	0.49	0.49	0.44	0.47	0.33	0.17
Female, Black, Not Hispanic	0.39	0.31	0.34	0.22	0.25	0.17
Male, Hispanic	0.77	0.78	0.67	0.70	0.31	0.45
Female, Hispanic	0.59	0.71	0.44	0.66	0.24	0.39

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.40P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.9617		0.7009		0.9720	
GENDER						
Male	0.7473		0.6151		0.6364	
Female	0.7913		0.3032		0.5510	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2231		0.3613		0.1237	
White	0.3627		0.4922		0.1872	
Black or African American	0.6456		0.6443		0.3380	
American Indian or Alaska Native	0.4524		0.6880		0.7084	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.9506		0.6827		0.3573	
Two or More Races	0.5434		0.5073		0.5972	
Hispanic or Latino	0.0763		0.0342		0.0443	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.2090		0.2357		0.2415	
Female, White, Not Hispanic	0.9533		0.8859		0.5044	
Male, Black, Not Hispanic	0.7282		0.9501		0.2982	
Female, Black, Not Hispanic	0.8202		0.4610		0.9456	
Male, Hispanic	0.3002		0.6201		0.1068	
Female, Hispanic	0.1701		0.0096		0.1872	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.41C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	133	134	81	90	46	48
GENDER						
Male	98	104	66	71	38	38
Female	79	77	46	49	24	26
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	119	121	76	83	42	43
White	139	128	80	80	39	39
Black or African American	35	41	20	25	14	19
American Indian or Alaska Native	11	10	8	6	3	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	1
Asian	24	20	13	12	6	3
Two or More Races	13	18	10	11	6	2
Hispanic or Latino	46	56	29	36	17	21
EDUCATION						
< High School	55	55	36	32	20	20
High School Graduate	84	80	44	49	25	27
Some College	91	91	62	59	31	30
College Graduate	60	55	29	35	10	15
CURRENT EMPLOYMENT						
Full-Time	85	96	45	55	18	24
Part-Time	72	79	43	51	23	27
Unemployed	53	53	33	34	20	20
Other ¹	68	55	45	36	25	21

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.41D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.40	0.39	0.24	0.26	0.14	0.14
GENDER						
Male	0.58	0.60	0.39	0.41	0.22	0.22
Female	0.48	0.46	0.28	0.29	0.14	0.15
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.44	0.44	0.28	0.30	0.15	0.16
White	0.52	0.51	0.34	0.36	0.19	0.19
Black or African American	0.69	0.78	0.41	0.49	0.29	0.40
American Indian or Alaska Native	4.01	4.55	3.07	3.16	1.09	1.30
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	0.74
Asian	1.55	1.35	0.85	0.87	0.42	0.20
Two or More Races	2.70	2.86	2.07	1.86	1.34	0.29
Hispanic or Latino	0.76	0.85	0.47	0.55	0.27	0.32
EDUCATION						
< High School	0.84	0.85	0.57	0.51	0.32	0.33
High School Graduate	0.61	0.59	0.35	0.39	0.20	0.22
Some College	0.69	0.67	0.51	0.47	0.26	0.25
College Graduate	1.06	1.04	0.59	0.71	0.21	0.31
CURRENT EMPLOYMENT						
Full-Time	0.61	0.64	0.35	0.42	0.14	0.19
Part-Time	0.66	0.73	0.43	0.49	0.24	0.27
Unemployed	1.02	1.02	0.68	0.72	0.44	0.44
Other ¹	0.77	0.66	0.55	0.44	0.33	0.27

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.41P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.2886		0.8521		0.4801	
GENDER						
Male	0.2917		0.7192		0.5384	
Female	0.6048		0.9341		0.7374	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0908		0.3825		0.9925	
White	0.0387		0.3417		0.9908	
Black or African American	0.6936		0.7674		0.4668	
American Indian or Alaska Native	0.3441		0.5638		0.7936	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.6267		0.8607		0.3713	
Two or More Races	0.6756		0.5044		0.0709	
Hispanic or Latino	0.1390		0.0861		0.0790	
EDUCATION						
< High School	0.4615		0.1032		0.5828	
High School Graduate	0.2282		0.5699		0.3668	
Some College	0.4503		0.3965		0.9789	
College Graduate	0.3890		0.0728		0.0918	
CURRENT EMPLOYMENT						
Full-Time	0.5249		0.0772		0.0065	
Part-Time	0.9838		0.6793		0.4352	
Unemployed	0.8255		0.7760		0.5460	
Other ¹	0.0007		0.0019		0.1519	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.42C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	644	654	122	129	77	61
GENDER						
Male	484	512	94	113	62	49
Female	381	373	79	62	45	37
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	612	615	112	124	65	58
White	649	654	95	113	54	44
Black or African American	147	168	49	50	28	37
American Indian or Alaska Native	59	41	*	3	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	98	101	19	23	*	*
Two or More Races	60	88	11	9	9	4
Hispanic or Latino	195	189	53	37	41	21
EDUCATION						
< High School	198	221	56	34	37	24
High School Graduate	340	371	50	51	30	37
Some College	353	350	70	81	46	27
College Graduate	427	425	70	75	39	32
CURRENT EMPLOYMENT						
Full-Time	529	570	96	91	64	33
Part-Time	222	262	49	37	25	15
Unemployed	179	179	44	39	34	25
Other ¹	296	299	36	70	8	42

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.42D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.33	0.33	0.06	0.07	0.04	0.03
GENDER						
Male	0.52	0.55	0.10	0.12	0.07	0.05
Female	0.38	0.37	0.08	0.06	0.04	0.04
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.36	0.36	0.07	0.07	0.04	0.03
White	0.43	0.41	0.07	0.08	0.04	0.03
Black or African American	0.67	0.74	0.23	0.23	0.13	0.17
American Indian or Alaska Native	5.15	4.39	*	0.34	*	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	1.14	1.11	0.22	0.26	*	*
Two or More Races	2.74	3.58	0.58	0.42	0.43	0.18
Hispanic or Latino	0.78	0.75	0.21	0.15	0.16	0.08
EDUCATION						
< High School	0.68	0.76	0.20	0.12	0.13	0.08
High School Graduate	0.55	0.58	0.09	0.09	0.05	0.06
Some College	0.68	0.67	0.15	0.17	0.10	0.06
College Graduate	0.63	0.61	0.12	0.12	0.07	0.05
CURRENT EMPLOYMENT						
Full-Time	0.46	0.48	0.09	0.09	0.06	0.03
Part-Time	0.94	1.00	0.22	0.16	0.11	0.06
Unemployed	1.50	1.58	0.43	0.38	0.33	0.25
Other ¹	0.52	0.49	0.06	0.12	0.01	0.07

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.42P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.9163		0.8720		0.2688	
GENDER						
Male	0.8043		0.4320		0.5338	
Female	0.8698		0.1553		0.3278	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8544		0.8424		0.5765	
White	0.7851		0.3968		0.9000	
Black or African American	0.2538		0.5160		0.9729	
American Indian or Alaska Native	0.6474		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3951		0.8576		*	
Two or More Races	0.5138		0.5284		0.4436	
Hispanic or Latino	0.8269		0.3459		0.2089	
EDUCATION						
< High School	0.9941		0.1043		0.3161	
High School Graduate	0.9665		0.7781		0.6701	
Some College	0.7776		0.7513		0.2760	
College Graduate	0.9506		0.4998		0.5932	
CURRENT EMPLOYMENT						
Full-Time	0.8622		0.7033		0.0438	
Part-Time	0.0576		0.2758		0.5042	
Unemployed	0.3319		0.1953		0.3149	
Other ¹	0.7990		0.0360		0.0265	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.43C Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	663	684	151	169	89	80
GENDER						
Male	496	527	121	138	74	63
Female	393	386	90	86	49	45
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	622	640	138	161	78	74
White	664	682	124	146	67	59
Black or African American	155	171	53	56	32	42
American Indian or Alaska Native	63	44	32	7	*	2
Native Hawaiian or Other Pacific Islander	*	*	2	3	1	1
Asian	101	103	23	26	6	3
Two or More Races	62	90	15	14	10	4
Hispanic or Latino	204	201	59	54	41	30
EDUCATION						
< High School	205	227	67	46	42	31
High School Graduate	360	386	68	70	40	46
Some College	364	364	94	102	55	40
College Graduate	435	433	75	83	39	36
CURRENT EMPLOYMENT						
Full-Time	539	590	108	110	68	42
Part-Time	236	270	64	63	33	31
Unemployed	187	191	58	52	40	32
Other ¹	300	307	57	79	26	47

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.43D Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.29	0.30	0.07	0.07	0.04	0.03
GENDER						
Male	0.45	0.47	0.11	0.12	0.07	0.06
Female	0.33	0.33	0.08	0.07	0.04	0.04
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.32	0.32	0.07	0.08	0.04	0.04
White	0.38	0.37	0.08	0.09	0.04	0.04
Black or African American	0.58	0.62	0.20	0.21	0.12	0.16
American Indian or Alaska Native	4.27	3.84	2.77	0.66	*	0.23
Native Hawaiian or Other Pacific Islander	*	*	0.29	0.43	0.17	0.16
Asian	0.99	0.96	0.22	0.26	0.06	0.03
Two or More Races	2.30	2.91	0.63	0.53	0.43	0.15
Hispanic or Latino	0.66	0.63	0.19	0.17	0.13	0.09
EDUCATION						
< High School	0.59	0.65	0.20	0.13	0.12	0.09
High School Graduate	0.48	0.50	0.10	0.10	0.06	0.07
Some College	0.57	0.55	0.16	0.17	0.09	0.07
College Graduate	0.59	0.57	0.11	0.12	0.06	0.05
CURRENT EMPLOYMENT						
Full-Time	0.42	0.44	0.09	0.10	0.06	0.04
Part-Time	0.69	0.74	0.20	0.19	0.10	0.09
Unemployed	1.07	1.16	0.39	0.35	0.27	0.22
Other ¹	0.47	0.44	0.09	0.12	0.04	0.07

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.43P Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.9189		0.8635		0.6181	
GENDER						
Male	0.9695		0.5863		0.8989	
Female	0.7915		0.2710		0.4921	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.8842		0.7354		0.6248	
White	0.5203		0.9009		0.9043	
Black or African American	0.2347		0.6436		0.7683	
American Indian or Alaska Native	0.7909		0.0851		*	
Native Hawaiian or Other Pacific Islander	*		0.7326		0.7385	
Asian	0.4870		0.8825		0.3299	
Two or More Races	0.4670		0.5530		0.1140	
Hispanic or Latino	0.8211		0.6807		0.8926	
EDUCATION						
< High School	0.8262		0.0166		0.2218	
High School Graduate	0.7804		0.8205		0.3762	
Some College	0.9263		0.9645		0.4056	
College Graduate	0.9603		0.1616		0.9153	
CURRENT EMPLOYMENT						
Full-Time	0.9479		0.6183		0.4530	
Part-Time	0.0689		0.5231		0.9347	
Unemployed	0.3271		0.2474		0.2411	
Other ¹	0.4292		0.8291		0.2981	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.