

Table 1.44C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	473	473	109	114	57	82
AGE						
12-17	66	61	42	42	22	23
18-25	94	90	45	44	21	21
26 or Older	463	458	88	100	48	77
GENDER						
Male	384	386	94	103	46	78
Female	240	255	56	53	33	28
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	449	443	89	107	46	77
White	431	406	84	102	42	76
Black or African American	101	115	21	23	11	14
American Indian or Alaska Native	19	38	3	6	1	2
Native Hawaiian or Other Pacific Islander	11	13	3	1	1	1
Asian	54	68	20	10	13	5
Two or More Races	42	71	13	11	8	6
Hispanic or Latino	151	160	59	42	33	28

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.44D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.19	0.19	0.04	0.04	0.02	0.03
AGE						
12-17	0.27	0.25	0.17	0.17	0.09	0.10
18-25	0.28	0.26	0.13	0.13	0.06	0.06
26 or Older	0.24	0.23	0.05	0.05	0.02	0.04
GENDER						
Male	0.31	0.31	0.08	0.08	0.04	0.06
Female	0.19	0.20	0.04	0.04	0.03	0.02
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.21	0.20	0.04	0.05	0.02	0.04
White	0.25	0.24	0.05	0.06	0.02	0.04
Black or African American	0.34	0.38	0.07	0.08	0.04	0.05
American Indian or Alaska Native	1.56	2.91	0.29	0.53	0.08	0.19
Native Hawaiian or Other Pacific Islander	1.41	1.74	0.40	0.12	0.14	0.11
Asian	0.49	0.58	0.18	0.09	0.11	0.04
Two or More Races	1.38	2.06	0.44	0.36	0.26	0.18
Hispanic or Latino	0.42	0.43	0.16	0.11	0.09	0.08

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.44P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.1639		0.6370		0.2311	
AGE						
12-17	0.0050		0.2524		0.5006	
18-25	0.0365		0.4673		0.6103	
26 or Older	0.5054		0.7145		0.1860	
GENDER						
Male	0.1407		0.6113		0.2390	
Female	0.6662		0.9537		0.7214	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1792		0.8548		0.1973	
White	0.0767		0.7025		0.1633	
Black or African American	0.6842		0.4251		0.3011	
American Indian or Alaska Native	0.0153		0.3501		0.0984	
Native Hawaiian or Other Pacific Islander	0.4821		0.3661		0.9687	
Asian	0.5600		0.1123		0.1341	
Two or More Races	0.9015		0.2680		0.4909	
Hispanic or Latino	0.7662		0.4859		0.8914	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.45C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	66	61	42	42	22	23
GENDER						
Male	47	42	29	27	16	15
Female	45	44	30	32	15	17
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	57	51	36	35	19	18
White	50	46	30	31	14	15
Black or African American	30	24	20	14	10	10
American Indian or Alaska Native	4	4	2	2	1	2
Native Hawaiian or Other Pacific Islander	*	*	*	1	*	0
Asian	16	16	10	9	8	2
Two or More Races	9	10	6	6	3	1
Hispanic or Latino	32	34	21	25	12	15
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	35	31	20	20	9	10
Female, White, Not Hispanic	33	32	22	24	11	11
Male, Black, Not Hispanic	20	17	11	9	4	6
Female, Black, Not Hispanic	22	16	16	11	9	8
Male, Hispanic	25	26	16	16	10	10
Female, Hispanic	25	23	13	18	6	10

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.45D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.27	0.25	0.17	0.17	0.09	0.10
GENDER						
Male	0.37	0.33	0.23	0.22	0.13	0.12
Female	0.38	0.37	0.25	0.27	0.13	0.15
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.29	0.26	0.18	0.18	0.10	0.09
White	0.32	0.30	0.20	0.21	0.10	0.11
Black or African American	0.76	0.62	0.52	0.38	0.27	0.28
American Indian or Alaska Native	2.96	2.73	1.48	1.51	0.63	1.28
Native Hawaiian or Other Pacific Islander	*	*	*	0.77	*	0.58
Asian	1.48	1.38	0.94	0.81	0.75	0.21
Two or More Races	1.58	1.70	1.06	1.11	0.55	0.18
Hispanic or Latino	0.66	0.69	0.43	0.50	0.25	0.31
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.44	0.41	0.26	0.27	0.13	0.14
Female, White, Not Hispanic	0.45	0.44	0.32	0.34	0.15	0.16
Male, Black, Not Hispanic	1.01	0.88	0.59	0.51	0.24	0.36
Female, Black, Not Hispanic	1.08	0.83	0.85	0.58	0.48	0.43
Male, Hispanic	1.00	0.93	0.64	0.58	0.41	0.39
Female, Hispanic	0.96	0.92	0.56	0.73	0.24	0.41

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.45P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.0050		0.2524		0.5006	
GENDER						
Male	0.0648		0.0617		0.8266	
Female	0.0401		0.8849		0.2716	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.0015		0.0517		0.7310	
White	0.0142		0.5072		0.3565	
Black or African American	0.0463		0.0262		0.8704	
American Indian or Alaska Native	0.8258		0.4844		0.2712	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.3303		0.3968		0.1339	
Two or More Races	0.7163		0.5959		0.3064	
Hispanic or Latino	0.9211		0.3019		0.4979	
GENDER/RACE/HISPANIC ORIGIN						
Male, White, Not Hispanic	0.1929		0.4879		0.2448	
Female, White, Not Hispanic	0.0245		0.7961		0.8403	
Male, Black, Not Hispanic	0.2172		0.3257		0.7935	
Female, Black, Not Hispanic	0.0927		0.0391		0.9867	
Male, Hispanic	0.4423		0.3606		0.3683	
Female, Hispanic	0.5199		0.0183		0.0518	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.46C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	94	90	45	44	21	21
GENDER						
Male	74	71	38	32	19	17
Female	56	61	24	31	10	13
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	82	79	34	40	15	18
White	87	82	33	35	15	14
Black or African American	20	26	6	11	4	11
American Indian or Alaska Native	8	7	2	*	*	1
Native Hawaiian or Other Pacific Islander	*	*	*	1	*	*
Asian	11	12	7	6	1	4
Two or More Races	9	13	3	5	0	1
Hispanic or Latino	43	41	29	20	14	11
EDUCATION						
< High School	43	40	19	20	11	8
High School Graduate	63	61	27	30	10	14
Some College	59	57	26	23	13	9
College Graduate	38	38	15	15	3	9
CURRENT EMPLOYMENT						
Full-Time	62	63	23	32	10	14
Part-Time	50	52	20	23	12	13
Unemployed	42	34	26	13	11	7
Other ¹	41	39	20	17	6	7

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.46D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.28	0.26	0.13	0.13	0.06	0.06
GENDER						
Male	0.44	0.41	0.22	0.18	0.11	0.10
Female	0.33	0.36	0.14	0.18	0.06	0.07
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.30	0.29	0.12	0.14	0.05	0.06
White	0.38	0.36	0.16	0.17	0.07	0.07
Black or African American	0.41	0.50	0.13	0.22	0.08	0.21
American Indian or Alaska Native	3.31	3.55	1.00	*	*	0.78
Native Hawaiian or Other Pacific Islander	*	*	*	0.50	*	*
Asian	0.74	0.85	0.49	0.41	0.10	0.28
Two or More Races	1.90	2.14	0.80	0.83	0.03	0.18
Hispanic or Latino	0.69	0.62	0.46	0.30	0.23	0.17
EDUCATION						
< High School	0.66	0.63	0.32	0.34	0.18	0.14
High School Graduate	0.48	0.48	0.23	0.25	0.09	0.12
Some College	0.48	0.45	0.24	0.19	0.12	0.08
College Graduate	0.73	0.73	0.31	0.31	0.06	0.19
CURRENT EMPLOYMENT						
Full-Time	0.45	0.46	0.18	0.25	0.08	0.11
Part-Time	0.50	0.50	0.21	0.24	0.13	0.13
Unemployed	0.83	0.72	0.55	0.30	0.23	0.15
Other ¹	0.50	0.48	0.27	0.22	0.08	0.09

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.46P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.0365		0.4673		0.6103	
GENDER						
Male	0.0584		0.3836		0.4135	
Female	0.3164		0.9300		0.7376	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.1774		0.9319		0.9686	
White	0.0489		0.8592		0.2914	
Black or African American	0.2243		0.4086		0.1897	
American Indian or Alaska Native	0.3994		*		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1068		0.9741		0.5734	
Two or More Races	0.7805		0.7912		0.2394	
Hispanic or Latino	0.0672		0.1576		0.4305	
EDUCATION						
< High School	0.0954		0.7727		0.7385	
High School Graduate	0.2465		0.9931		0.7926	
Some College	0.3778		0.1260		0.1395	
College Graduate	0.7453		0.9928		0.3879	
CURRENT EMPLOYMENT						
Full-Time	0.0362		0.2925		0.3742	
Part-Time	0.8850		0.7846		0.3651	
Unemployed	0.2379		0.0269		0.3680	
Other ¹	0.4050		0.2307		0.8002	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.47C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	463	458	88	100	48	77
GENDER						
Male	378	377	79	94	39	75
Female	227	243	39	30	28	17
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	442	431	74	96	39	73
White	452	439	71	94	37	73
Black or African American	93	115	*	20	*	3
American Indian or Alaska Native	16	36	2	1	0	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	49	64	15	1	10	*
Two or More Races	41	70	12	8	7	5
Hispanic or Latino	142	152	47	26	28	22
EDUCATION						
< High School	153	169	35	24	8	10
High School Graduate	212	219	31	19	25	15
Some College	251	245	52	83	18	65
College Graduate	316	320	54	45	35	37
CURRENT EMPLOYMENT						
Full-Time	383	399	61	86	44	72
Part-Time	166	164	50	35	4	21
Unemployed	127	104	25	18	13	18
Other ¹	190	213	31	32	13	4

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.47D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.24	0.23	0.05	0.05	0.02	0.04
GENDER						
Male	0.41	0.40	0.08	0.10	0.04	0.08
Female	0.22	0.24	0.04	0.03	0.03	0.02
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.26	0.25	0.04	0.06	0.02	0.04
White	0.31	0.29	0.05	0.07	0.03	0.05
Black or African American	0.43	0.51	*	0.09	*	0.02
American Indian or Alaska Native	1.81	3.85	0.21	0.06	0.06	*
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	0.58	0.70	0.18	0.01	0.12	*
Two or More Races	1.99	3.04	0.57	0.40	0.36	0.25
Hispanic or Latino	0.57	0.60	0.19	0.10	0.11	0.09
EDUCATION						
< High School	0.52	0.58	0.12	0.08	0.03	0.04
High School Graduate	0.36	0.36	0.05	0.03	0.04	0.03
Some College	0.52	0.49	0.11	0.17	0.04	0.14
College Graduate	0.49	0.49	0.09	0.07	0.06	0.06
CURRENT EMPLOYMENT						
Full-Time	0.35	0.36	0.06	0.08	0.04	0.07
Part-Time	0.72	0.67	0.22	0.15	0.02	0.09
Unemployed	1.16	0.97	0.24	0.17	0.13	0.17
Other ¹	0.33	0.35	0.05	0.05	0.02	0.01

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.47P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.5054		0.7145		0.1860	
GENDER						
Male	0.3393		0.7024		0.1125	
Female	0.8362		0.9794		0.6994	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.4472		0.4841		0.1739	
White	0.2203		0.3975		0.1240	
Black or African American	0.4731		*		*	
American Indian or Alaska Native	0.0041		0.3731		*	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.5904		0.1063		*	
Two or More Races	0.9017		0.3585		0.6342	
Hispanic or Latino	0.8480		0.5170		0.8255	
EDUCATION						
< High School	0.8756		0.8107		0.8504	
High School Graduate	0.3386		0.6420		0.7229	
Some College	0.5554		0.3433		0.1888	
College Graduate	0.9661		0.7805		0.4374	
CURRENT EMPLOYMENT						
Full-Time	0.6296		0.2789		0.2448	
Part-Time	0.9269		0.6730		0.1456	
Unemployed	0.0547		0.3200		0.6049	
Other ¹	0.6060		0.8668		0.1444	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.48C Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	470	468	100	108	52	80
GENDER						
Male	384	382	88	100	43	77
Female	235	251	46	44	29	22
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	448	439	82	103	42	75
White	460	453	79	98	39	74
Black or African American	97	117	6	22	4	11
American Indian or Alaska Native	18	38	3	6	0	1
Native Hawaiian or Other Pacific Islander	11	11	3	1	1	1
Asian	49	65	17	6	10	4
Two or More Races	42	71	12	10	7	5
Hispanic or Latino	147	155	55	33	31	25
EDUCATION						
< High School	159	173	40	32	13	13
High School Graduate	223	233	42	35	27	21
Some College	259	254	58	86	22	65
College Graduate	319	324	57	49	36	38
CURRENT EMPLOYMENT						
Full-Time	388	406	66	92	45	73
Part-Time	176	173	54	42	14	24
Unemployed	133	112	36	22	17	19
Other ¹	194	218	37	37	15	8

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.48D Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.21	0.20	0.04	0.05	0.02	0.03
GENDER						
Male	0.35	0.34	0.08	0.09	0.04	0.07
Female	0.20	0.21	0.04	0.04	0.03	0.02
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.23	0.22	0.04	0.05	0.02	0.04
White	0.28	0.26	0.05	0.06	0.03	0.05
Black or African American	0.36	0.43	0.02	0.08	0.02	0.04
American Indian or Alaska Native	1.68	3.27	0.26	0.56	0.04	0.13
Native Hawaiian or Other Pacific Islander	1.49	1.67	0.38	0.11	0.15	0.10
Asian	0.49	0.61	0.17	0.06	0.10	0.04
Two or More Races	1.68	2.46	0.49	0.36	0.30	0.20
Hispanic or Latino	0.47	0.49	0.18	0.10	0.10	0.08
EDUCATION						
< High School	0.45	0.49	0.12	0.09	0.04	0.04
High School Graduate	0.31	0.32	0.06	0.05	0.04	0.03
Some College	0.43	0.41	0.10	0.15	0.04	0.11
College Graduate	0.45	0.45	0.09	0.08	0.05	0.06
CURRENT EMPLOYMENT						
Full-Time	0.31	0.32	0.06	0.08	0.04	0.06
Part-Time	0.54	0.50	0.17	0.13	0.04	0.07
Unemployed	0.83	0.72	0.24	0.15	0.11	0.13
Other ¹	0.30	0.32	0.06	0.05	0.02	0.01

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.48P Inhalant Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: *P* Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.2972		0.9726		0.2684	
GENDER						
Male	0.1968		0.9622		0.1988	
Female	0.9658		0.9697		0.8368	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.3261		0.5095		0.1949	
White	0.1246		0.4837		0.2153	
Black or African American	0.3366		0.0940		0.1282	
American Indian or Alaska Native	0.0170		0.4788		0.2006	
Native Hawaiian or Other Pacific Islander	0.4688		0.4324		0.7862	
Asian	0.3912		0.1612		0.4213	
Two or More Races	0.9539		0.3734		0.7061	
Hispanic or Latino	0.7756		0.2099		0.8868	
EDUCATION						
< High School	0.7638		0.8819		0.8582	
High School Graduate	0.2375		0.7803		0.8789	
Some College	0.4473		0.6713		0.3385	
College Graduate	0.9364		0.7914		0.3550	
CURRENT EMPLOYMENT						
Full-Time	0.4227		0.1699		0.1903	
Part-Time	0.9062		0.7658		0.6348	
Unemployed	0.0298		0.0225		1.0000	
Other ¹	0.7059		0.4822		0.1873	

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.