

Table 1.64C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	949	1,019	541	559	395	407
GEOGRAPHIC DIVISION						
Northeast	402	409	257	212	169	161
New England	193	219	122	110	89	80
Middle Atlantic	351	343	228	183	144	141
Midwest	360	364	193	189	154	147
East North Central	291	291	152	162	117	133
West North Central	213	227	118	96	97	65
South	607	636	321	313	228	214
South Atlantic	484	473	272	245	200	169
East South Central	204	212	98	99	61	76
West South Central	300	333	137	160	104	113
West	525	554	278	358	214	269
Mountain	250	266	123	159	95	115
Pacific	460	489	251	321	193	244
COUNTY TYPE						
Large Metro	1,174	1,195	445	465	317	324
Small Metro	763	834	304	312	218	238
250K – 1 Mil. Pop.	660	689	250	243	179	186
< 250K Pop.	457	476	181	192	131	145
Nonmetro	521	535	202	260	132	188
Urbanized	366	389	148	154	85	128
Less Urbanized	339	418	128	217	98	149
Completely Rural	204	137	49	37	28	19

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.64D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.38	0.40	0.21	0.22	0.16	0.16
GEOGRAPHIC DIVISION						
Northeast	0.87	0.88	0.55	0.45	0.36	0.35
New England	1.59	1.79	1.01	0.90	0.73	0.65
Middle Atlantic	1.02	1.00	0.67	0.53	0.42	0.41
Midwest	0.65	0.66	0.35	0.34	0.28	0.27
East North Central	0.76	0.75	0.39	0.42	0.30	0.34
West North Central	1.27	1.35	0.71	0.57	0.58	0.39
South	0.66	0.68	0.35	0.34	0.25	0.23
South Atlantic	1.00	0.96	0.56	0.50	0.41	0.34
East South Central	1.36	1.40	0.66	0.66	0.41	0.50
West South Central	1.05	1.15	0.48	0.55	0.37	0.39
West	0.90	0.94	0.48	0.61	0.37	0.46
Mountain	1.40	1.47	0.69	0.88	0.53	0.64
Pacific	1.14	1.20	0.62	0.79	0.48	0.60
COUNTY TYPE						
Large Metro	0.54	0.59	0.31	0.31	0.23	0.22
Small Metro	0.66	0.62	0.36	0.36	0.27	0.29
250K – 1 Mil. Pop.	0.77	0.75	0.45	0.43	0.34	0.34
< 250K Pop.	1.26	1.10	0.63	0.67	0.47	0.54
Nonmetro	0.86	0.85	0.44	0.58	0.30	0.42
Urbanized	1.32	1.27	0.70	0.81	0.43	0.70
Less Urbanized	1.24	1.33	0.61	0.97	0.49	0.68
Completely Rural	2.74	2.74	1.01	0.92	0.62	0.51

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.64P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.5037		0.5907		0.4048	
GEOGRAPHIC DIVISION						
Northeast	0.2910		0.2928		0.5687	
New England	0.7128		0.2412		0.4192	
Middle Atlantic	0.1403		0.5829		0.8442	
Midwest	0.2665		0.6346		0.5557	
East North Central	0.4966		0.3419		0.2580	
West North Central	0.3543		0.5754		0.4934	
South	0.3435		0.8740		0.9666	
South Atlantic	0.8009		0.7798		0.6230	
East South Central	0.7081		0.8622		0.6262	
West South Central	0.2032		0.9856		0.5394	
West	0.9140		0.1164		0.1782	
Mountain	0.6860		0.0155		0.0723	
Pacific	0.9188		0.5280		0.4899	
COUNTY TYPE						
Large Metro	0.1897		0.6563		0.6425	
Small Metro	0.4983		0.9970		0.9276	
250K – 1 Mil. Pop.	0.9099		0.7711		0.8921	
< 250K Pop.	0.3121		0.6971		0.9742	
Nonmetro	0.8473		0.6915		0.3020	
Urbanized	0.7257		0.6300		0.1096	
Less Urbanized	0.9948		0.8058		0.8864	
Completely Rural	0.1415		0.6202		0.3812	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.65C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	86	91	78	84	59	62
GEOGRAPHIC DIVISION						
Northeast	34	33	32	31	23	25
New England	15	16	14	14	11	12
Middle Atlantic	31	28	29	28	21	22
Midwest	34	28	30	25	24	19
East North Central	28	24	25	22	20	17
West North Central	17	17	16	15	11	11
South	47	57	42	50	32	35
South Atlantic	36	45	32	40	25	26
East South Central	15	18	13	16	9	11
West South Central	29	29	25	27	18	19
West	51	52	46	50	33	37
Mountain	23	25	20	22	12	17
Pacific	46	46	42	45	31	33
COUNTY TYPE						
Large Metro	74	81	67	75	46	52
Small Metro	59	53	52	46	39	34
250K – 1 Mil. Pop.	51	45	46	39	35	31
< 250K Pop.	29	31	25	26	18	14
Nonmetro	33	42	28	35	19	21
Urbanized	24	27	20	22	13	13
Less Urbanized	21	33	19	28	13	16
Completely Rural	9	7	7	6	4	3

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.65D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Standard Errors of Percentages, 2009 and 2010**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.35	0.37	0.32	0.34	0.24	0.25
GEOGRAPHIC DIVISION						
Northeast	0.80	0.77	0.74	0.73	0.54	0.60
New England	1.38	1.44	1.28	1.29	0.95	1.11
Middle Atlantic	0.97	0.90	0.90	0.88	0.65	0.71
Midwest	0.63	0.53	0.56	0.48	0.43	0.36
East North Central	0.75	0.64	0.66	0.58	0.53	0.44
West North Central	1.08	1.05	0.99	0.92	0.70	0.67
South	0.53	0.64	0.47	0.56	0.36	0.39
South Atlantic	0.79	1.00	0.70	0.88	0.55	0.59
East South Central	1.01	1.22	0.88	1.09	0.60	0.77
West South Central	0.95	0.96	0.84	0.89	0.59	0.64
West	0.87	0.89	0.79	0.86	0.56	0.64
Mountain	1.25	1.39	1.10	1.24	0.67	0.94
Pacific	1.13	1.13	1.04	1.12	0.76	0.82
COUNTY TYPE						
Large Metro	0.50	0.54	0.46	0.51	0.33	0.36
Small Metro	0.61	0.59	0.55	0.54	0.44	0.43
250K – 1 Mil. Pop.	0.72	0.78	0.68	0.68	0.55	0.58
< 250K Pop.	1.07	0.97	0.89	0.93	0.69	0.56
Nonmetro	0.71	0.91	0.63	0.77	0.47	0.50
Urbanized	1.12	1.21	1.02	1.01	0.72	0.67
Less Urbanized	0.98	1.47	0.92	1.26	0.66	0.78
Completely Rural	1.89	2.00	1.40	1.82	0.91	1.04

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.65P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.9863		0.4318		0.9259	
GEOGRAPHIC DIVISION						
Northeast	0.6748		0.6402		0.2485	
New England	0.8041		0.8524		0.6319	
Middle Atlantic	0.7274		0.5502		0.2961	
Midwest	0.0588		0.2180		0.0989	
East North Central	0.0014		0.0082		0.0040	
West North Central	0.1755		0.0963		0.1383	
South	0.4578		0.1889		0.7278	
South Atlantic	0.3771		0.1692		0.5131	
East South Central	0.6456		0.3491		0.7203	
West South Central	0.8591		0.9428		0.6303	
West	0.9444		0.6651		0.9613	
Mountain	0.5980		0.5881		0.3451	
Pacific	0.8431		0.8282		0.6182	
COUNTY TYPE						
Large Metro	0.6493		0.7321		0.4660	
Small Metro	0.4585		0.5135		0.3076	
250K – 1 Mil. Pop.	0.8955		1.0000		0.7144	
< 250K Pop.	0.2699		0.2269		0.1269	
Nonmetro	0.8331		0.6180		0.7551	
Urbanized	0.1139		0.4620		0.3345	
Less Urbanized	0.4294		0.3113		0.3769	
Completely Rural	0.8709		0.6920		0.5356	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.66C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Numbers in Thousands, 2009 and 2010**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	169	167	156	166	126	130
GEOGRAPHIC DIVISION						
Northeast	67	72	67	70	52	59
New England	33	34	35	34	30	28
Middle Atlantic	59	62	57	60	43	52
Midwest	66	74	59	63	51	50
East North Central	53	60	50	53	43	41
West North Central	38	41	31	34	26	28
South	101	103	95	98	78	76
South Atlantic	79	78	75	78	62	60
East South Central	32	35	29	31	23	26
West South Central	51	57	46	48	42	38
West	103	88	88	89	68	70
Mountain	46	41	41	37	30	28
Pacific	92	78	78	81	62	64
COUNTY TYPE						
Large Metro	209	229	154	172	108	119
Small Metro	175	194	130	145	96	102
250K – 1 Mil. Pop.	138	145	92	103	65	67
< 250K Pop.	116	128	96	99	71	75
Nonmetro	160	100	105	65	56	43
Urbanized	143	78	93	50	42	35
Less Urbanized	71	68	47	46	36	31
Completely Rural	29	24	17	16	10	13

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.66D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Standard Errors of Percentages, 2009 and 2010**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.50	0.49	0.46	0.49	0.38	0.38
GEOGRAPHIC DIVISION						
Northeast	1.09	1.19	1.09	1.16	0.86	0.98
New England	2.04	2.07	2.19	2.10	1.88	1.72
Middle Atlantic	1.31	1.41	1.26	1.36	0.95	1.18
Midwest	0.90	0.98	0.81	0.84	0.69	0.67
East North Central	1.05	1.16	0.99	1.03	0.85	0.80
West North Central	1.66	1.72	1.37	1.45	1.17	1.18
South	0.84	0.83	0.79	0.79	0.65	0.61
South Atlantic	1.29	1.24	1.23	1.23	1.01	0.95
East South Central	1.67	1.78	1.54	1.54	1.19	1.28
West South Central	1.27	1.38	1.14	1.16	1.04	0.93
West	1.27	1.09	1.09	1.10	0.84	0.86
Mountain	1.92	1.63	1.71	1.50	1.24	1.12
Pacific	1.63	1.39	1.37	1.44	1.10	1.14
COUNTY TYPE						
Large Metro	0.70	0.72	0.66	0.69	0.53	0.55
Small Metro	0.91	0.89	0.87	0.89	0.74	0.68
250K – 1 Mil. Pop.	1.10	0.99	0.95	1.02	0.79	0.71
< 250K Pop.	1.64	1.67	1.73	1.62	1.45	1.38
Nonmetro	1.09	1.08	0.98	0.91	0.68	0.70
Urbanized	1.42	1.75	1.45	1.54	0.81	1.18
Less Urbanized	1.55	1.44	1.32	1.34	1.21	1.06
Completely Rural	4.40	4.36	3.43	3.50	2.27	2.97

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.66P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.0782		0.1960		0.5834	
GEOGRAPHIC DIVISION						
Northeast	0.5640		0.0401		0.3528	
New England	0.9218		0.9244		0.5809	
Middle Atlantic	0.4384		0.0181		0.1734	
Midwest	0.2531		0.9458		0.2730	
East North Central	0.0747		0.5674		0.5695	
West North Central	0.5458		0.2982		0.2233	
South	0.0704		0.7412		0.7144	
South Atlantic	0.3030		0.7959		0.3171	
East South Central	0.1903		0.3718		0.3691	
West South Central	0.2743		0.6382		0.9186	
West	0.8245		0.8411		0.4710	
Mountain	0.6876		0.8318		0.7312	
Pacific	0.9437		0.7876		0.5045	
COUNTY TYPE						
Large Metro	0.1650		0.4170		0.9118	
Small Metro	0.6303		0.3542		0.7506	
250K – 1 Mil. Pop.	0.5475		0.6109		0.1917	
< 250K Pop.	0.1557		0.0603		0.3732	
Nonmetro	0.1118		0.4255		0.5786	
Urbanized	0.6208		0.4553		0.0497	
Less Urbanized	0.0890		0.2255		0.6747	
Completely Rural	0.0311		0.1527		0.4138	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.67C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	907	986	470	488	340	362
GEOGRAPHIC DIVISION						
Northeast	384	393	218	191	146	142
New England	177	203	103	90	77	70
Middle Atlantic	337	334	194	169	125	124
Midwest	336	352	164	164	130	132
East North Central	272	283	128	144	97	121
West North Central	206	221	102	78	86	53
South	593	616	275	268	202	191
South Atlantic	470	449	236	199	182	146
East South Central	198	209	90	88	53	71
West South Central	294	333	114	143	83	100
West	506	534	246	321	188	250
Mountain	248	255	105	140	85	103
Pacific	440	473	223	288	169	228
COUNTY TYPE						
Large Metro	1,096	1,122	384	396	281	285
Small Metro	690	754	260	248	184	200
250K – 1 Mil. Pop.	592	634	212	197	157	161
< 250K Pop.	416	423	148	147	101	115
Nonmetro	455	486	154	231	112	173
Urbanized	296	335	97	126	66	114
Less Urbanized	308	381	111	190	87	131
Completely Rural	184	125	37	28	24	12

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.67D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.47	0.50	0.24	0.25	0.18	0.19
GEOGRAPHIC DIVISION						
Northeast	1.07	1.08	0.61	0.53	0.41	0.39
New England	1.87	2.12	1.09	0.94	0.81	0.73
Middle Atlantic	1.27	1.25	0.73	0.63	0.47	0.46
Midwest	0.79	0.83	0.39	0.39	0.31	0.31
East North Central	0.92	0.95	0.43	0.49	0.33	0.41
West North Central	1.61	1.72	0.79	0.61	0.67	0.41
South	0.84	0.86	0.39	0.37	0.28	0.27
South Atlantic	1.24	1.18	0.62	0.52	0.48	0.38
East South Central	1.70	1.79	0.77	0.76	0.46	0.61
West South Central	1.37	1.53	0.53	0.66	0.39	0.46
West	1.14	1.19	0.56	0.72	0.43	0.56
Mountain	1.82	1.85	0.77	1.02	0.62	0.75
Pacific	1.44	1.52	0.73	0.93	0.55	0.73
COUNTY TYPE						
Large Metro	0.68	0.75	0.35	0.35	0.26	0.26
Small Metro	0.82	0.76	0.42	0.39	0.31	0.33
250K – 1 Mil. Pop.	0.96	0.93	0.52	0.46	0.39	0.39
< 250K Pop.	1.56	1.39	0.70	0.71	0.48	0.58
Nonmetro	1.04	1.06	0.46	0.68	0.34	0.51
Urbanized	1.56	1.54	0.68	0.90	0.47	0.83
Less Urbanized	1.53	1.64	0.71	1.13	0.58	0.79
Completely Rural	3.19	3.18	1.00	0.85	0.66	0.39

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.67P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.3685		0.3928		0.4945	
GEOGRAPHIC DIVISION						
Northeast	0.2513		0.6323		0.6926	
New England	0.6393		0.1528		0.2222	
Middle Atlantic	0.1037		0.8471		0.8008	
Midwest	0.4029		0.5449		0.6593	
East North Central	0.9084		0.1010		0.1417	
West North Central	0.2340		0.1722		0.1242	
South	0.2519		0.6691		0.7970	
South Atlantic	0.7624		0.4579		0.3003	
East South Central	0.5950		0.7961		0.4645	
West South Central	0.1472		0.8805		0.4220	
West	0.9787		0.0736		0.1960	
Mountain	0.7811		0.0118		0.0468	
Pacific	0.9080		0.4027		0.5871	
COUNTY TYPE						
Large Metro	0.1176		0.4857		0.7323	
Small Metro	0.3902		0.9324		0.9203	
250K – 1 Mil. Pop.	0.6998		0.9846		0.7349	
< 250K Pop.	0.3501		0.8568		0.7706	
Nonmetro	0.8848		0.4063		0.2557	
Urbanized	0.6388		0.3453		0.0958	
Less Urbanized	0.7850		0.6381		0.8151	
Completely Rural	0.1915		0.6647		0.2673	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.68C (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	940	1,016	527	548	384	401
GEOGRAPHIC DIVISION						
Northeast	398	406	251	207	165	158
New England	190	218	120	109	87	80
Middle Atlantic	347	339	221	179	140	138
Midwest	352	367	190	187	149	146
East North Central	284	291	147	160	112	132
West North Central	211	231	118	94	97	64
South	610	641	314	307	227	211
South Atlantic	488	472	268	236	199	166
East South Central	204	216	97	98	60	75
West South Central	303	339	132	157	102	110
West	521	553	271	355	208	268
Mountain	256	265	121	154	93	114
Pacific	452	488	244	319	187	243
COUNTY TYPE						
Large Metro	1,156	1,180	430	453	309	319
Small Metro	745	819	294	302	210	232
250K – 1 Mil. Pop.	644	677	241	234	172	179
< 250K Pop.	450	464	175	187	129	144
Nonmetro	511	521	197	254	130	187
Urbanized	359	374	144	149	82	127
Less Urbanized	332	411	124	211	97	147
Completely Rural	201	134	47	34	28	18

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 1.68D (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.41	0.44	0.23	0.24	0.17	0.18
GEOGRAPHIC DIVISION						
Northeast	0.95	0.96	0.60	0.49	0.39	0.37
New England	1.72	1.95	1.09	0.98	0.78	0.72
Middle Atlantic	1.12	1.09	0.71	0.57	0.45	0.44
Midwest	0.71	0.73	0.38	0.37	0.30	0.29
East North Central	0.82	0.84	0.42	0.46	0.32	0.38
West North Central	1.40	1.52	0.78	0.62	0.65	0.42
South	0.73	0.76	0.38	0.36	0.27	0.25
South Atlantic	1.11	1.06	0.61	0.53	0.45	0.37
East South Central	1.51	1.58	0.71	0.72	0.44	0.55
West South Central	1.19	1.31	0.52	0.61	0.40	0.43
West	1.00	1.04	0.52	0.67	0.40	0.51
Mountain	1.60	1.63	0.75	0.95	0.58	0.70
Pacific	1.24	1.33	0.67	0.87	0.51	0.66
COUNTY TYPE						
Large Metro	0.60	0.66	0.33	0.34	0.25	0.24
Small Metro	0.72	0.68	0.39	0.39	0.29	0.31
250K – 1 Mil. Pop.	0.85	0.82	0.49	0.46	0.36	0.36
< 250K Pop.	1.37	1.20	0.68	0.72	0.52	0.59
Nonmetro	0.95	0.95	0.47	0.64	0.33	0.47
Urbanized	1.43	1.40	0.76	0.89	0.46	0.78
Less Urbanized	1.36	1.48	0.66	1.06	0.54	0.75
Completely Rural	3.08	2.94	1.11	0.95	0.68	0.55

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.68P (REVISED) Marijuana Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	0.5557		0.6557		0.4009	
GEOGRAPHIC DIVISION						
Northeast	0.3283		0.2570		0.4593	
New England	0.6776		0.2463		0.3845	
Middle Atlantic	0.1587		0.5200		0.7229	
Midwest	0.3141		0.5095		0.4057	
East North Central	0.6583		0.1772		0.1171	
West North Central	0.2914		0.4322		0.3755	
South	0.4027		0.7230		0.9891	
South Atlantic	0.8905		0.6300		0.5548	
East South Central	0.7509		0.9637		0.6572	
West South Central	0.2068		0.9712		0.4760	
West	0.9540		0.1224		0.1703	
Mountain	0.7336		0.0146		0.0471	
Pacific	0.9055		0.5380		0.5251	
COUNTY TYPE						
Large Metro	0.1889		0.6834		0.7176	
Small Metro	0.3988		0.9344		0.7870	
250K – 1 Mil. Pop.	0.8308		0.7476		0.8242	
< 250K Pop.	0.2509		0.5683		0.8791	
Nonmetro	0.8437		0.7309		0.3167	
Urbanized	0.6935		0.5606		0.0897	
Less Urbanized	0.9895		0.9168		0.9734	
Completely Rural	0.1249		0.5727		0.3327	

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.