

**Table 1.75C (REVISED) Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	666	687	158	178	92	84
<b>GEOGRAPHIC DIVISION</b>						
Northeast	271	251	71	70	47	23
New England	130	134	33	32	27	10
Middle Atlantic	235	212	63	62	38	21
Midwest	242	225	52	51	26	27
East North Central	184	174	41	45	18	25
West North Central	158	139	30	27	18	12
South	366	408	90	84	39	43
South Atlantic	294	313	64	63	30	40
East South Central	132	127	27	30	12	7
West South Central	198	208	54	47	24	15
West	418	438	99	128	62	61
Mountain	203	199	54	61	33	32
Pacific	363	391	83	114	53	52
<b>COUNTY TYPE</b>						
Large Metro	596	617	125	149	72	63
Small Metro	417	433	83	84	45	46
250K – 1 Mil. Pop.	353	354	58	67	31	38
< 250K Pop.	251	254	58	48	33	26
Nonmetro	234	267	58	59	36	29
Urbanized	181	199	42	35	14	28
Less Urbanized	142	222	40	48	34	9
Completely Rural	64	56	9	9	3	1

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.75D (REVISED) Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	0.26	0.27	0.06	0.07	0.04	0.03
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.58	0.54	0.15	0.15	0.10	0.05
New England	1.07	1.10	0.27	0.26	0.22	0.08
Middle Atlantic	0.69	0.62	0.18	0.18	0.11	0.06
Midwest	0.44	0.41	0.09	0.09	0.05	0.05
East North Central	0.48	0.45	0.11	0.12	0.05	0.06
West North Central	0.94	0.83	0.18	0.16	0.11	0.07
South	0.40	0.44	0.10	0.09	0.04	0.05
South Atlantic	0.60	0.64	0.13	0.13	0.06	0.08
East South Central	0.88	0.84	0.18	0.20	0.08	0.05
West South Central	0.69	0.72	0.19	0.16	0.08	0.05
West	0.72	0.74	0.17	0.22	0.11	0.10
Mountain	1.14	1.10	0.30	0.34	0.18	0.18
Pacific	0.90	0.96	0.21	0.28	0.13	0.13
<b>COUNTY TYPE</b>						
Large Metro	0.39	0.40	0.09	0.11	0.05	0.05
Small Metro	0.47	0.46	0.11	0.11	0.06	0.06
250K – 1 Mil. Pop.	0.56	0.54	0.11	0.13	0.06	0.07
< 250K Pop.	0.88	0.82	0.23	0.18	0.13	0.10
Nonmetro	0.51	0.58	0.14	0.14	0.09	0.07
Urbanized	0.85	0.92	0.22	0.20	0.08	0.16
Less Urbanized	0.70	0.96	0.21	0.23	0.18	0.05
Completely Rural	1.27	1.30	0.21	0.25	0.07	0.02

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 1.75P (REVISED) Hallucinogen Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics:  
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Geographic Characteristic</b>	<b>Lifetime (2009)</b>	<b>Lifetime (2010)</b>	<b>Past Year (2009)</b>	<b>Past Year (2010)</b>	<b>Past Month (2009)</b>	<b>Past Month (2010)</b>
<b>TOTAL</b>	0.8920		0.9131		0.5901	
<b>GEOGRAPHIC DIVISION</b>						
Northeast	0.2511		0.5237		0.0174	
New England	0.0187		0.0510		0.0182	
Middle Atlantic	0.9763		0.7974		0.1972	
Midwest	0.0761		0.8256		0.8853	
East North Central	0.3026		0.9260		0.9651	
West North Central	0.1259		0.7978		0.8548	
South	0.3212		0.1429		0.5170	
South Atlantic	0.1429		0.7658		0.4036	
East South Central	0.5829		0.3306		0.0714	
West South Central	0.9459		0.1220		0.0650	
West	0.5722		0.2469		0.2704	
Mountain	0.8790		0.9190		0.9495	
Pacific	0.5759		0.2074		0.1862	
<b>COUNTY TYPE</b>						
Large Metro	0.7849		0.5527		0.2957	
Small Metro	0.3331		0.4416		0.6596	
250K – 1 Mil. Pop.	0.3088		0.9697		0.4830	
< 250K Pop.	0.8128		0.2539		0.8869	
Nonmetro	0.7827		0.5110		0.9756	
Urbanized	0.9300		0.6842		0.1375	
Less Urbanized	0.6300		0.6543		0.2488	
Completely Rural	0.6137		0.4617		0.1437	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.