

Table 2.52A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	162,608	162,940	69,261	68,599	58,723	58,336
GEOGRAPHIC DIVISION						
Northeast	29,800	30,570	12,208	12,266	10,217	10,406
New England	8,110	8,229	3,078	2,991	2,649	2,508
Middle Atlantic	21,690	22,341	9,130	9,275	7,568	7,898
Midwest	37,387	37,365	16,588	16,106	14,152	13,724
East North Central	25,613	25,984	11,584	11,208	9,902	9,468
West North Central	11,774	11,381	5,004	4,898	4,251	4,255
South	58,779	59,206	26,111	25,968	22,547	22,448
South Atlantic	31,310	30,956	13,150	12,982	11,390	11,293
East South Central	10,076	9,969	4,976	4,808	4,353	4,251
West South Central	17,394 ^a	18,282	7,984	8,178	6,804	6,904
West	36,642	35,799	14,355	14,258	11,806	11,759
Mountain	11,961	11,445	4,530	4,724	3,739	4,022
Pacific	24,681	24,354	9,825	9,534	8,068	7,737
COUNTY TYPE						
Large Metro	83,603	85,546	34,649	35,179	28,906	29,518
Small Metro	50,689	49,738	21,667	21,336	18,496	18,256
250K – 1 Mil. Pop.	32,908	32,499	13,945	13,703	11,799	11,722
< 250K Pop.	17,781	17,239	7,722	7,633	6,698	6,535
Nonmetro	28,315	27,655	12,944	12,084	11,321	10,561
Urbanized	12,248	11,868	5,532	4,914	4,778	4,299
Less Urbanized	13,106	13,282	6,265	6,221	5,508	5,423
Completely Rural	2,962	2,506	1,147	949	1,035	839

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.52B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	64.6	64.2	27.5	27.0	23.3	23.0
GEOGRAPHIC DIVISION						
Northeast	64.2	65.7	26.3	26.4	22.0	22.4
New England	66.6	67.2	25.3	24.4	21.7	20.5
Middle Atlantic	63.4	65.2	26.7	27.1	22.1	23.0
Midwest	67.8	67.5	30.1	29.1	25.7	24.8
East North Central	66.6	67.4	30.1	29.1	25.7	24.6
West North Central	70.5	67.7	30.0	29.1	25.5	25.3
South	63.9	63.7	28.4	27.9	24.5	24.1
South Atlantic	64.5	63.2	27.1	26.5	23.4	23.0
East South Central	67.2	66.1	33.2	31.9	29.0	28.2
West South Central	61.1	63.3	28.0	28.3	23.9	23.9
West	62.9	60.9	24.7	24.3	20.3	20.0
Mountain	67.1 ^a	63.5	25.4	26.2	21.0	22.3
Pacific	61.1	59.8	24.3	23.4	20.0	19.0
COUNTY TYPE						
Large Metro	62.5	63.0	25.9	25.9	21.6	21.8
Small Metro	66.0 ^a	64.2	28.2	27.5	24.1	23.6
250K – 1 Mil. Pop.	65.0	63.1	27.5	26.6	23.3	22.8
< 250K Pop.	68.1	66.4	29.6	29.4	25.7	25.2
Nonmetro	68.6	68.4	31.4	29.9	27.4	26.1
Urbanized	67.9	69.5	30.7	28.8	26.5	25.2
Less Urbanized	68.9	67.6	32.9	31.7	29.0	27.6
Completely Rural	70.8	67.3	27.4	25.5	24.7	22.5

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.53A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
Numbers in Thousands, 2009 and 2010**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	5,498 ^b	4,986	3,724 ^a	3,460	2,216 ^a	2,040
GEOGRAPHIC DIVISION						
Northeast	852	827	617	591	382	341
New England	215	220	150	166	98	92
Middle Atlantic	637	607	467	425	284	249
Midwest	1,282 ^b	1,076	888 ^b	773	570 ^a	492
East North Central	902 ^b	736	636 ^b	525	408 ^b	318
West North Central	380	340	253	248	162	174
South	2,120 ^a	1,949	1,358	1,332	793	745
South Atlantic	1,032	967	649	675	392	380
East South Central	385	350	241	215	147	132
West South Central	703	631	468	442	254	234
West	1,244	1,135	861	764	471	462
Mountain	386	385	266	259	163	179
Pacific	858	750	595	505	308	284
COUNTY TYPE						
Large Metro	2,673 ^b	2,384	1,814	1,691	1,052	981
Small Metro	1,745	1,644	1,223	1,130	750 ^a	644
250K – 1 Mil. Pop.	1,138	1,110	794	769	485	433
< 250K Pop.	607	534	429	361	265	211
Nonmetro	1,079 ^a	958	687	639	414	415
Urbanized	451 ^b	350	292 ^a	223	177	133
Less Urbanized	510	533	322	360	199	240
Completely Rural	118 ^a	76	73	56	38	42

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.53B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	22.3 ^b	20.5	15.1 ^a	14.2	9.0	8.4
GEOGRAPHIC DIVISION						
Northeast	19.8	19.5	14.3	14.0	8.9	8.0
New England	19.3	20.2	13.5	15.1	8.8	8.4
Middle Atlantic	20.0	19.3	14.6	13.5	8.9	7.9
Midwest	23.7 ^b	20.2	16.4 ^a	14.5	10.5 ^a	9.2
East North Central	23.8 ^b	19.7	16.8 ^b	14.0	10.8 ^b	8.5
West North Central	23.5	21.4	15.6	15.6	10.0	10.9
South	23.5	21.8	15.1	14.9	8.8	8.3
South Atlantic	22.7	21.5	14.3	15.0	8.6	8.5
East South Central	26.4	24.3	16.5	14.9	10.1	9.1
West South Central	23.3	20.9	15.5	14.6	8.4	7.7
West	21.1	19.5	14.6	13.1	8.0	7.9
Mountain	21.4	21.5	14.7	14.5	9.1	10.0
Pacific	21.0	18.6	14.6	12.5	7.5	7.0
COUNTY TYPE						
Large Metro	20.5 ^b	18.3	13.9	13.0	8.1	7.5
Small Metro	22.7	21.9	15.9	15.0	9.8 ^a	8.6
250K – 1 Mil. Pop.	22.2	22.1	15.5	15.3	9.5	8.6
< 250K Pop.	23.8	21.5	16.8	14.5	10.4 ^a	8.5
Nonmetro	27.7 ^a	25.3	17.6	16.9	10.6	11.0
Urbanized	26.3 ^a	22.9	17.0	14.6	10.3	8.7
Less Urbanized	28.4	27.5	17.9	18.5	11.1	12.4
Completely Rural	30.4 ^a	23.8	18.9	17.6	9.7	13.3

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 2.54A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
Numbers in Thousands, 2009 and 2010**

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	21,420	21,224	15,212 ^a	14,733	12,038	11,702
GEOGRAPHIC DIVISION						
Northeast	3,941	3,789	2,808 ^a	2,589	2,251 ^a	2,055
New England	1,084	1,058	762	734	604	594
Middle Atlantic	2,857	2,731	2,046 ^a	1,856	1,647 ^a	1,460
Midwest	4,857	4,924	3,570	3,524	2,863	2,890
East North Central	3,384	3,331	2,514	2,407	2,027	1,963
West North Central	1,473 ^b	1,593	1,056	1,116	836	927
South	7,639	7,666	5,441	5,405	4,355	4,322
South Atlantic	3,839	3,799	2,679	2,651	2,119	2,134
East South Central	1,234	1,256	918	915	789	763
West South Central	2,566	2,612	1,844	1,839	1,447	1,425
West	4,983	4,845	3,393	3,215	2,569	2,435
Mountain	1,503	1,526	1,001	1,007	773	761
Pacific	3,481	3,319	2,392	2,208	1,796	1,674
COUNTY TYPE						
Large Metro	10,944	10,999	7,635	7,505	5,956	5,815
Small Metro	6,859	6,957	4,869	4,840	3,845	3,859
250K – 1 Mil. Pop.	4,262	4,336	2,988	2,955	2,355	2,385
< 250K Pop.	2,596	2,621	1,881	1,884	1,490	1,473
Nonmetro	3,617	3,268	2,708	2,389	2,238	2,029
Urbanized	1,762	1,457	1,285	1,075	1,053	923
Less Urbanized	1,627	1,564	1,244	1,135	1,034	952
Completely Rural	229	247	179	179	150	155

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.54B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	63.8 ^a	62.3	45.3 ^b	43.2	35.8 ^a	34.3
GEOGRAPHIC DIVISION						
Northeast	64.4	62.7	45.9 ^a	42.8	36.8	34.0
New England	67.9	65.1	47.7	45.1	37.8	36.6
Middle Atlantic	63.2	61.8	45.2	42.0	36.4	33.0
Midwest	66.2	65.7	48.6	47.0	39.0	38.6
East North Central	66.7	64.8	49.5 ^a	46.8	39.9	38.2
West North Central	65.1	67.6	46.7	47.4	37.0	39.3
South	63.5	61.7	45.3	43.5	36.2	34.8
South Atlantic	62.8	60.1	43.8	42.0	34.7	33.8
East South Central	64.9	63.2	48.3	46.0	41.5	38.4
West South Central	64.0	63.5	46.0	44.7	36.1	34.6
West	61.5	59.7	41.9	39.6	31.7	30.0
Mountain	62.1	61.1	41.4	40.3	31.9	30.5
Pacific	61.3	59.1	42.1	39.3	31.6	29.8
COUNTY TYPE						
Large Metro	61.3	60.6	42.8	41.3	33.4	32.0
Small Metro	65.4 ^a	62.6	46.4 ^a	43.5	36.6	34.7
250K – 1 Mil. Pop.	63.7	61.7	44.7	42.1	35.2	34.0
< 250K Pop.	68.3 ^a	64.0	49.4	46.0	39.2	36.0
Nonmetro	69.0	68.2	51.7	49.8	42.7	42.3
Urbanized	70.1	69.0	51.1	50.9	41.9	43.7
Less Urbanized	67.7	67.1	51.8	48.7	43.0	40.8
Completely Rural	70.5	70.8	55.1	51.2	46.3	44.3

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.55A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	135,690	136,729	50,325	50,406	44,469	44,593
GEOGRAPHIC DIVISION						
Northeast	25,007	25,954	8,783	9,085	7,584	8,011
New England	6,811	6,950	2,166	2,091	1,947	1,822
Middle Atlantic	18,195	19,003	6,617	6,994	5,637	6,189
Midwest	31,248	31,365	12,130	11,810	10,719	10,341
East North Central	21,327	21,916	8,435	8,276	7,466	7,187
West North Central	9,921	9,448	3,695	3,533	3,253	3,154
South	49,020	49,591	19,311	19,231	17,400	17,380
South Atlantic	26,439	26,190	9,822	9,655	8,879	8,779
East South Central	8,457	8,363	3,817	3,678	3,417	3,356
West South Central	14,125 ^a	15,039	5,672	5,897	5,104	5,245
West	30,415	29,819	10,101	10,280	8,766	8,862
Mountain	10,073	9,534	3,263	3,458	2,803	3,083
Pacific	20,342	20,285	6,838	6,822	5,964	5,779
COUNTY TYPE						
Large Metro	69,986	72,163	25,200	25,984	21,898	22,722
Small Metro	42,085	41,137	15,575	15,366	13,902	13,754
250K – 1 Mil. Pop.	27,508	27,053	10,163	9,979	8,958	8,903
< 250K Pop.	14,578	14,084	5,412	5,388	4,943	4,851
Nonmetro	23,619	23,429	9,550	9,056	8,669	8,117
Urbanized	10,035	10,061	3,955	3,615	3,547	3,243
Less Urbanized	10,969	11,185	4,700	4,726	4,275	4,232
Completely Rural	2,615	2,183	895	715	847	642

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.55B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	70.1	70.0	26.0	25.8	23.0	22.8
GEOGRAPHIC DIVISION						
Northeast	69.5	71.6	24.4	25.1	21.1	22.1
New England	71.9	72.9	22.9	21.9	20.6	19.1
Middle Atlantic	68.7	71.1	25.0	26.2	21.3	23.2
Midwest	73.7	73.8	28.6	27.8	25.3	24.3
East North Central	72.1	73.9	28.5	27.9	25.2	24.2
West North Central	77.4	73.5	28.8	27.5	25.4	24.5
South	69.0	69.3	27.2	26.9	24.5	24.3
South Atlantic	69.7	68.6	25.9	25.3	23.4	23.0
East South Central	72.7	71.8	32.8	31.6	29.4	28.8
West South Central	65.8 ^a	69.2	26.4	27.1	23.8	24.1
West	68.8	66.5	22.8	22.9	19.8	19.8
Mountain	74.1 ^a	69.3	24.0	25.2	20.6	22.4
Pacific	66.4	65.2	22.3	21.9	19.5	18.6
COUNTY TYPE						
Large Metro	68.0	69.0	24.5	24.9	21.3	21.7
Small Metro	71.8	69.9	26.6	26.1	23.7	23.4
250K – 1 Mil. Pop.	70.8	68.6	26.2	25.3	23.1	22.6
< 250K Pop.	73.8	72.7	27.4	27.8	25.0	25.0
Nonmetro	73.6	73.5	29.7	28.4	27.0	25.5
Urbanized	72.7	74.9	28.6	26.9	25.7	24.1
Less Urbanized	74.0	72.7	31.7	30.7	28.8	27.5
Completely Rural	75.3	71.4	25.8	23.4	24.4	21.0

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.56A (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	157,110	157,953	65,537	65,139	56,507	56,295
GEOGRAPHIC DIVISION						
Northeast	28,947	29,743	11,591	11,675	9,835	10,065
New England	7,895	8,008	2,928	2,825	2,551	2,416
Middle Atlantic	21,052	21,734	8,663	8,850	7,284	7,649
Midwest	36,105	36,289	15,699	15,333	13,582	13,231
East North Central	24,711	25,248	10,948	10,684	9,493	9,150
West North Central	11,394	11,041	4,751	4,650	4,089	4,081
South	56,659	57,257	24,753	24,636	21,754	21,702
South Atlantic	30,278	29,988	12,501	12,307	10,998	10,913
East South Central	9,691	9,618	4,736	4,593	4,206	4,120
West South Central	16,690 ^b	17,651	7,516	7,736	6,551	6,670
West	35,398	34,664	13,494	13,495	11,335	11,296
Mountain	11,575	11,060	4,264	4,466	3,575	3,843
Pacific	23,823	23,604	9,229	9,029	7,760	7,453
COUNTY TYPE						
Large Metro	80,930	83,162	32,836	33,488	27,854	28,537
Small Metro	48,944	48,094	20,444	20,206	17,746	17,613
250K – 1 Mil. Pop.	31,770	31,388	13,151	12,934	11,313	11,289
< 250K Pop.	17,174	16,706	7,293	7,272	6,433	6,324
Nonmetro	27,236	26,697	12,257	11,445	10,906	10,146
Urbanized	11,797	11,518	5,240	4,690	4,601	4,166
Less Urbanized	12,595	12,749	5,944	5,861	5,309	5,183
Completely Rural	2,844	2,430	1,074	894	997	797

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.56B (REVISED) Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Lifetime (2009)	Lifetime (2010)	Past Year (2009)	Past Year (2010)	Past Month (2009)	Past Month (2010)
TOTAL	69.1	68.9	28.8	28.4	24.9	24.6
GEOGRAPHIC DIVISION						
Northeast	68.8	70.3	27.5	27.6	23.4	23.8
New England	71.3	71.8	26.5	25.3	23.1	21.7
Middle Atlantic	67.9	69.8	27.9	28.4	23.5	24.6
Midwest	72.6	72.6	31.6	30.7	27.3	26.5
East North Central	71.3	72.6	31.6	30.7	27.4	26.3
West North Central	75.6	72.6	31.5	30.6	27.1	26.8
South	68.2	68.2	29.8	29.3	26.2	25.8
South Atlantic	68.8	67.4	28.4	27.6	25.0	24.5
East South Central	71.6	70.5	35.0	33.7	31.1	30.2
West South Central	65.5	68.3	29.5	29.9	25.7	25.8
West	67.6	65.5	25.8	25.5	21.7	21.3
Mountain	72.3 ^a	68.1	26.6	27.5	22.3	23.7
Pacific	65.6	64.3	25.4	24.6	21.4	20.3
COUNTY TYPE						
Large Metro	67.0	67.8	27.2	27.3	23.1	23.3
Small Metro	70.9 ^a	68.8	29.6	28.9	25.7	25.2
250K – 1 Mil. Pop.	69.8 ^a	67.6	28.9	27.8	24.9	24.3
< 250K Pop.	72.9	71.1	31.0	31.0	27.3	26.9
Nonmetro	72.9	72.8	32.8	31.2	29.2	27.7
Urbanized	72.3	74.1	32.1	30.2	28.2	26.8
Less Urbanized	73.1	72.0	34.5	33.1	30.8	29.3
Completely Rural	74.9	71.3	28.3	26.2	26.2	23.4

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.