

Table 2.37C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|--|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 670 | 713 | 907 | 966 | 957 | 990 |
| AGE | | | | | | |
| 12-17 | 111 | 107 | 102 | 103 | 78 | 80 |
| 18-25 | 121 | 114 | 142 | 138 | 174 | 170 |
| 26 or Older | 626 | 680 | 880 | 925 | 927 | 947 |
| GENDER | | | | | | |
| Male | 393 | 394 | 571 | 627 | 650 | 676 |
| Female | 521 | 538 | 664 | 654 | 683 | 634 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 600 | 648 | 827 | 878 | 865 | 899 |
| White | 441 | 492 | 701 | 748 | 753 | 783 |
| Black or African American | 304 | 270 | 343 | 335 | 338 | 325 |
| American Indian or Alaska Native | 115 | 89 | 79 | 59 | 59 | 51 |
| Native Hawaiian or Other Pacific Islander | 125 | 87 | * | * | * | * |
| Asian | 439 | 428 | 361 | 385 | 306 | 330 |
| Two or More Races | 147 | 178 | 122 | 150 | 110 | 118 |
| Hispanic or Latino | 279 | 295 | 362 | 385 | 350 | 367 |

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.37D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|---|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 0.27 | 0.28 | 0.36 | 0.38 | 0.38 | 0.39 |
| AGE | | | | | | |
| 12-17 | 0.45 | 0.44 | 0.42 | 0.42 | 0.32 | 0.33 |
| 18-25 | 0.36 | 0.34 | 0.42 | 0.40 | 0.52 | 0.50 |
| 26 or Older | 0.32 | 0.35 | 0.45 | 0.47 | 0.48 | 0.49 |
| GENDER | | | | | | |
| Male | 0.32 | 0.32 | 0.47 | 0.51 | 0.53 | 0.55 |
| Female | 0.40 | 0.41 | 0.51 | 0.50 | 0.53 | 0.49 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.28 | 0.30 | 0.38 | 0.40 | 0.40 | 0.41 |
| White | 0.26 | 0.29 | 0.41 | 0.44 | 0.44 | 0.46 |
| Black or African American | 1.01 | 0.89 | 1.14 | 1.11 | 1.12 | 1.08 |
| American Indian or Alaska Native | 3.16 | 4.26 | 4.25 | 4.20 | 4.00 | 3.72 |
| Native Hawaiian or Other Pacific Islander | 4.48 | 5.17 | * | * | * | * |
| Asian | 2.15 | 2.18 | 2.06 | 2.34 | 1.89 | 2.15 |
| Two or More Races | 1.79 | 2.22 | 2.56 | 2.83 | 2.77 | 2.87 |
| Hispanic or Latino | 0.78 | 0.80 | 1.01 | 1.05 | 0.97 | 1.00 |

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.37P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|---|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 0.4415 | | 0.4558 | | 0.8716 | |
| AGE | | | | | | |
| 12-17 | 0.0000 | | 0.0015 | | 0.0123 | |
| 18-25 | 0.8750 | | 0.8827 | | 0.6334 | |
| 26 or Older | 0.8100 | | 0.5857 | | 0.9860 | |
| GENDER | | | | | | |
| Male | 0.4949 | | 0.0728 | | 0.7611 | |
| Female | 0.6010 | | 0.5581 | | 0.9702 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.4033 | | 0.5244 | | 0.8897 | |
| White | 0.2170 | | 0.4854 | | 1.0000 | |
| Black or African American | 0.4425 | | 0.9058 | | 0.9931 | |
| American Indian or Alaska Native | 0.8582 | | 0.8160 | | 0.9141 | |
| Native Hawaiian or Other Pacific Islander | 0.2777 | | * | | * | |
| Asian | 0.9916 | | 0.7648 | | 0.7911 | |
| Two or More Races | 0.3542 | | 0.8864 | | 0.5395 | |
| Hispanic or Latino | 0.9202 | | 0.7604 | | 0.9688 | |

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.38C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|--|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 111 | 107 | 102 | 103 | 78 | 80 |
| GENDER | | | | | | |
| Male | 79 | 76 | 73 | 72 | 57 | 57 |
| Female | 73 | 74 | 68 | 72 | 52 | 53 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 96 | 93 | 88 | 87 | 69 | 70 |
| White | 118 | 114 | 103 | 102 | 69 | 71 |
| Black or African American | 55 | 51 | 44 | 42 | 28 | 29 |
| American Indian or Alaska Native | 8 | 7 | 6 | 5 | 3 | 3 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 26 | 30 | 22 | 23 | 14 | 12 |
| Two or More Races | 21 | 19 | 16 | 16 | 12 | 9 |
| Hispanic or Latino | 54 | 53 | 50 | 53 | 40 | 37 |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | |
| Male, White, Not Hispanic | 79 | 72 | 69 | 64 | 47 | 44 |
| Female, White, Not Hispanic | 75 | 73 | 67 | 67 | 45 | 50 |
| Male, Black, Not Hispanic | 39 | 36 | 32 | 29 | 21 | 21 |
| Female, Black, Not Hispanic | 36 | 34 | 30 | 30 | 20 | 19 |
| Male, Hispanic | 63 | 48 | 54 | 44 | 35 | 32 |
| Female, Hispanic | 50 | 46 | 42 | 43 | 28 | 26 |

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.38D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|--|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 0.45 | 0.44 | 0.42 | 0.42 | 0.32 | 0.33 |
| GENDER | | | | | | |
| Male | 0.63 | 0.61 | 0.58 | 0.57 | 0.46 | 0.46 |
| Female | 0.61 | 0.62 | 0.56 | 0.60 | 0.43 | 0.45 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.49 | 0.48 | 0.44 | 0.45 | 0.35 | 0.36 |
| White | 0.56 | 0.56 | 0.52 | 0.54 | 0.41 | 0.44 |
| Black or African American | 1.11 | 1.04 | 0.96 | 0.94 | 0.71 | 0.75 |
| American Indian or Alaska Native | 4.35 | 3.93 | 3.88 | 3.36 | 2.13 | 2.18 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 2.10 | 2.33 | 2.01 | 1.90 | 1.34 | 1.08 |
| Two or More Races | 2.92 | 2.57 | 2.73 | 2.49 | 2.22 | 1.52 |
| Hispanic or Latino | 1.11 | 1.08 | 1.04 | 1.07 | 0.82 | 0.76 |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | |
| Male, White, Not Hispanic | 0.75 | 0.75 | 0.69 | 0.71 | 0.55 | 0.55 |
| Female, White, Not Hispanic | 0.79 | 0.77 | 0.75 | 0.75 | 0.57 | 0.64 |
| Male, Black, Not Hispanic | 1.57 | 1.59 | 1.40 | 1.37 | 1.06 | 1.10 |
| Female, Black, Not Hispanic | 1.52 | 1.41 | 1.35 | 1.37 | 0.98 | 1.02 |
| Male, Hispanic | 1.61 | 1.44 | 1.57 | 1.39 | 1.23 | 1.11 |
| Female, Hispanic | 1.53 | 1.52 | 1.38 | 1.52 | 1.04 | 0.99 |

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.38P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|--|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 0.0000 | | 0.0015 | | 0.0123 | |
| GENDER | | | | | | |
| Male | 0.0000 | | 0.0003 | | 0.0258 | |
| Female | 0.0866 | | 0.4073 | | 0.1780 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.0003 | | 0.0034 | | 0.0212 | |
| White | 0.0011 | | 0.0021 | | 0.0375 | |
| Black or African American | 0.1179 | | 0.7434 | | 0.8562 | |
| American Indian or Alaska Native | 0.2287 | | 0.4302 | | 0.7833 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | |
| Asian | 1.0000 | | 0.9462 | | 0.3247 | |
| Two or More Races | 0.9218 | | 0.7072 | | 0.1601 | |
| Hispanic or Latino | 0.0007 | | 0.1349 | | 0.2535 | |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | |
| Male, White, Not Hispanic | 0.0011 | | 0.0010 | | 0.0126 | |
| Female, White, Not Hispanic | 0.1428 | | 0.2801 | | 0.5787 | |
| Male, Black, Not Hispanic | 0.1290 | | 0.3594 | | 0.8216 | |
| Female, Black, Not Hispanic | 0.5188 | | 0.6517 | | 0.6074 | |
| Male, Hispanic | 0.0000 | | 0.0593 | | 0.7155 | |
| Female, Hispanic | 0.5811 | | 0.8512 | | 0.1568 | |

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.39C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|---|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 121 | 114 | 142 | 138 | 174 | 170 |
| GENDER | | | | | | |
| Male | 80 | 79 | 91 | 92 | 116 | 112 |
| Female | 81 | 80 | 97 | 92 | 110 | 109 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 105 | 101 | 123 | 119 | 153 | 147 |
| White | 347 | 333 | 339 | 324 | 305 | 282 |
| Black or African American | 142 | 152 | 129 | 138 | 104 | 109 |
| American Indian or Alaska Native | 21 | 15 | 18 | 14 | 17 | 12 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 74 | 91 | 71 | 89 | 54 | 65 |
| Two or More Races | 29 | 36 | 27 | 34 | 25 | 31 |
| Hispanic or Latino | 53 | 57 | 63 | 70 | 70 | 78 |
| EDUCATION | | | | | | |
| < High School | 120 | 123 | 108 | 111 | 89 | 91 |
| High School Graduate | 201 | 211 | 193 | 198 | 165 | 165 |
| Some College | 264 | 259 | 258 | 255 | 226 | 226 |
| College Graduate | 142 | 146 | 141 | 143 | 134 | 133 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 200 | 230 | 190 | 223 | 169 | 190 |
| Part-Time | 194 | 186 | 188 | 180 | 166 | 162 |
| Unemployed | 110 | 111 | 104 | 106 | 89 | 91 |
| Other ¹ | 193 | 184 | 187 | 178 | 162 | 151 |

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.39D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|---|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 0.36 | 0.34 | 0.42 | 0.40 | 0.52 | 0.50 |
| GENDER | | | | | | |
| Male | 0.47 | 0.45 | 0.54 | 0.53 | 0.69 | 0.65 |
| Female | 0.49 | 0.47 | 0.58 | 0.55 | 0.66 | 0.65 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.38 | 0.37 | 0.45 | 0.43 | 0.56 | 0.54 |
| White | 0.40 | 0.38 | 0.48 | 0.46 | 0.60 | 0.60 |
| Black or African American | 0.98 | 0.98 | 1.09 | 1.09 | 1.29 | 1.21 |
| American Indian or Alaska Native | 4.38 | 2.75 | 4.93 | 4.04 | 5.02 | 4.77 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 1.89 | 2.15 | 2.09 | 2.34 | 2.25 | 2.26 |
| Two or More Races | 1.55 | 2.19 | 2.66 | 2.86 | 3.01 | 3.24 |
| Hispanic or Latino | 0.87 | 0.87 | 1.03 | 1.07 | 1.14 | 1.19 |
| EDUCATION | | | | | | |
| < High School | 0.95 | 0.93 | 1.00 | 1.09 | 1.07 | 1.15 |
| High School Graduate | 0.57 | 0.57 | 0.65 | 0.63 | 0.77 | 0.78 |
| Some College | 0.52 | 0.51 | 0.63 | 0.62 | 0.81 | 0.82 |
| College Graduate | 0.65 | 0.66 | 0.76 | 0.80 | 1.03 | 0.98 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.44 | 0.44 | 0.54 | 0.59 | 0.69 | 0.73 |
| Part-Time | 0.65 | 0.62 | 0.78 | 0.72 | 0.95 | 0.90 |
| Unemployed | 0.91 | 0.93 | 1.00 | 1.08 | 1.22 | 1.22 |
| Other ¹ | 0.83 | 0.83 | 0.97 | 0.98 | 1.13 | 1.10 |

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.39P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|--|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 0.8750 | | 0.8827 | | 0.6334 | |
| GENDER | | | | | | |
| Male | 0.4788 | | 0.5217 | | 0.9628 | |
| Female | 0.3318 | | 0.3677 | | 0.4471 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.5370 | | 0.7401 | | 0.4887 | |
| White | 0.6853 | | 0.4209 | | 0.5683 | |
| Black or African American | 0.3395 | | 0.8714 | | 0.3708 | |
| American Indian or Alaska Native | 0.0803 | | 0.1483 | | 0.6499 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | |
| Asian | 0.7347 | | 0.3939 | | 0.3455 | |
| Two or More Races | 0.3111 | | 0.3750 | | 0.3144 | |
| Hispanic or Latino | 0.3467 | | 0.5666 | | 0.5031 | |
| EDUCATION | | | | | | |
| < High School | 0.6682 | | 0.7217 | | 0.4062 | |
| High School Graduate | 0.4010 | | 0.6428 | | 0.1555 | |
| Some College | 0.6774 | | 0.8507 | | 0.8321 | |
| College Graduate | 0.7646 | | 0.6565 | | 0.4424 | |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.9714 | | 0.5070 | | 0.8669 | |
| Part-Time | 0.4573 | | 0.4940 | | 0.1449 | |
| Unemployed | 0.3217 | | 0.3453 | | 0.5534 | |
| Other ¹ | 0.9707 | | 0.5095 | | 0.0148 | |

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.40C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|---|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 626 | 680 | 880 | 925 | 927 | 947 |
| GENDER | | | | | | |
| Male | 366 | 360 | 558 | 607 | 630 | 646 |
| Female | 492 | 527 | 644 | 638 | 663 | 620 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 557 | 623 | 807 | 850 | 844 | 866 |
| White | 1,786 | 1,845 | 1,555 | 1,633 | 1,367 | 1,408 |
| Black or African American | 690 | 677 | 532 | 552 | 462 | 472 |
| American Indian or Alaska Native | 105 | * | 73 | 55 | 56 | 49 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 417 | 405 | 342 | 362 | 293 | 317 |
| Two or More Races | 142 | 172 | 117 | 144 | 105 | 113 |
| Hispanic or Latino | 266 | 272 | 349 | 363 | 331 | 345 |
| EDUCATION | | | | | | |
| < High School | 622 | 670 | 452 | 492 | 372 | 400 |
| High School Graduate | 986 | 946 | 817 | 777 | 721 | 684 |
| Some College | 891 | 921 | 788 | 823 | 698 | 715 |
| College Graduate | 1,240 | 1,277 | 1,136 | 1,183 | 1,032 | 1,061 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 1,383 | 1,490 | 1,259 | 1,357 | 1,118 | 1,212 |
| Part-Time | 561 | 572 | 495 | 535 | 455 | 465 |
| Unemployed | 372 | 370 | 333 | 333 | 302 | 290 |
| Other ¹ | 1,139 | 1,092 | 945 | 863 | 790 | 723 |

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.40D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|---|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 0.32 | 0.35 | 0.45 | 0.47 | 0.48 | 0.49 |
| GENDER | | | | | | |
| Male | 0.39 | 0.38 | 0.60 | 0.65 | 0.68 | 0.69 |
| Female | 0.49 | 0.52 | 0.64 | 0.63 | 0.66 | 0.61 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.33 | 0.37 | 0.48 | 0.50 | 0.50 | 0.51 |
| White | 0.30 | 0.35 | 0.51 | 0.54 | 0.55 | 0.56 |
| Black or African American | 1.34 | 1.21 | 1.55 | 1.52 | 1.53 | 1.48 |
| American Indian or Alaska Native | 4.18 | * | 5.99 | 5.41 | 5.62 | 4.87 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 2.70 | 2.67 | 2.62 | 2.88 | 2.38 | 2.71 |
| Two or More Races | 2.21 | 3.15 | 3.58 | 4.11 | 3.83 | 4.18 |
| Hispanic or Latino | 1.06 | 1.08 | 1.40 | 1.43 | 1.32 | 1.36 |
| EDUCATION | | | | | | |
| < High School | 1.09 | 1.16 | 1.24 | 1.27 | 1.11 | 1.14 |
| High School Graduate | 0.57 | 0.64 | 0.82 | 0.81 | 0.88 | 0.82 |
| Some College | 0.58 | 0.57 | 0.83 | 0.88 | 0.95 | 0.96 |
| College Graduate | 0.52 | 0.46 | 0.69 | 0.70 | 0.82 | 0.80 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.34 | 0.34 | 0.53 | 0.53 | 0.60 | 0.60 |
| Part-Time | 0.84 | 0.84 | 1.24 | 1.34 | 1.37 | 1.41 |
| Unemployed | 1.19 | 1.52 | 1.72 | 1.96 | 1.87 | 1.96 |
| Other ¹ | 0.77 | 0.81 | 1.01 | 0.96 | 0.97 | 0.93 |

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.40P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|---|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 0.8100 | | 0.5857 | | 0.9860 | |
| GENDER | | | | | | |
| Male | 0.9637 | | 0.1027 | | 0.8166 | |
| Female | 0.7743 | | 0.4689 | | 0.8475 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.6180 | | 0.6446 | | 1.0000 | |
| White | 0.3346 | | 0.6768 | | 0.8962 | |
| Black or African American | 0.3200 | | 0.9907 | | 0.9645 | |
| American Indian or Alaska Native | * | | 0.7671 | | 0.9312 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | |
| Asian | 0.9663 | | 0.7744 | | 0.7873 | |
| Two or More Races | 0.2861 | | 0.7790 | | 0.6120 | |
| Hispanic or Latino | 0.5886 | | 0.7732 | | 0.9731 | |
| EDUCATION | | | | | | |
| < High School | 0.4639 | | 0.1173 | | 0.1250 | |
| High School Graduate | 0.0634 | | 0.0585 | | 0.2142 | |
| Some College | 0.3990 | | 0.9567 | | 0.6262 | |
| College Graduate | 0.8676 | | 0.7493 | | 0.5538 | |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.4188 | | 0.5119 | | 0.2040 | |
| Part-Time | 0.3808 | | 0.3565 | | 0.3454 | |
| Unemployed | 0.0811 | | 0.2424 | | 0.1964 | |
| Other ¹ | 0.9177 | | 0.7275 | | 0.9042 | |

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.41C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|---|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 641 | 693 | 894 | 953 | 943 | 974 |
| GENDER | | | | | | |
| Male | 374 | 368 | 567 | 621 | 642 | 667 |
| Female | 504 | 534 | 656 | 655 | 674 | 634 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 572 | 633 | 818 | 871 | 852 | 888 |
| White | 1,842 | 1,919 | 1,613 | 1,708 | 1,414 | 1,470 |
| Black or African American | 732 | 723 | 569 | 593 | 487 | 496 |
| American Indian or Alaska Native | 113 | * | 78 | 58 | 59 | 51 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 434 | 426 | 359 | 384 | 304 | 330 |
| Two or More Races | 145 | 176 | 120 | 148 | 109 | 118 |
| Hispanic or Latino | 271 | 282 | 357 | 378 | 344 | 361 |
| EDUCATION | | | | | | |
| < High School | 644 | 685 | 476 | 506 | 389 | 404 |
| High School Graduate | 1,023 | 987 | 848 | 814 | 744 | 713 |
| Some College | 945 | 981 | 843 | 885 | 745 | 767 |
| College Graduate | 1,272 | 1,306 | 1,168 | 1,212 | 1,061 | 1,088 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 1,421 | 1,528 | 1,293 | 1,398 | 1,147 | 1,244 |
| Part-Time | 604 | 602 | 537 | 568 | 487 | 495 |
| Unemployed | 392 | 392 | 352 | 353 | 316 | 303 |
| Other ¹ | 1,148 | 1,104 | 959 | 878 | 803 | 738 |

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.41D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|---|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 0.28 | 0.30 | 0.39 | 0.42 | 0.42 | 0.42 |
| GENDER | | | | | | |
| Male | 0.34 | 0.33 | 0.52 | 0.56 | 0.59 | 0.60 |
| Female | 0.43 | 0.45 | 0.56 | 0.55 | 0.57 | 0.54 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.29 | 0.32 | 0.42 | 0.44 | 0.43 | 0.45 |
| White | 0.27 | 0.31 | 0.45 | 0.48 | 0.48 | 0.50 |
| Black or African American | 1.12 | 1.00 | 1.30 | 1.26 | 1.28 | 1.23 |
| American Indian or Alaska Native | 3.42 | * | 4.79 | 4.82 | 4.57 | 4.27 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 2.34 | 2.36 | 2.29 | 2.56 | 2.08 | 2.38 |
| Two or More Races | 1.83 | 2.53 | 2.99 | 3.35 | 3.22 | 3.43 |
| Hispanic or Latino | 0.87 | 0.89 | 1.15 | 1.19 | 1.10 | 1.13 |
| EDUCATION | | | | | | |
| < High School | 0.91 | 0.98 | 1.05 | 1.09 | 0.94 | 0.97 |
| High School Graduate | 0.49 | 0.54 | 0.69 | 0.68 | 0.74 | 0.70 |
| Some College | 0.48 | 0.46 | 0.69 | 0.72 | 0.79 | 0.80 |
| College Graduate | 0.49 | 0.43 | 0.65 | 0.66 | 0.77 | 0.74 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.31 | 0.31 | 0.48 | 0.48 | 0.54 | 0.55 |
| Part-Time | 0.63 | 0.63 | 0.90 | 0.98 | 1.02 | 1.04 |
| Unemployed | 0.87 | 1.09 | 1.23 | 1.39 | 1.34 | 1.41 |
| Other ¹ | 0.70 | 0.73 | 0.90 | 0.87 | 0.87 | 0.84 |

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.41P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Lifetime (2009) | Lifetime (2010) | Past Year (2009) | Past Year (2010) | Past Month (2009) | Past Month (2010) |
|---|----------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|
| TOTAL | 0.7886 | | 0.5860 | | 0.9281 | |
| GENDER | | | | | | |
| Male | 0.9291 | | 0.1333 | | 0.8199 | |
| Female | 0.6651 | | 0.5587 | | 0.9509 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.5566 | | 0.6072 | | 0.9034 | |
| White | 0.3132 | | 0.5959 | | 0.9752 | |
| Black or African American | 0.4093 | | 0.9708 | | 0.9065 | |
| American Indian or Alaska Native | * | | 0.8845 | | 0.9418 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | |
| Asian | 0.9644 | | 0.7492 | | 0.7306 | |
| Two or More Races | 0.2175 | | 0.7316 | | 0.5579 | |
| Hispanic or Latino | 0.4610 | | 0.9130 | | 0.8770 | |
| EDUCATION | | | | | | |
| < High School | 0.4370 | | 0.1700 | | 0.2034 | |
| High School Graduate | 0.0480 | | 0.0546 | | 0.1457 | |
| Some College | 0.4725 | | 0.9733 | | 0.6988 | |
| College Graduate | 0.8445 | | 0.7190 | | 0.5104 | |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.4257 | | 0.5683 | | 0.2161 | |
| Part-Time | 0.3060 | | 0.4304 | | 0.5492 | |
| Unemployed | 0.1616 | | 0.3535 | | 0.2788 | |
| Other ¹ | 0.9241 | | 0.6925 | | 0.6666 | |

*Low precision; no estimate reported.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.42C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 957 | 990 | 785 | 754 | 406 | 421 |
| AGE | | | | | | |
| 12-17 | 78 | 80 | 62 | 62 | 30 | 28 |
| 18-25 | 174 | 170 | 181 | 168 | 127 | 127 |
| 26 or Older | 927 | 947 | 752 | 716 | 377 | 397 |
| GENDER | | | | | | |
| Male | 650 | 676 | 605 | 578 | 349 | 353 |
| Female | 683 | 634 | 441 | 441 | 192 | 201 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 865 | 899 | 715 | 689 | 377 | 401 |
| White | 753 | 783 | 650 | 609 | 357 | 358 |
| Black or African American | 338 | 325 | 262 | 247 | 122 | 134 |
| American Indian or Alaska Native | 59 | 51 | 35 | 41 | 21 | 17 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | 11 | * |
| Asian | 306 | 330 | 118 | 149 | 31 | 72 |
| Two or More Races | 110 | 118 | 72 | 64 | 31 | 33 |
| Hispanic or Latino | 350 | 367 | 292 | 312 | 142 | 137 |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.42D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|---|---------------------------|---------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| TOTAL | 0.38 | 0.39 | 0.31 | 0.30 | 0.16 | 0.17 |
| AGE | | | | | | |
| 12-17 | 0.32 | 0.33 | 0.25 | 0.25 | 0.12 | 0.11 |
| 18-25 | 0.52 | 0.50 | 0.54 | 0.49 | 0.38 | 0.37 |
| 26 or Older | 0.48 | 0.49 | 0.39 | 0.37 | 0.19 | 0.20 |
| GENDER | | | | | | |
| Male | 0.53 | 0.55 | 0.49 | 0.47 | 0.29 | 0.29 |
| Female | 0.53 | 0.49 | 0.34 | 0.34 | 0.15 | 0.15 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.40 | 0.41 | 0.33 | 0.32 | 0.17 | 0.18 |
| White | 0.44 | 0.46 | 0.38 | 0.36 | 0.21 | 0.21 |
| Black or African American | 1.12 | 1.08 | 0.87 | 0.82 | 0.41 | 0.44 |
| American Indian or Alaska Native | 4.00 | 3.72 | 2.51 | 3.13 | 1.68 | 1.51 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | 1.42 | * |
| Asian | 1.89 | 2.15 | 1.01 | 1.17 | 0.28 | 0.60 |
| Two or More Races | 2.77 | 2.87 | 2.15 | 1.99 | 1.03 | 1.03 |
| Hispanic or Latino | 0.97 | 1.00 | 0.81 | 0.85 | 0.39 | 0.37 |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.42P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 0.8716 | | 0.1811 | | 0.5738 | |
| AGE | | | | | | |
| 12-17 | 0.0123 | | 0.0049 | | 0.0122 | |
| 18-25 | 0.6334 | | 0.1121 | | 0.8062 | |
| 26 or Older | 0.9860 | | 0.3733 | | 0.6937 | |
| GENDER | | | | | | |
| Male | 0.7611 | | 0.3018 | | 0.6326 | |
| Female | 0.9702 | | 0.3155 | | 0.6968 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.8897 | | 0.1242 | | 0.6177 | |
| White | 1.0000 | | 0.0908 | | 0.4811 | |
| Black or African American | 0.9931 | | 0.9646 | | 0.9435 | |
| American Indian or Alaska Native | 0.9141 | | 0.5277 | | 0.5590 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | |
| Asian | 0.7911 | | 0.4210 | | 0.1548 | |
| Two or More Races | 0.5395 | | 0.3787 | | 0.6967 | |
| Hispanic or Latino | 0.9688 | | 0.9229 | | 0.8272 | |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.43C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 78 | 80 | 62 | 62 | 30 | 28 |
| GENDER | | | | | | |
| Male | 57 | 57 | 47 | 44 | 23 | 23 |
| Female | 52 | 53 | 40 | 43 | 19 | 17 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 69 | 70 | 52 | 52 | 25 | 24 |
| White | 69 | 71 | 51 | 52 | 24 | 23 |
| Black or African American | 28 | 29 | 18 | 16 | 6 | 4 |
| American Indian or Alaska Native | 3 | 3 | 2 | 3 | 1 | 1 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 14 | 12 | 8 | 7 | 3 | 3 |
| Two or More Races | 12 | 9 | 10 | 7 | 3 | 5 |
| Hispanic or Latino | 40 | 37 | 34 | 30 | 17 | 14 |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | |
| Male, White, Not Hispanic | 47 | 44 | 38 | 35 | 18 | 17 |
| Female, White, Not Hispanic | 45 | 50 | 33 | 37 | 15 | 16 |
| Male, Black, Not Hispanic | 21 | 21 | 13 | 12 | 5 | 3 |
| Female, Black, Not Hispanic | 20 | 19 | 13 | 10 | 4 | 3 |
| Male, Hispanic | 35 | 32 | 29 | 25 | 14 | 13 |
| Female, Hispanic | 28 | 26 | 22 | 20 | 9 | 6 |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.43D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 0.32 | 0.33 | 0.25 | 0.25 | 0.12 | 0.11 |
| GENDER | | | | | | |
| Male | 0.46 | 0.46 | 0.37 | 0.35 | 0.18 | 0.18 |
| Female | 0.43 | 0.45 | 0.33 | 0.36 | 0.15 | 0.14 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.35 | 0.36 | 0.26 | 0.27 | 0.13 | 0.12 |
| White | 0.41 | 0.44 | 0.32 | 0.34 | 0.16 | 0.16 |
| Black or African American | 0.71 | 0.75 | 0.47 | 0.42 | 0.16 | 0.12 |
| American Indian or Alaska Native | 2.13 | 2.18 | 1.93 | 1.95 | 0.87 | 0.74 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 1.34 | 1.08 | 0.77 | 0.64 | 0.25 | 0.28 |
| Two or More Races | 2.22 | 1.52 | 1.88 | 1.24 | 0.55 | 0.88 |
| Hispanic or Latino | 0.82 | 0.76 | 0.71 | 0.61 | 0.34 | 0.29 |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | |
| Male, White, Not Hispanic | 0.55 | 0.55 | 0.47 | 0.45 | 0.24 | 0.24 |
| Female, White, Not Hispanic | 0.57 | 0.64 | 0.44 | 0.51 | 0.21 | 0.22 |
| Male, Black, Not Hispanic | 1.06 | 1.10 | 0.66 | 0.63 | 0.24 | 0.17 |
| Female, Black, Not Hispanic | 0.98 | 1.02 | 0.69 | 0.58 | 0.21 | 0.18 |
| Male, Hispanic | 1.23 | 1.11 | 1.10 | 0.93 | 0.55 | 0.52 |
| Female, Hispanic | 1.04 | 0.99 | 0.86 | 0.80 | 0.40 | 0.26 |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.43P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 0.0123 | | 0.0049 | | 0.0122 | |
| GENDER | | | | | | |
| Male | 0.0258 | | 0.0129 | | 0.2853 | |
| Female | 0.1780 | | 0.1514 | | 0.0073 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.0212 | | 0.0190 | | 0.0115 | |
| White | 0.0375 | | 0.0565 | | 0.0051 | |
| Black or African American | 0.8562 | | 0.4095 | | 0.6434 | |
| American Indian or Alaska Native | 0.7833 | | 0.6351 | | 0.6221 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | |
| Asian | 0.3247 | | 0.6612 | | 0.4814 | |
| Two or More Races | 0.1601 | | 0.2514 | | 0.2927 | |
| Hispanic or Latino | 0.2535 | | 0.0862 | | 0.4063 | |
| GENDER/RACE/HISPANIC ORIGIN | | | | | | |
| Male, White, Not Hispanic | 0.0126 | | 0.0214 | | 0.0985 | |
| Female, White, Not Hispanic | 0.5787 | | 0.7534 | | 0.0210 | |
| Male, Black, Not Hispanic | 0.8216 | | 0.8155 | | 0.4803 | |
| Female, Black, Not Hispanic | 0.6074 | | 0.3561 | | 0.9359 | |
| Male, Hispanic | 0.7155 | | 0.2481 | | 0.9871 | |
| Female, Hispanic | 0.1568 | | 0.1764 | | 0.0860 | |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.44C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 174 | 170 | 181 | 168 | 127 | 127 |
| GENDER | | | | | | |
| Male | 116 | 112 | 129 | 121 | 98 | 102 |
| Female | 110 | 109 | 105 | 101 | 61 | 58 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 153 | 147 | 165 | 148 | 119 | 118 |
| White | 305 | 282 | 249 | 217 | 141 | 133 |
| Black or African American | 104 | 109 | 69 | 74 | 26 | 29 |
| American Indian or Alaska Native | 17 | 12 | 10 | 12 | 7 | * |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 54 | 65 | 37 | 41 | 13 | 18 |
| Two or More Races | 25 | 31 | 20 | 19 | 11 | 11 |
| Hispanic or Latino | 70 | 78 | 67 | 76 | 37 | 46 |
| EDUCATION | | | | | | |
| < High School | 89 | 91 | 75 | 76 | 37 | 40 |
| High School Graduate | 165 | 165 | 136 | 131 | 68 | 62 |
| Some College | 226 | 226 | 177 | 171 | 98 | 105 |
| College Graduate | 134 | 133 | 96 | 96 | 55 | 52 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 169 | 190 | 142 | 143 | 71 | 75 |
| Part-Time | 166 | 162 | 130 | 122 | 68 | 73 |
| Unemployed | 89 | 91 | 72 | 71 | 39 | 44 |
| Other ¹ | 162 | 151 | 124 | 117 | 70 | 70 |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.44D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 0.52 | 0.50 | 0.54 | 0.49 | 0.38 | 0.37 |
| GENDER | | | | | | |
| Male | 0.69 | 0.65 | 0.77 | 0.70 | 0.58 | 0.59 |
| Female | 0.66 | 0.65 | 0.63 | 0.60 | 0.36 | 0.35 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.56 | 0.54 | 0.60 | 0.54 | 0.43 | 0.43 |
| White | 0.60 | 0.60 | 0.68 | 0.64 | 0.54 | 0.53 |
| Black or African American | 1.29 | 1.21 | 1.13 | 1.09 | 0.53 | 0.56 |
| American Indian or Alaska Native | 5.02 | 4.77 | 3.72 | 4.77 | 2.75 | * |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 2.25 | 2.26 | 2.00 | 2.07 | 0.81 | 1.21 |
| Two or More Races | 3.01 | 3.24 | 3.26 | 3.13 | 2.34 | 1.84 |
| Hispanic or Latino | 1.14 | 1.19 | 1.10 | 1.16 | 0.60 | 0.71 |
| EDUCATION | | | | | | |
| < High School | 1.07 | 1.15 | 0.96 | 1.05 | 0.58 | 0.62 |
| High School Graduate | 0.77 | 0.78 | 0.79 | 0.75 | 0.50 | 0.48 |
| Some College | 0.81 | 0.82 | 0.90 | 0.91 | 0.71 | 0.74 |
| College Graduate | 1.03 | 0.98 | 1.38 | 1.28 | 1.01 | 0.91 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.69 | 0.73 | 0.81 | 0.75 | 0.53 | 0.53 |
| Part-Time | 0.95 | 0.90 | 0.95 | 0.87 | 0.64 | 0.66 |
| Unemployed | 1.22 | 1.22 | 1.22 | 1.17 | 0.79 | 0.89 |
| Other ¹ | 1.13 | 1.10 | 1.08 | 1.07 | 0.78 | 0.80 |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.44P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 0.6334 | | 0.1121 | | 0.8062 | |
| GENDER | | | | | | |
| Male | 0.9628 | | 0.1847 | | 0.4528 | |
| Female | 0.4471 | | 0.2300 | | 0.6198 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.4887 | | 0.0548 | | 0.3857 | |
| White | 0.5683 | | 0.0259 | | 0.4084 | |
| Black or African American | 0.3708 | | 0.5386 | | 0.8607 | |
| American Indian or Alaska Native | 0.6499 | | 0.3075 | | * | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | |
| Asian | 0.3455 | | 0.8888 | | 0.3662 | |
| Two or More Races | 0.3144 | | 0.0356 | | 0.1386 | |
| Hispanic or Latino | 0.5031 | | 0.6163 | | 0.0579 | |
| EDUCATION | | | | | | |
| < High School | 0.4062 | | 0.0402 | | 0.8949 | |
| High School Graduate | 0.1555 | | 0.0670 | | 0.0614 | |
| Some College | 0.8321 | | 0.4323 | | 0.8530 | |
| College Graduate | 0.4424 | | 0.2505 | | 0.3259 | |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.8669 | | 0.5430 | | 0.5053 | |
| Part-Time | 0.1449 | | 0.7056 | | 0.4410 | |
| Unemployed | 0.5534 | | 0.8927 | | 0.2802 | |
| Other ¹ | 0.0148 | | 0.0021 | | 0.1940 | |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.45C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 927 | 947 | 752 | 716 | 377 | 397 |
| GENDER | | | | | | |
| Male | 630 | 646 | 585 | 552 | 325 | 336 |
| Female | 663 | 620 | 421 | 426 | 181 | 190 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 844 | 866 | 683 | 659 | 351 | 374 |
| White | 1,367 | 1,408 | 723 | 721 | 340 | 356 |
| Black or African American | 462 | 472 | 287 | 275 | 120 | 136 |
| American Indian or Alaska Native | 56 | 49 | 32 | 39 | 18 | 15 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 293 | 317 | 108 | 140 | 28 | 69 |
| Two or More Races | 105 | 113 | 68 | 61 | 28 | 31 |
| Hispanic or Latino | 331 | 345 | 280 | 295 | 134 | 128 |
| EDUCATION | | | | | | |
| < High School | 372 | 400 | 315 | 288 | 160 | 161 |
| High School Graduate | 721 | 684 | 459 | 463 | 225 | 234 |
| Some College | 698 | 715 | 408 | 400 | 185 | 199 |
| College Graduate | 1,032 | 1,061 | 480 | 492 | 211 | 245 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 1,118 | 1,212 | 664 | 685 | 296 | 340 |
| Part-Time | 455 | 465 | 232 | 268 | 152 | 153 |
| Unemployed | 302 | 290 | 197 | 196 | 119 | 113 |
| Other ¹ | 790 | 723 | 381 | 369 | 156 | 175 |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.45D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 0.48 | 0.49 | 0.39 | 0.37 | 0.19 | 0.20 |
| GENDER | | | | | | |
| Male | 0.68 | 0.69 | 0.63 | 0.59 | 0.35 | 0.36 |
| Female | 0.66 | 0.61 | 0.42 | 0.42 | 0.18 | 0.19 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.50 | 0.51 | 0.41 | 0.39 | 0.21 | 0.22 |
| White | 0.55 | 0.56 | 0.45 | 0.43 | 0.24 | 0.25 |
| Black or African American | 1.53 | 1.48 | 1.18 | 1.10 | 0.55 | 0.60 |
| American Indian or Alaska Native | 5.62 | 4.87 | 3.36 | 4.02 | 2.17 | 1.75 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | * | * |
| Asian | 2.38 | 2.71 | 1.20 | 1.44 | 0.32 | 0.75 |
| Two or More Races | 3.83 | 4.18 | 3.02 | 2.84 | 1.41 | 1.45 |
| Hispanic or Latino | 1.32 | 1.36 | 1.12 | 1.17 | 0.54 | 0.51 |
| EDUCATION | | | | | | |
| < High School | 1.11 | 1.14 | 1.00 | 0.92 | 0.55 | 0.54 |
| High School Graduate | 0.88 | 0.82 | 0.67 | 0.70 | 0.37 | 0.39 |
| Some College | 0.95 | 0.96 | 0.75 | 0.74 | 0.39 | 0.41 |
| College Graduate | 0.82 | 0.80 | 0.70 | 0.67 | 0.34 | 0.38 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.60 | 0.60 | 0.54 | 0.53 | 0.28 | 0.31 |
| Part-Time | 1.37 | 1.41 | 0.97 | 1.04 | 0.67 | 0.63 |
| Unemployed | 1.87 | 1.96 | 1.65 | 1.69 | 1.13 | 1.05 |
| Other ¹ | 0.97 | 0.93 | 0.61 | 0.58 | 0.26 | 0.29 |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.45P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 0.9860 | | 0.3733 | | 0.6937 | |
| GENDER | | | | | | |
| Male | 0.8166 | | 0.4918 | | 0.7664 | |
| Female | 0.8475 | | 0.5185 | | 0.7470 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 1.0000 | | 0.3081 | | 0.8992 | |
| White | 0.8962 | | 0.2460 | | 0.7414 | |
| Black or African American | 0.9645 | | 0.8404 | | 0.9588 | |
| American Indian or Alaska Native | 0.9312 | | 0.5491 | | 0.6283 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | |
| Asian | 0.7873 | | 0.2956 | | 0.2073 | |
| Two or More Races | 0.6120 | | 0.6699 | | 0.8524 | |
| Hispanic or Latino | 0.9731 | | 0.9357 | | 0.4214 | |
| EDUCATION | | | | | | |
| < High School | 0.1250 | | 0.3316 | | 0.8124 | |
| High School Graduate | 0.2142 | | 0.1698 | | 0.1038 | |
| Some College | 0.6262 | | 0.9348 | | 0.9055 | |
| College Graduate | 0.5538 | | 0.6320 | | 0.2135 | |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.2040 | | 0.5648 | | 0.9543 | |
| Part-Time | 0.3454 | | 0.9436 | | 0.2559 | |
| Unemployed | 0.1964 | | 0.6368 | | 0.5721 | |
| Other ¹ | 0.9042 | | 0.6559 | | 0.4346 | |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.46C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 943 | 974 | 785 | 749 | 404 | 419 |
| GENDER | | | | | | |
| Male | 642 | 667 | 605 | 574 | 348 | 352 |
| Female | 674 | 634 | 442 | 443 | 191 | 200 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 852 | 888 | 714 | 685 | 377 | 399 |
| White | 1,414 | 1,470 | 778 | 765 | 373 | 385 |
| Black or African American | 487 | 496 | 299 | 288 | 125 | 139 |
| American Indian or Alaska Native | 59 | 51 | 35 | 41 | 21 | 18 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | 11 | * |
| Asian | 304 | 330 | 118 | 149 | 31 | 72 |
| Two or More Races | 109 | 118 | 71 | 64 | 31 | 32 |
| Hispanic or Latino | 344 | 361 | 288 | 309 | 140 | 136 |
| EDUCATION | | | | | | |
| < High School | 389 | 404 | 328 | 296 | 165 | 166 |
| High School Graduate | 744 | 713 | 477 | 484 | 237 | 242 |
| Some College | 745 | 767 | 451 | 442 | 209 | 228 |
| College Graduate | 1,061 | 1,088 | 503 | 516 | 219 | 255 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 1,147 | 1,244 | 691 | 710 | 306 | 354 |
| Part-Time | 487 | 495 | 267 | 297 | 164 | 168 |
| Unemployed | 316 | 303 | 210 | 212 | 123 | 122 |
| Other ¹ | 803 | 738 | 401 | 385 | 171 | 188 |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.46D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 0.42 | 0.42 | 0.35 | 0.33 | 0.18 | 0.18 |
| GENDER | | | | | | |
| Male | 0.59 | 0.60 | 0.55 | 0.52 | 0.32 | 0.32 |
| Female | 0.57 | 0.54 | 0.38 | 0.37 | 0.16 | 0.17 |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.43 | 0.45 | 0.36 | 0.35 | 0.19 | 0.20 |
| White | 0.48 | 0.50 | 0.42 | 0.39 | 0.23 | 0.23 |
| Black or African American | 1.28 | 1.23 | 0.99 | 0.93 | 0.47 | 0.50 |
| American Indian or Alaska Native | 4.57 | 4.27 | 2.87 | 3.56 | 1.90 | 1.74 |
| Native Hawaiian or Other Pacific Islander | * | * | * | * | 1.59 | * |
| Asian | 2.08 | 2.38 | 1.11 | 1.30 | 0.31 | 0.66 |
| Two or More Races | 3.22 | 3.43 | 2.56 | 2.42 | 1.26 | 1.22 |
| Hispanic or Latino | 1.10 | 1.13 | 0.93 | 0.97 | 0.45 | 0.43 |
| EDUCATION | | | | | | |
| < High School | 0.94 | 0.97 | 0.84 | 0.79 | 0.47 | 0.46 |
| High School Graduate | 0.74 | 0.70 | 0.57 | 0.60 | 0.33 | 0.33 |
| Some College | 0.79 | 0.80 | 0.65 | 0.64 | 0.35 | 0.37 |
| College Graduate | 0.77 | 0.74 | 0.67 | 0.64 | 0.32 | 0.36 |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.54 | 0.55 | 0.49 | 0.48 | 0.26 | 0.28 |
| Part-Time | 1.02 | 1.04 | 0.77 | 0.80 | 0.50 | 0.48 |
| Unemployed | 1.34 | 1.41 | 1.20 | 1.25 | 0.81 | 0.77 |
| Other ¹ | 0.87 | 0.84 | 0.58 | 0.53 | 0.26 | 0.28 |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 2.46P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

| Demographic Characteristic | Alcohol Use (2009) | Alcohol Use (2010) | Binge Alcohol Use (2009) | Binge Alcohol Use (2010) | Heavy Alcohol Use (2009) | Heavy Alcohol Use (2010) |
|--|-------------------------------|-------------------------------|---|---|---|---|
| TOTAL | 0.9281 | | 0.2373 | | 0.6725 | |
| GENDER | | | | | | |
| Male | 0.8199 | | 0.3625 | | 0.6538 | |
| Female | 0.9509 | | 0.3693 | | 0.8764 | |
| HISPANIC ORIGIN AND RACE | | | | | | |
| Not Hispanic or Latino | 0.9034 | | 0.1493 | | 0.6976 | |
| White | 0.9752 | | 0.1072 | | 0.5733 | |
| Black or African American | 0.9065 | | 0.9484 | | 0.9297 | |
| American Indian or Alaska Native | 0.9418 | | 0.4988 | | 0.5846 | |
| Native Hawaiian or Other Pacific Islander | * | | * | | * | |
| Asian | 0.7306 | | 0.4029 | | 0.1649 | |
| Two or More Races | 0.5579 | | 0.4256 | | 0.5735 | |
| Hispanic or Latino | 0.8770 | | 0.7849 | | 0.8995 | |
| EDUCATION | | | | | | |
| < High School | 0.2034 | | 0.1468 | | 0.8139 | |
| High School Graduate | 0.1457 | | 0.0883 | | 0.0432 | |
| Some College | 0.6988 | | 0.8827 | | 0.9483 | |
| College Graduate | 0.5104 | | 0.5295 | | 0.1615 | |
| CURRENT EMPLOYMENT | | | | | | |
| Full-Time | 0.2161 | | 0.5145 | | 0.8577 | |
| Part-Time | 0.5492 | | 0.9443 | | 0.3958 | |
| Unemployed | 0.2788 | | 0.6762 | | 0.8726 | |
| Other ¹ | 0.6666 | | 0.3273 | | 0.7013 | |

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.