

Table 3.9A Participation in a Prevention Program or Group in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP ¹					
	Problem-Solving, Communication, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2009	2010	2009	2010	2009	2010
TOTAL	4,993	5,062	3,364	3,332	2,742	2,585
AGE						
12-13	1,743	1,765	1,424	1,429	739	722
14-15	1,708	1,752	1,111	1,110	1,108	1,022
16-17	1,542	1,545	830	794	895	842
GENDER						
Male	2,281 ^a	2,466	1,695	1,689	1,319	1,283
Female	2,712	2,596	1,669	1,644	1,423	1,302
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	4,095	4,142	2,676	2,659	2,119	2,010
White	2,729	2,793	1,638	1,536	1,298	1,204
Black or African American	963	883	794	785	639	601
American Indian or Alaska Native	26	33	25	32	15	18
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	224	285	136	191	90	115
Two or More Races	132	132	72	105	67	63
Hispanic or Latino	898	920	689	673	623	575
COUNTY TYPE						
Large Metro	2,678	2,730	1,765	1,818	1,447	1,318
Small Metro	1,520	1,523	1,027	975	854	826
Nonmetro	796	809	572	539	441	441

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 3.9B Participation in a Prevention Program or Group in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Percentages, 2009 and 2010

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP ¹					
	Problem-Solving, Communication, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2009	2010	2009	2010	2009	2010
TOTAL	20.7	21.3	13.8	13.8	11.2	10.7
AGE						
12-13	24.0	23.3	19.3	18.4	10.0	9.3
14-15	20.3 ^a	22.2	13.1	13.9	13.1	12.8
16-17	18.2	18.5	9.7	9.5	10.5	10.1
GENDER						
Male	18.5 ^a	20.2	13.6	13.7	10.6	10.4
Female	23.0	22.4	14.0	14.0	11.9	11.1
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	21.1	21.8	13.6	13.8	10.8	10.4
White	19.3	20.3	11.5	11.0	9.1	8.6
Black or African American	26.4	25.1	21.6	22.2	17.4	17.0
American Indian or Alaska Native	20.6	25.9	19.3	24.7	11.6	13.8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	23.5	28.0	13.9	18.4	9.3	11.0
Two or More Races	25.2	25.5	13.7	20.1	12.7	12.0
Hispanic or Latino	19.1	19.2	14.5	13.9	13.1	11.8
COUNTY TYPE						
Large Metro	20.9	21.4	13.7	14.1	11.2	10.2
Small Metro	20.2	20.7	13.5	13.1	11.2	11.1
Nonmetro	20.7	21.8	14.7	14.3	11.4	11.7

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 3.10A Participation in a Substance Use Program or Exposure to Substance Use Prevention Message in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE ¹							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2009	2010	2009	2010	2009	2010	2009	2010
TOTAL	2,929	2,761	1,000	997	18,743 ^b	18,264	14,115	13,953
AGE								
12-13	1,060	1,059	367	391	5,178	5,393	4,397	4,533
14-15	1,000 ^a	885	342	304	6,709 ^b	6,174	4,961	4,757
16-17	869	816	291	302	6,855	6,697	4,757	4,663
GENDER								
Male	1,505	1,455	540	563	9,419 ^b	9,090	7,135	7,003
Female	1,424	1,306	460	434	9,324	9,174	6,980	6,950
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	2,344	2,224	754	795	15,153 ^b	14,651	11,354	11,171
White	1,532	1,437	469	506	11,114	10,714	8,684	8,502
Black or African American	563	549	220	209	2,680	2,564	1,726	1,705
American Indian or Alaska Native	21	28	7	10	99	92	73	74
Native Hawaiian or Other Pacific Islander	*	5	*	3	*	*	*	*
Asian	133	142	33	49	800	838	489	541
Two or More Races	76	63	21	18	402	393	333	313
Hispanic or Latino	585	536	246	202	3,590	3,613	2,761	2,782
COUNTY TYPE								
Large Metro	1,500	1,418	534	545	9,940	9,748	7,486	7,468
Small Metro	901	830	304	297	5,867	5,678	4,441	4,347
Nonmetro	529	512	163	155	2,937	2,838	2,188	2,138

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 3.10B Participation in a Substance Use Program or Exposure to Substance Use Prevention Message in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Percentages, 2009 and 2010

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE ¹							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2009	2010	2009	2010	2009	2010	2009	2010
TOTAL	12.0	11.5	4.1	4.1	77.0 ^a	75.9	58.2	58.2
AGE								
12-13	14.3	13.6	5.0	5.1	70.4	69.8	60.1	58.7
14-15	11.8	11.1	4.0	3.8	79.3 ^a	77.5	58.7	60.0
16-17	10.2	9.8	3.4	3.6	80.5	80.1	56.0	55.9
GENDER								
Male	12.1	11.8	4.3	4.6	75.9 ^a	73.9	57.6	56.9
Female	11.9	11.1	3.9	3.7	78.3	78.1	58.8	59.5
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	11.9	11.6	3.8	4.1	77.4	76.3	58.1	58.3
White	10.7	10.3	3.3	3.6	78.2	77.0	61.3	61.2
Black or African American	15.3	15.5	6.0	5.9	73.2	72.7	47.2	48.4
American Indian or Alaska Native	16.2	21.2	5.8	7.9	76.5	70.3	56.8	56.9
Native Hawaiian or Other Pacific Islander	*	8.5	*	4.5	*	*	*	*
Asian	13.6	13.8	3.4	4.7	82.2	80.8	50.8	52.4
Two or More Races	14.5	12.1	4.0	3.5	77.0	75.6	63.6	60.5
Hispanic or Latino	12.3	11.0	5.2	4.2	75.6	74.4	58.4	57.6
COUNTY TYPE								
Large Metro	11.6	11.0	4.1	4.2	77.1	75.8	58.3	58.2
Small Metro	11.8	11.1	4.0	4.0	77.5	76.5	58.8	58.6
Nonmetro	13.6	13.6	4.2	4.1	75.9	75.3	56.8	57.1

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.¹ Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.