

Table 3.9C Participation in a Prevention Program or Group in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP ¹					
	Problem-Solving, Communication, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2009	2010	2009	2010	2009	2010
TOTAL	91	87	78	79	72	68
AGE						
12-13	63	59	56	57	37	36
14-15	58	59	47	46	52	45
16-17	58	59	42	40	43	41
GENDER						
Male	60	59	53	55	51	46
Female	66	63	54	54	52	46
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	79	78	69	67	61	59
White	80	81	61	56	57	50
Black or African American	51	46	46	45	37	38
American Indian or Alaska Native	6	7	7	7	5	4
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	24	30	17	24	14	18
Two or More Races	21	14	14	14	14	9
Hispanic or Latino	41	40	37	37	38	33
COUNTY TYPE						
Large Metro	90	87	68	75	64	57
Small Metro	59	60	50	43	45	45
Nonmetro	41	45	36	35	30	28

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 3.9D Participation in a Prevention Program or Group in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP ¹					
	Problem-Solving, Communication, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2009	2010	2009	2010	2009	2010
TOTAL	0.38	0.36	0.32	0.33	0.29	0.28
AGE						
12-13	0.73	0.66	0.65	0.64	0.46	0.45
14-15	0.61	0.62	0.51	0.52	0.55	0.52
16-17	0.60	0.60	0.46	0.45	0.48	0.45
GENDER						
Male	0.48	0.48	0.43	0.45	0.41	0.37
Female	0.56	0.54	0.45	0.46	0.44	0.39
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.40	0.41	0.35	0.35	0.31	0.31
White	0.45	0.47	0.38	0.35	0.34	0.33
Black or African American	1.07	1.04	1.02	1.00	0.89	0.92
American Indian or Alaska Native	4.13	4.76	4.32	4.90	3.10	2.93
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*
Asian	2.32	2.36	1.60	1.98	1.44	1.61
Two or More Races	3.22	2.30	2.36	2.37	2.46	1.62
Hispanic or Latino	0.87	0.83	0.79	0.76	0.80	0.69
COUNTY TYPE						
Large Metro	0.55	0.54	0.46	0.50	0.43	0.39
Small Metro	0.61	0.60	0.52	0.52	0.51	0.52
Nonmetro	0.81	0.95	0.78	0.72	0.66	0.68

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 3.9P Participation in a Prevention Program or Group in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic/Geographic Characteristic	PREVENTION PROGRAM OR GROUP ¹					
	Problem-Solving, Communication, or Self-Esteem Group		Violence Prevention Program		Pregnancy or Sexually Transmitted Disease Prevention Program	
	2009	2010	2009	2010	2009	2010
TOTAL	0.2657		0.9099		0.2108	
AGE						
12-13	0.4698		0.3482		0.3088	
14-15	0.0336		0.2452		0.7400	
16-17	0.6555		0.7035		0.5051	
GENDER						
Male	0.0105		0.8677		0.7153	
Female	0.4958		0.9962		0.1570	
HISPANIC ORIGIN AND RACE						
Not Hispanic or Latino	0.2110		0.6673		0.4354	
White	0.1471		0.3701		0.3439	
Black or African American	0.3909		0.6786		0.7300	
American Indian or Alaska Native	0.3834		0.4105		0.6181	
Native Hawaiian or Other Pacific Islander	*		*		*	
Asian	0.1513		0.0816		0.3965	
Two or More Races	0.9399		0.0627		0.8175	
Hispanic or Latino	0.9471		0.5616		0.2298	
COUNTY TYPE						
Large Metro	0.4942		0.4869		0.0968	
Small Metro	0.5880		0.5907		0.8612	
Nonmetro	0.4145		0.6841		0.7249	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 3.10C Participation in a Substance Use Program or Exposure to Substance Use Prevention Message in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE ¹							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2009	2010	2009	2010	2009	2010	2009	2010
TOTAL	71	66	44	44	98	96	113	109
AGE								
12-13	48	47	25	27	117	116	111	107
14-15	45	42	27	25	134	124	113	106
16-17	38	41	25	27	132	131	107	107
GENDER								
Male	51	50	34	35	70	67	80	81
Female	50	45	28	28	63	65	75	72
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	62	58	36	39	86	82	98	96
White	55	53	28	33	210	197	173	168
Black or African American	36	35	21	21	94	102	70	72
American Indian or Alaska Native	4	6	2	3	13	9	10	8
Native Hawaiian or Other Pacific Islander	*	1	*	1	*	*	*	*
Asian	17	19	8	12	54	61	40	50
Two or More Races	15	10	7	5	32	25	31	23
Hispanic or Latino	36	34	24	20	47	48	52	50
COUNTY TYPE								
Large Metro	62	60	36	37	210	211	184	173
Small Metro	43	42	22	25	175	160	140	134
Nonmetro	33	30	15	16	100	107	80	85

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 3.10D Participation in a Substance Use Program or Exposure to Substance Use Prevention Message in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE ¹							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2009	2010	2009	2010	2009	2010	2009	2010
TOTAL	0.29	0.27	0.18	0.18	0.40	0.40	0.47	0.46
AGE								
12-13	0.57	0.53	0.32	0.33	0.73	0.75	0.78	0.78
14-15	0.50	0.49	0.31	0.32	0.63	0.63	0.79	0.78
16-17	0.43	0.46	0.29	0.30	0.61	0.60	0.78	0.77
GENDER								
Male	0.41	0.41	0.27	0.28	0.56	0.55	0.65	0.66
Female	0.42	0.38	0.23	0.23	0.53	0.55	0.63	0.62
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.32	0.30	0.18	0.20	0.44	0.43	0.50	0.50
White	0.34	0.33	0.19	0.22	0.48	0.48	0.54	0.56
Black or African American	0.86	0.86	0.53	0.57	1.06	1.06	1.17	1.18
American Indian or Alaska Native	3.14	4.22	1.68	2.25	3.63	3.57	4.42	4.12
Native Hawaiian or Other Pacific Islander	*	2.42	*	1.60	*	*	*	*
Asian	1.78	1.64	0.81	1.18	1.87	2.03	2.39	2.80
Two or More Races	2.49	1.74	1.27	0.93	2.47	2.28	2.70	2.49
Hispanic or Latino	0.75	0.70	0.50	0.42	0.99	0.98	1.10	1.04
COUNTY TYPE								
Large Metro	0.43	0.40	0.27	0.27	0.58	0.58	0.71	0.64
Small Metro	0.49	0.45	0.28	0.32	0.63	0.70	0.78	0.79
Nonmetro	0.71	0.67	0.36	0.39	0.88	0.89	0.98	1.01

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 3.10P Participation in a Substance Use Program or Exposure to Substance Use Prevention Message in the Past Year among Persons Aged 12 to 17, by Demographic and Geographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009

Demographic/Geographic Characteristic	SUBSTANCE USE PROGRAM OR PREVENTION MESSAGE ¹							
	Participated in Alcohol, Tobacco, or Drug Prevention Program Outside of School		Participated in Program to Help Deal with Drug or Alcohol Use		Saw or Heard Alcohol or Drug Prevention Message from Sources Outside School		Talked to Parents about Dangers of Tobacco, Alcohol, or Drug Use	
	2009	2010	2009	2010	2009	2010	2009	2010
TOTAL	0.1641		0.8739		0.0461		0.9642	
AGE								
12-13	0.3830		0.8762		0.5397		0.1905	
14-15	0.3017		0.6362		0.0300		0.2545	
16-17	0.5004		0.6399		0.6899		0.9369	
GENDER								
Male	0.6009		0.5496		0.0118		0.4719	
Female	0.1586		0.6212		0.7752		0.4381	
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.3885		0.2707		0.0784		0.8095	
White	0.3440		0.2271		0.0763		0.9517	
Black or African American	0.8852		0.8918		0.7386		0.4550	
American Indian or Alaska Native	0.3366		0.4437		0.1618		0.9783	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.9421		0.3441		0.6016		0.6710	
Two or More Races	0.4370		0.7489		0.6590		0.3853	
Hispanic or Latino	0.2174		0.1087		0.3965		0.5851	
COUNTY TYPE								
Large Metro	0.2867		0.8044		0.0944		0.9571	
Small Metro	0.3024		0.9970		0.2925		0.8696	
Nonmetro	0.9964		0.9007		0.6088		0.8195	

*Low precision; no estimate reported.

¹ Respondents with unknown data were excluded.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.