

**Table 5.23A Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Numbers in Thousands, 2009 and 2010**

Location of Treatment <sup>1</sup>	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	473	372	39	26	101	85	332	261
Rehabilitation Facility - Inpatient	674	566	51	37	149	147	474	382
Rehabilitation Facility - Outpatient	1,097	1,047	69	56	301	242	727	749
Mental Health Center - Outpatient	644	566	39	30	163	124	442	412
Emergency Room	224	249	15	21	61	39	147	189
Private Doctor's Office	363	367	23	29	92	81	248	257
Self-Help Group	1,273	1,150	65	80	314	310	894	761
Prison/Jail	254	206	21	22	54	66	179	118

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.23B Locations Received Illicit Drug Treatment in the Past Year among Persons Who Received Illicit Drug Treatment in the Past Year, by Age Group: Percentages, 2009 and 2010**

Location of Treatment <sup>1</sup>	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	20.4	17.0	18.8	12.8	17.1	15.1	21.9	18.4
Rehabilitation Facility - Inpatient	29.1	25.9	24.7	18.2	25.1	26.1	31.3	26.9
Rehabilitation Facility - Outpatient	47.4	47.8	33.4	27.2	50.8	43.0	47.9	52.7
Mental Health Center - Outpatient	27.8	25.9	18.9	14.6	27.5	22.0	29.2	29.0
Emergency Room	9.7	11.4	7.4	10.1	10.3	7.0	9.7	13.3
Private Doctor's Office	15.7	16.8	11.2	14.1	15.5	14.4	16.3	18.1
Self-Help Group	55.0	52.6	31.3	39.0	53.0	55.0	58.9	53.6
Prison/Jail	11.0	9.4	10.1	10.9	9.2	11.7	11.8	8.3

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment refers to treatment received in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.24A Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2009 and 2010**

Location of Treatment <sup>1</sup>	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	595	531	31	24	99	69	465	438
Rehabilitation Facility - Inpatient	788	665	42 <sup>a</sup>	20	124	120	622	525
Rehabilitation Facility - Outpatient	1,297 <sup>a</sup>	966	58 <sup>b</sup>	27	263	224	976	715
Mental Health Center - Outpatient	715	627	29	33	137	115	549	479
Emergency Room	333	286	20	11	62	36	251	239
Private Doctor's Office	500	402	13	*	86	56	400	329
Self-Help Group	1,839	1,682	54	48	336	337	1,449	1,298
Prison/Jail	271	215	18	*	81	57	172	148

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.24B Locations Received Alcohol Treatment in the Past Year among Persons Who Received Alcohol Treatment in the Past Year, by Age Group: Percentages, 2009 and 2010**

Location of Treatment <sup>1</sup>	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	19.2	18.6	17.2	16.1	14.9	11.3	20.7	20.9
Rehabilitation Facility - Inpatient	25.5	23.3	23.7	13.6	18.6	19.7	27.7	25.0
Rehabilitation Facility - Outpatient	42.0 <sup>a</sup>	33.9	32.5 <sup>a</sup>	18.7	39.5	36.8	43.4	34.1
Mental Health Center - Outpatient	23.1	22.0	16.0	22.4	20.6	18.8	24.4	22.9
Emergency Room	10.8	10.0	11.2	7.7	9.3	5.9	11.2	11.4
Private Doctor's Office	16.2	14.1	7.6	*	13.0	9.1	17.8	15.7
Self-Help Group	59.5	59.0	30.5	32.8	50.4	55.2	64.5	61.9
Prison/Jail	8.8	7.5	9.9	*	12.1	9.3	7.7	7.1

\*Low precision; no estimate reported.

NOTE: Received Alcohol Treatment refers to treatment received in order to reduce or stop alcohol use, or for medical problems associated with alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.25A Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Numbers in Thousands, 2009 and 2010**

Location of Treatment <sup>1</sup>	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	858	731	51	46	171	121	636	564
Rehabilitation Facility - Inpatient	1,208	986	69	46	218	208	920	732
Rehabilitation Facility - Outpatient	1,994	1,689	91	68	441	376	1,461	1,245
Mental Health Center - Outpatient	1,075	999	52	55	238	194	785	750
Emergency Room	487	467	30	33	110	74	347	360
Private Doctor's Office	714	653	27	37	145	119	542	497
Self-Help Group	2,453	2,334	90	95	535	531	1,829	1,709
Prison/Jail	374	342	25	28	103	98	246	216

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.25B Locations Received Illicit Drug or Alcohol Treatment in the Past Year among Persons Who Received Illicit Drug or Alcohol Treatment in the Past Year, by Age Group: Percentages, 2009 and 2010**

Location of Treatment <sup>1</sup>	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Hospital - Inpatient	20.1	17.7	18.0	15.8	17.5	12.6	21.1	19.6
Rehabilitation Facility - Inpatient	28.2	23.9	24.4 <sup>a</sup>	16.0	22.4	21.7	30.5	25.4
Rehabilitation Facility - Outpatient	46.6	40.9	32.2	23.5	45.4	39.2	48.4	43.2
Mental Health Center - Outpatient	25.1	24.2	18.4	19.1	24.4	20.2	26.0	26.1
Emergency Room	11.4	11.3	10.7	11.3	11.3	7.7	11.5	12.5
Private Doctor's Office	16.7	15.8	9.5	12.8	14.9	12.4	18.0	17.3
Self-Help Group	57.4	56.6	31.7	32.9	55.0	55.3	60.6	59.4
Prison/Jail	8.7	8.3	8.8	9.8	10.6	10.2	8.1	7.5

\*Low precision; no estimate reported.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Respondents could indicate multiple locations of treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.