

Table 5.27A Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Numbers in Thousands, 2009 and 2010

Age Category	Illicit Drugs ¹ (2009)	Illicit Drugs ¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol ¹ (2009)	Both Illicit Drugs and Alcohol ¹ (2010)	Illicit Drugs or Alcohol ^{1,2} (2009)	Illicit Drugs or Alcohol ^{1,2} (2010)
TOTAL	1,495	1,506	1,705	1,583	756	625	2,627	2,579
12	2	0	2	2	1	*	3	2
13	8	3	9	2	7	1	10	7
14	5	10	4	1	1	0	8	10
15	18	13	15	16	12	10	23	20
16	24	32	22	19	12	13	34	41
17	58	39	44	31	34 ^a	15	73	57
18	56	51	42	42	26	31	78	64
19	30	39	36	23	15	15	55	51
20	46	34	24	30	10	13	60	54
21	47	56	40	47	20	18	72	86
22	36	45	44	47	11	24	75	68
23	64	51	63	35	39 ^a	16	90	73
24	52	40	53	48	26	16	79	74
25	41	34	48	39	20	10	72	63
26-29	184	217	146	126	86	62	251	300
30-34	161	140	212	180	84	52	295	297
35-39	154	182	188	115	87	62	255	255
40-44	169	137	272	164	129	61	365	240
45-49	95	187	207	273	42	94	280	374
50-54	172	87	98	186	34	53	236	238
55-59	25	51	68	56	16	36	113	72
60-64	43	44	45	63	43	23	63	83
65 or Older	5	10	22	40	*	*	38	50

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.27B Received Substance Use Treatment at a Specialty Facility in the Past Year, by Detailed Age Category: Percentages, 2009 and 2010

Age Category	Illicit Drugs ¹ (2009)	Illicit Drugs ¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol ¹ (2009)	Both Illicit Drugs and Alcohol ¹ (2010)	Illicit Drugs or Alcohol ^{1,2} (2009)	Illicit Drugs or Alcohol ^{1,2} (2010)
TOTAL	0.6	0.6	0.7	0.6	0.3	0.2	1.0	1.0
12	0.1	0.0	0.1	0.1	0.0	*	0.1	0.1
13	0.2	0.1	0.2	0.0	0.2	0.0	0.2	0.2
14	0.1	0.3	0.1	0.0	0.0	0.0	0.2	0.3
15	0.4	0.3	0.4	0.4	0.3	0.2	0.5	0.5
16	0.6	0.8	0.5	0.4	0.3	0.3	0.8	1.0
17	1.3	0.9	1.0	0.7	0.8	0.4	1.7	1.3
18	1.1	1.1	0.8	0.9	0.5	0.6	1.6	1.3
19	0.7	0.9	0.8	0.5	0.3	0.3	1.2	1.2
20	1.1	0.7	0.6	0.7	0.2	0.3	1.5	1.2
21	1.1	1.3	1.0	1.1	0.5	0.4	1.7	2.0
22	0.9	1.1	1.1	1.1	0.3	0.6	1.9	1.6
23	1.6	1.3	1.6	0.9	1.0 ^a	0.4	2.2	1.8
24	1.3	1.0	1.3	1.2	0.6	0.4	1.9	1.8
25	1.1	0.9	1.3	1.0	0.6	0.3	2.0	1.6
26-29	1.1	1.3	0.9	0.8	0.5	0.4	1.5	1.8
30-34	0.8	0.7	1.1	0.9	0.4	0.3	1.5	1.5
35-39	0.8	0.9	0.9	0.6	0.4	0.3	1.3	1.3
40-44	0.8	0.7	1.3	0.8	0.6	0.3	1.8	1.2
45-49	0.4	0.8	0.9	1.2	0.2	0.4	1.2	1.7
50-54	0.8	0.4	0.4	0.8	0.2	0.2	1.1	1.1
55-59	0.1	0.3	0.4	0.3	0.1	0.2	0.6	0.4
60-64	0.3	0.3	0.3	0.4	0.3	0.1	0.4	0.5
65 or Older	0.0	0.0	0.1	0.1	*	*	0.1	0.1

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.28A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Illicit Drugs¹ (2009)	Illicit Drugs¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol¹ (2009)	Both Illicit Drugs and Alcohol¹ (2010)	Illicit Drugs or Alcohol^{1,2} (2009)	Illicit Drugs or Alcohol^{1,2} (2010)
TOTAL	1,495	1,506	1,705	1,583	756	625	2,627	2,579
AGE								
12-17	115	98	96	70	67 ^a	39	150	138
18-25	372	351	350	311	167	144	580	533
26 or Older	1,008	1,057	1,259	1,202	522	443	1,897	1,907
GENDER								
Male	1,000	920	1,203	1,075	534	407	1,833	1,653
Female	495	586	502	507	222	218	794	926
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,300	1,333	1,494	1,381	628	527	2,311	2,276
White	936	1,079	1,125	1,103	394	403	1,767	1,832
Black or African American	280	201	318	219	206	109	437	342
American Indian or Alaska Native	10	29	17	20	5	6	22	42
Native Hawaiian or Other Pacific Islander	2	1	*	1	*	1	2	1
Asian	12	7	7	16	7	2	12	24
Two or More Races	60	15	27	22	16	4	71	34
Hispanic or Latino	195	174	210	202	128	98	315	303

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.28B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Illicit Drugs¹ (2009)	Illicit Drugs¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol¹ (2009)	Both Illicit Drugs and Alcohol¹ (2010)	Illicit Drugs or Alcohol^{1,2} (2009)	Illicit Drugs or Alcohol^{1,2} (2010)
TOTAL	0.6	0.6	0.7	0.6	0.3	0.2	1.0	1.0
AGE								
12-17	0.5	0.4	0.4	0.3	0.3 ^a	0.2	0.6	0.6
18-25	1.1	1.0	1.0	0.9	0.5	0.4	1.7	1.6
26 or Older	0.5	0.5	0.7	0.6	0.3	0.2	1.0	1.0
GENDER								
Male	0.8	0.7	1.0	0.9	0.4	0.3	1.5	1.3
Female	0.4	0.5	0.4	0.4	0.2	0.2	0.6	0.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6	0.6	0.7	0.6	0.3	0.2	1.1	1.0
White	0.6	0.6	0.7	0.6	0.2	0.2	1.0	1.1
Black or African American	0.9	0.7	1.1	0.7	0.7	0.4	1.5	1.1
American Indian or Alaska Native	0.8	2.4	1.4	1.6	0.4	0.5	1.8	3.5
Native Hawaiian or Other Pacific Islander	0.2	0.2	*	0.2	*	0.2	0.2	0.2
Asian	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.2
Two or More Races	2.0	0.5	0.9	0.7	0.6	0.1	2.4	1.1
Hispanic or Latino	0.5	0.5	0.6	0.5	0.4	0.3	0.9	0.8

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.29A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Illicit Drugs¹ (2009)	Illicit Drugs¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol¹ (2009)	Both Illicit Drugs and Alcohol¹ (2010)	Illicit Drugs or Alcohol^{1,2} (2009)	Illicit Drugs or Alcohol^{1,2} (2010)
TOTAL	115	98	96	70	67 ^a	39	150	138
GENDER								
Male	70	57	61 ^a	33	43 ^a	21	93	77
Female	45	41	35	37	24	18	57	61
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	80	80	65	51	42	29	109	108
White	57	65	49	40	31	27	80	80
Black or African American	10	4	8	9	5	2	15	16
American Indian or Alaska Native	1	2	0	1	0	0	1	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	3	*	0	1	0	*	3	5
Two or More Races	7	*	7	0	6	*	8	6
Hispanic or Latino	35	19	31	19	25	10	41	30
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	32	37	31	16	20	13	47	40
Female, White, Not Hispanic	25	28	19	24	11	13	33	39
Male, Black, Not Hispanic	8	4	4	6	4	1	11	12
Female, Black, Not Hispanic	2	1	4	3	1	1	4	3
Male, Hispanic	26	11	21	10	17	6	30	18
Female, Hispanic	10	7	10	9	8	4	11	13

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.29B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Illicit Drugs¹ (2009)	Illicit Drugs¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol¹ (2009)	Both Illicit Drugs and Alcohol¹ (2010)	Illicit Drugs or Alcohol^{1,2} (2009)	Illicit Drugs or Alcohol^{1,2} (2010)
TOTAL	0.5	0.4	0.4	0.3	0.3 ^a	0.2	0.6	0.6
GENDER								
Male	0.6	0.5	0.5 ^a	0.3	0.3 ^a	0.2	0.7	0.6
Female	0.4	0.3	0.3	0.3	0.2	0.2	0.5	0.5
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.4	0.4	0.3	0.3	0.2	0.1	0.5	0.6
White	0.4	0.5	0.3	0.3	0.2	0.2	0.6	0.6
Black or African American	0.3	0.1	0.2	0.3	0.1	0.0	0.4	0.4
American Indian or Alaska Native	0.9	1.3	0.3	0.6	0.3	0.3	0.9	1.5
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.3	*	0.0	0.1	0.0	*	0.3	0.5
Two or More Races	1.3	*	1.3	0.0	1.1	*	1.5	1.1
Hispanic or Latino	0.7	0.4	0.6	0.4	0.5	0.2	0.9	0.6
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	0.4	0.5	0.4	0.2	0.3	0.2	0.6	0.6
Female, White, Not Hispanic	0.4	0.4	0.3	0.3	0.2	0.2	0.5	0.6
Male, Black, Not Hispanic	0.4	0.2	0.2	0.3	0.2	0.1	0.6	0.7
Female, Black, Not Hispanic	0.1	0.0	0.2	0.2	0.1	0.0	0.2	0.2
Male, Hispanic	1.0	0.4	0.9	0.4	0.7	0.2	1.2	0.7
Female, Hispanic	0.4	0.3	0.4	0.4	0.3	0.2	0.5	0.5

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.30A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Illicit Drugs¹ (2009)	Illicit Drugs¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol¹ (2009)	Both Illicit Drugs and Alcohol¹ (2010)	Illicit Drugs or Alcohol^{1,2} (2009)	Illicit Drugs or Alcohol^{1,2} (2010)
TOTAL	372	351	350	311	167	144	580	533
GENDER								
Male	237	209	233	217	106	96	387	340
Female	135	142	116	94	61	48	193	193
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	326	296	297	277	150	122	491	461
White	272	252	230	214	112	96	401	374
Black or African American	41	33	51	39	28	21	69	55
American Indian or Alaska Native	3	2	7	3	2	1	8	4
Native Hawaiian or Other Pacific Islander	*	0	*	*	*	*	*	0
Asian	4	2	4	15	4	2	4	19
Two or More Races	8	5	5	6	4	2	9	9
Hispanic or Latino	45	56	53	34	17	22	88	72
EDUCATION								
< High School	135	111	130	91	68	54	207	150
High School Graduate	167	141	117	121	62	57	232	215
Some College	58	92	70	93	27	30	107	155
College Graduate	12	7	32 ^a	6	11	3	33	13
CURRENT EMPLOYMENT								
Full-Time	112	88	115	125	55	46	181	169
Part-Time	93	90	72	64	32	34	137	124
Unemployed	99	83	99 ^a	56	47	30	160	111
Other ³	68	91	64	66	33	33	103	129

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.30B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Illicit Drugs¹ (2009)	Illicit Drugs¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol¹ (2009)	Both Illicit Drugs and Alcohol¹ (2010)	Illicit Drugs or Alcohol^{1,2} (2009)	Illicit Drugs or Alcohol^{1,2} (2010)
TOTAL	1.1	1.0	1.0	0.9	0.5	0.4	1.7	1.6
GENDER								
Male	1.4	1.2	1.4	1.3	0.6	0.6	2.3	2.0
Female	0.8	0.8	0.7	0.6	0.4	0.3	1.2	1.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1.2	1.1	1.1	1.0	0.5	0.4	1.8	1.7
White	1.3	1.2	1.1	1.1	0.6	0.5	2.0	1.8
Black or African American	0.8	0.7	1.1	0.8	0.6	0.4	1.4	1.1
American Indian or Alaska Native	1.3	1.3	2.9	1.5	0.7	0.3	3.5	2.5
Native Hawaiian or Other Pacific Islander	*	0.1	*	*	*	*	*	0.1
Asian	0.2	0.2	0.2	1.1	0.2	0.1	0.2	1.3
Two or More Races	1.8	1.0	1.3	1.2	1.0	0.4	2.0	1.7
Hispanic or Latino	0.7	0.8	0.9	0.5	0.3	0.3	1.4	1.1
EDUCATION								
< High School	2.2	1.9	2.1	1.5	1.1	0.9	3.4	2.5
High School Graduate	1.4	1.2	1.0	1.0	0.5	0.5	2.0	1.8
Some College	0.5	0.8	0.6	0.8	0.2	0.3	1.0	1.3
College Graduate	0.3	0.2	0.7 ^a	0.1	0.2	0.1	0.7	0.3
CURRENT EMPLOYMENT								
Full-Time	0.9	0.7	0.9	1.0	0.4	0.4	1.5	1.4
Part-Time	1.0	0.9	0.8	0.7	0.3	0.4	1.5	1.3
Unemployed	2.2	1.8	2.2 ^a	1.2	1.0	0.7	3.5	2.4
Other ³	0.9	1.2	0.9	0.9	0.4	0.4	1.4	1.7

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.31A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Illicit Drugs ¹ (2009)	Illicit Drugs ¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol ¹ (2009)	Both Illicit Drugs and Alcohol ¹ (2010)	Illicit Drugs or Alcohol ^{1,2} (2009)	Illicit Drugs or Alcohol ^{1,2} (2010)
TOTAL	1,008	1,057	1,259	1,202	522	443	1,897	1,907
GENDER								
Male	693	653	909	826	384	291	1,353	1,236
Female	315	403	350	377	138	152	544	672
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	893	957	1,133	1,053	435	376	1,711	1,707
White	607	761	846	849	250	280	1,286	1,379
Black or African American	229	164	259	171	173	87	353	272
American Indian or Alaska Native	6	*	9	16	3	5	13	36
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	6	*	3	*	3	*	6	*
Two or More Races	*	5	15	15	6	2	54	18
Hispanic or Latino	115	100	126	150	86	67	186	201
EDUCATION								
< High School	277	297	269	318	166	158	430	487
High School Graduate	378	303	462	409	210	134	674	601
Some College	295	391	352	406	126	137	577	685
College Graduate	59	66	176 ^a	69	20	13	215	134
CURRENT EMPLOYMENT								
Full-Time	400	310	461	375	215	139	671	560
Part-Time	68 ^a	179	186	203	35	53	224	365
Unemployed	177	139	225	137	73	45	329	260
Other ³	363	428	387	487	199	205	673	721

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.31B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Illicit Drugs¹ (2009)	Illicit Drugs¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol¹ (2009)	Both Illicit Drugs and Alcohol¹ (2010)	Illicit Drugs or Alcohol^{1,2} (2009)	Illicit Drugs or Alcohol^{1,2} (2010)
TOTAL	0.5	0.5	0.7	0.6	0.3	0.2	1.0	1.0
GENDER								
Male	0.7	0.7	1.0	0.9	0.4	0.3	1.5	1.3
Female	0.3	0.4	0.3	0.4	0.1	0.1	0.5	0.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.5	0.6	0.7	0.6	0.3	0.2	1.0	1.0
White	0.4	0.6	0.6	0.6	0.2	0.2	1.0	1.0
Black or African American	1.1	0.8	1.2	0.8	0.8	0.4	1.6	1.2
American Indian or Alaska Native	0.7	*	1.1	1.8	0.3	0.6	1.5	4.0
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.1	*	0.0	*	0.0	*	0.1	*
Two or More Races	*	0.2	0.8	0.7	0.3	0.1	2.7	0.9
Hispanic or Latino	0.5	0.4	0.5	0.6	0.3	0.3	0.7	0.8
EDUCATION								
< High School	1.0	1.0	0.9	1.1	0.6	0.5	1.5	1.7
High School Graduate	0.6	0.5	0.8	0.7	0.4	0.2	1.2	1.0
Some College	0.6	0.8	0.8	0.9	0.3	0.3	1.2	1.4
College Graduate	0.1	0.1	0.3 ^a	0.1	0.0	0.0	0.4	0.2
CURRENT EMPLOYMENT								
Full-Time	0.4	0.3	0.5	0.4	0.2	0.1	0.7	0.6
Part-Time	0.3 ^a	0.8	0.8	0.9	0.2	0.2	1.0	1.6
Unemployed	1.7	1.4	2.2	1.3	0.7	0.4	3.2	2.5
Other ³	0.6	0.7	0.7	0.8	0.3	0.3	1.1	1.2

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.32A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Illicit Drugs¹ (2009)	Illicit Drugs¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol¹ (2009)	Both Illicit Drugs and Alcohol¹ (2010)	Illicit Drugs or Alcohol^{1,2} (2009)	Illicit Drugs or Alcohol^{1,2} (2010)
TOTAL	1,380	1,408	1,609	1,513	689	586	2,476	2,441
GENDER								
Male	930	862	1,142	1,043	490	386	1,739	1,576
Female	450	546	466	470	198	200	737	865
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,220	1,253	1,429	1,330	586	498	2,202	2,168
White	879	1,014	1,076	1,063	363	377	1,688	1,753
Black or African American	270	197	310	210	201	108	422	327
American Indian or Alaska Native	9	28	16	19	5	6	21	40
Native Hawaiian or Other Pacific Islander	*	1	*	1	*	1	*	1
Asian	9	2	7	15	7	2	9	19
Two or More Races	53	11	20	22	11	4	63	28
Hispanic or Latino	160	155	179	183	103	88	274	273
EDUCATION								
< High School	412	407	399	409	233	212	637	637
High School Graduate	545	444	579	530	272	191	906	816
Some College	353	483	422	499	153	167	684	840
College Graduate	71	73	208 ^b	76	31	16	249	147
CURRENT EMPLOYMENT								
Full-Time	512	398	576	500	270	185	852	729
Part-Time	161 ^a	269	258	268	68	88	360	489
Unemployed	276	222	324 ^a	193	120	75	489	371
Other ³	431	519	451	553	231	238	775	851

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.32B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Illicit Drugs ¹ (2009)	Illicit Drugs ¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol ¹ (2009)	Both Illicit Drugs and Alcohol ¹ (2010)	Illicit Drugs or Alcohol ^{1,2} (2009)	Illicit Drugs or Alcohol ^{1,2} (2010)
TOTAL	0.6	0.6	0.7	0.7	0.3	0.3	1.1	1.1
GENDER								
Male	0.8	0.8	1.0	0.9	0.4	0.3	1.6	1.4
Female	0.4	0.5	0.4	0.4	0.2	0.2	0.6	0.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.6	0.6	0.7	0.7	0.3	0.3	1.1	1.1
White	0.6	0.6	0.7	0.7	0.2	0.2	1.1	1.1
Black or African American	1.0	0.7	1.2	0.8	0.8	0.4	1.6	1.2
American Indian or Alaska Native	0.8	2.6	1.5	1.8	0.4	0.6	1.9	3.8
Native Hawaiian or Other Pacific Islander	*	0.2	*	0.2	*	0.2	*	0.2
Asian	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.2
Two or More Races	2.2	0.4	0.8	0.8	0.4	0.2	2.6	1.0
Hispanic or Latino	0.5	0.5	0.6	0.6	0.3	0.3	0.9	0.9
EDUCATION								
< High School	1.2	1.2	1.2	1.2	0.7	0.6	1.8	1.8
High School Graduate	0.8	0.6	0.8	0.8	0.4	0.3	1.3	1.2
Some College	0.6	0.8	0.7	0.8	0.3	0.3	1.2	1.4
College Graduate	0.1	0.1	0.3 ^b	0.1	0.0	0.0	0.4	0.2
CURRENT EMPLOYMENT								
Full-Time	0.4	0.3	0.5	0.4	0.2	0.2	0.7	0.6
Part-Time	0.5	0.8	0.8	0.8	0.2	0.3	1.1	1.5
Unemployed	1.9	1.5	2.2 ^a	1.3	0.8	0.5	3.3	2.5
Other ³	0.7	0.8	0.7	0.8	0.4	0.4	1.2	1.3

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.33A (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2009 and 2010

Geographic Characteristic	Illicit Drugs ¹ (2009)	Illicit Drugs ¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol ¹ (2009)	Both Illicit Drugs and Alcohol ¹ (2010)	Illicit Drugs or Alcohol ^{1,2} (2009)	Illicit Drugs or Alcohol ^{1,2} (2010)
TOTAL	1,484	1,518	1,709	1,591	750	629	2,627	2,594
GEOGRAPHIC DIVISION								
Northeast	385	339	280	330	180	150	521	560
New England	70	121	43 ^a	111	15	50	123	195
Middle Atlantic	314	217	237	219	165	100	398	364
Midwest	230	329	394	446	139	136	499 ^a	674
East North Central	184	223	330	300	119	75	407	462
West North Central	46 ^a	106	64 ^a	146	20 ^a	60	92 ^b	212
South	495	551	549	439	229	192	873	817
South Atlantic	308	329	414	277	145	95	603	527
East South Central	44 ^a	104	22	51	10	33	85	122
West South Central	144	118	112	111	74	64	185	169
West	374	298	487	376	202	152	734	543
Mountain	119	120	137	185	56	76	201	238
Pacific	255	178	350 ^a	192	145	76	533 ^a	305
COUNTY TYPE								
Large Metro	785	784	929	811	424	344	1,434	1,304
Small Metro	362	457	458	479	154	170	695	803
250K – 1 Mil. Pop.	234	349	271	309	89	102	431	591
< 250K Pop.	128	108	187	170	66	68	264	212
Nonmetro	337	278	322	302	171	115	497	487
Urbanized	154	129	165	140	91	63	235	223
Less Urbanized	160	138	140	150	71	51	230	243
Completely Rural	23	11	17	12	8	2	32	21

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.33B (REVISED) Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Illicit Drugs¹ (2009)	Illicit Drugs¹ (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol¹ (2009)	Both Illicit Drugs and Alcohol¹ (2010)	Illicit Drugs or Alcohol^{1,2} (2009)	Illicit Drugs or Alcohol^{1,2} (2010)
TOTAL	0.6	0.6	0.7	0.6	0.3	0.2	1.0	1.0
GEOGRAPHIC DIVISION								
Northeast	0.8	0.7	0.6	0.7	0.4	0.3	1.1	1.2
New England	0.6	1.0	0.3 ^a	0.9	0.1	0.4	1.0	1.6
Middle Atlantic	0.9	0.6	0.7	0.6	0.5	0.3	1.2	1.1
Midwest	0.4	0.6	0.7	0.8	0.3	0.2	0.9 ^a	1.2
East North Central	0.5	0.6	0.9	0.8	0.3	0.2	1.1	1.2
West North Central	0.3 ^a	0.6	0.4 ^a	0.9	0.1 ^a	0.4	0.6 ^b	1.3
South	0.5	0.6	0.6	0.5	0.2	0.2	0.9	0.9
South Atlantic	0.6	0.7	0.9	0.6	0.3	0.2	1.2	1.1
East South Central	0.3 ^a	0.7	0.1	0.3	0.1	0.2	0.6	0.8
West South Central	0.5	0.4	0.4	0.4	0.3	0.2	0.6	0.6
West	0.6	0.5	0.8	0.6	0.3	0.3	1.3	0.9
Mountain	0.7	0.7	0.8	1.0	0.3	0.4	1.1	1.3
Pacific	0.6	0.4	0.9 ^a	0.5	0.4	0.2	1.3 ^a	0.7
COUNTY TYPE								
Large Metro	0.6	0.6	0.7	0.6	0.3	0.3	1.1	1.0
Small Metro	0.5	0.6	0.6	0.6	0.2	0.2	0.9	1.0
250K – 1 Mil. Pop.	0.5	0.7	0.5	0.6	0.2	0.2	0.9	1.1
< 250K Pop.	0.5	0.4	0.7	0.7	0.3	0.3	1.0	0.8
Nonmetro	0.8	0.7	0.8	0.7	0.4	0.3	1.2	1.2
Urbanized	0.9	0.8	0.9	0.8	0.5	0.4	1.3	1.3
Less Urbanized	0.8	0.7	0.7	0.8	0.4	0.3	1.2	1.2
Completely Rural	0.6	0.3	0.4	0.3	0.2	0.1	0.8	0.6

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.