

Table 5.35A Source of Payment for Last or Current Illicit Drug Treatment among Persons Who Received Their Last or Current Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2009 and 2010

Source of Payment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Private Health Insurance	351	367	*	*	108	73	*	*
Medicare	224	352	*	*	57	53	*	*
Medicaid	350	354	*	*	76	48	*	*
Public Assistance Other Than Medicaid	304	357	*	*	62	70	*	*
Own Savings or Earnings	339	378	*	*	102	85	*	270
Family Members	147 ^b	280	*	*	71	81	44 ^b	163
Courts	110	142	*	*	34	42	58	90
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	*	26	*	*	6	5	*	15
Employer	47	28	*	*	2	5	*	*

*Low precision; no estimate reported.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.35B Source of Payment for Last or Current Illicit Drug Treatment among Persons Who Received Their Last or Current Illicit Drug Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2009 and 2010

Source of Payment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Private Health Insurance	34.4	36.2	*	*	41.7	29.7	*	*
Medicare	22.0 ^a	34.7	*	*	22.2	21.5	*	*
Medicaid	34.3	34.9	*	*	29.6	19.5	*	*
Public Assistance Other Than Medicaid	29.8	35.2	*	*	24.1	28.4	*	*
Own Savings or Earnings	33.2	37.3	*	*	39.6	34.6	*	38.5
Family Members	14.4 ^b	27.6	*	*	27.7	32.9	6.3 ^b	23.2
Courts	10.8	14.0	*	*	13.3	17.3	8.4	12.8
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	*	2.5	*	*	2.2	2.0	*	2.2
Employer	4.6	2.7	*	*	0.8	2.0	*	*

*Low precision; no estimate reported.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug use, or for medical problems associated with illicit drug use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.36A Source of Payment for Last or Current Alcohol Treatment among Persons Who Received Their Last or Current Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2009 and 2010

Source of Payment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Private Health Insurance	378	381	*	*	100	80	*	*
Medicare	206	200	*	*	51	33	*	*
Medicaid	265	222	*	*	56	43	*	*
Public Assistance Other Than Medicaid	254	321	*	*	57	55	*	*
Own Savings or Earnings	507	353	*	*	109	86	*	255
Family Members	180	136	*	*	59	48	*	70
Courts	92	71	*	*	43	21	41	42
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	66	55	*	*	8	*	*	45
Employer	89	39	*	*	*	*	*	33

*Low precision; no estimate reported.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.36B Source of Payment for Last or Current Alcohol Treatment among Persons Who Received Their Last or Current Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2009 and 2010

Source of Payment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Private Health Insurance	33.9	40.5	*	*	43.2	38.5	*	*
Medicare	18.5	21.3	*	*	21.9	15.8	*	*
Medicaid	23.8	23.6	*	*	24.2	20.7	*	*
Public Assistance Other Than Medicaid	22.8	34.1	*	*	24.6	26.4	*	*
Own Savings or Earnings	45.5	37.5	*	*	46.8	41.8	*	37.2
Family Members	16.2	14.4	*	*	25.6	23.2	*	10.2
Courts	8.3	7.6	*	*	18.4	10.3	4.9	6.2
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	5.9	5.9	*	*	3.3	*	*	6.6
Employer	8.0	4.1	*	*	*	*	*	4.8

*Low precision; no estimate reported.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Received Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop alcohol use, or for medical problems associated with alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.37A Source of Payment for Last or Current Illicit Drug or Alcohol Treatment among Persons Who Received Their Last or Current Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Numbers in Thousands, 2009 and 2010

Source of Payment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Private Health Insurance	637	638	*	*	182	137	411	443
Medicare	352	474	*	*	102	78	228	363
Medicaid	488	506	*	*	117	83	341	393
Public Assistance Other Than Medicaid	478	616	*	*	113	119	353	476
Own Savings or Earnings	886	718	*	*	199	171	660	515
Family Members	290	391	*	*	115	123	132	222
Courts	167	204	*	*	65	59	81	128
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	110	71	*	*	13	10	91	50
Employer	123	51	*	*	20	9	98	39

*Low precision; no estimate reported.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.37B Source of Payment for Last or Current Illicit Drug or Alcohol Treatment among Persons Who Received Their Last or Current Illicit Drug or Alcohol Treatment at a Specialty Facility in the Past Year, by Age Group: Percentages, 2009 and 2010

Source of Payment ¹	Total (2009)	Total (2010)	Aged 12-17 (2009)	Aged 12-17 (2010)	Aged 18-25 (2009)	Aged 18-25 (2010)	Aged 26+ (2009)	Aged 26+ (2010)
Private Health Insurance	34.8	36.9	*	*	44.1	36.3	31.0	35.3
Medicare	19.2	27.4	*	*	24.7	20.7	17.2 ^a	28.9
Medicaid	26.7	29.2	*	*	28.5	22.1	25.8	31.3
Public Assistance Other Than Medicaid	26.1	35.6	*	*	27.5	31.6	26.6	37.9
Own Savings or Earnings	48.4	41.5	*	*	48.2	45.3	49.8	41.0
Family Members	15.9	22.6	*	*	27.8	32.5	9.9	17.7
Courts	9.1	11.8	*	*	15.6	15.7	6.1	10.2
CHAMPUS, TRICARE, CHAMPVA, the VA or Some Other Military Health Care	6.0	4.1	*	*	3.2	2.7	6.8	4.0
Employer	6.7	2.9	*	*	4.8	2.4	7.4	3.1

*Low precision; no estimate reported.

NOTE: If respondents reported that they were currently receiving treatment, they were asked questions regarding the sources of payment for their current treatment; otherwise, questions pertained to the last treatment they received.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Received Illicit Drug or Alcohol Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Respondents could indicate multiple sources of payment for their last or current treatment; thus, these response categories are not mutually exclusive.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.