

**Table 5.41A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse Status: Numbers in Thousands, 2009 and 2010**

Dependence or Abuse Status	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol (2009)	Both Illicit Drugs and Alcohol (2010)	Illicit Drugs or Alcohol <sup>1</sup> (2009)	Illicit Drugs or Alcohol <sup>1</sup> (2010)
<b>DEPENDENCE</b>								
None	702	818	690	744	311	326	1,223	1,321
Both Illicit Drugs and Alcohol	218	190	281	175	186	139	315	243
Illicit Drugs or Alcohol	793	688	1,014	839	445	299	1,404	1,257
Illicit Drugs	643	598	433	304	317	224	762	706
Alcohol	368	280	863	710	314	214	956	793
<b>DEPENDENCE OR ABUSE</b>								
None	588	611	541	535	260	239	993	978
Both Illicit Drugs and Alcohol	353	288	413 <sup>a</sup>	267	264	178	515	394
Illicit Drugs or Alcohol	907	896	1,164	1,048	496	386	1,633	1,601
Illicit Drugs	750	719	533	391	371	269	927	877
Alcohol	509	465	1,044	923	389	295	1,222	1,118

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.41B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse Status: Percentages, 2009 and 2010**

Dependence or Abuse Status	Illicit Drugs (2009)	Illicit Drugs (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol (2009)	Both Illicit Drugs and Alcohol (2010)	Illicit Drugs or Alcohol <sup>1</sup> (2009)	Illicit Drugs or Alcohol <sup>1</sup> (2010)
<b>DEPENDENCE</b>								
None	0.3	0.3	0.3	0.3	0.1	0.1	0.5	0.5
Both Illicit Drugs and Alcohol	16.0	16.4	20.7	15.1	13.6	12.0	23.1	20.9
Illicit Drugs or Alcohol	6.4	5.8	8.2	7.0	3.6	2.5	11.3	10.5
Illicit Drugs	13.2	12.4	8.9	6.3	6.5	4.7	15.6	14.7
Alcohol	4.1	3.4	9.7	8.6	3.5	2.6	10.7	9.6
<b>DEPENDENCE OR ABUSE</b>								
None	0.3	0.3	0.2	0.2	0.1	0.1	0.4	0.4
Both Illicit Drugs and Alcohol	10.9	10.1	12.8	9.3	8.2	6.2	16.0	13.7
Illicit Drugs or Alcohol	4.0	4.1	5.2	4.7	2.2	1.7	7.2	7.2
Illicit Drugs	10.6	10.1	7.5	5.5	5.2	3.8	13.1	12.3
Alcohol	2.7	2.6	5.6	5.2	2.1	1.7	6.5	6.3

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.42A Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Numbers in Thousands, 2009 and 2010**

Past Year Dependence or Abuse <sup>1</sup>	Illicit Drugs <sup>2</sup> (2009)	Illicit Drugs <sup>2</sup> (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol <sup>2</sup> (2009)	Both Illicit Drugs and Alcohol <sup>2</sup> (2010)	Illicit Drugs or Alcohol <sup>2,3</sup> (2009)	Illicit Drugs or Alcohol <sup>2,3</sup> (2010)
<b>ILLCIT DRUGS<sup>2</sup></b>	750	719	533	391	371	269	927	877
Marijuana and Hashish	328	282	303 <sup>a</sup>	182	179	117	456	363
Cocaine	223	245	158	149	123	103	269	299
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	36	38	43	*	26	23	52	*
Inhalants	18	15	*	11	16	9	*	17
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	320	399	224	212	138	139	407	485
Pain Relievers	271	335	180	188	124	118	327	410
Tranquilizers	*	*	*	*	47	32	*	*
Stimulants <sup>4</sup>	57	*	44	*	26	*	75	*
Sedatives	*	*	*	*	*	*	*	*
<b>ALCOHOL</b>	509	465	1,044	923	389	295	1,222	1,118
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>2</sup></b>	353	288	413 <sup>a</sup>	267	264	178	515	394
<b>ILLCIT DRUGS OR ALCOHOL<sup>2</sup></b>	907	896	1,164	1,048	496	386	1,633	1,601

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

<sup>5</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.42B Received Substance Use Treatment at a Specialty Facility in the Past Year among Persons Aged 12 or Older, by Past Year Dependence or Abuse of Specific Substances: Percentages, 2009 and 2010**

Past Year Dependence or Abuse <sup>1</sup>	Illicit Drugs <sup>2</sup> (2009)	Illicit Drugs <sup>2</sup> (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol <sup>2</sup> (2009)	Both Illicit Drugs and Alcohol <sup>2</sup> (2010)	Illicit Drugs or Alcohol <sup>2,3</sup> (2009)	Illicit Drugs or Alcohol <sup>2,3</sup> (2010)
<b>ILLCIT DRUGS<sup>2</sup></b>	10.6	10.1	7.5	5.5	5.2	3.8	13.1	12.3
Marijuana and Hashish	7.6	6.3	7.0 <sup>a</sup>	4.1	4.2	2.6	10.6	8.1
Cocaine	19.9	24.4	14.1	14.9	11.0	10.3	24.0	29.8
Heroin	*	*	*	*	*	*	*	*
Hallucinogens	9.6	9.6	11.5	*	7.0	5.7	14.1	*
Inhalants	11.1	9.4	*	6.6	9.6	5.7	*	10.2
Nonmedical Use of Psychotherapeutics <sup>4,5</sup>	14.0	16.8	9.8	8.9	6.0	5.9	17.8	20.4
Pain Relievers	14.6	17.4	9.7	9.8	6.7	6.1	17.6	21.3
Tranquilizers	*	*	*	*	9.7	6.2	*	*
Stimulants <sup>4</sup>	15.4	*	11.8	*	7.1	*	20.1	*
Sedatives	*	*	*	*	*	*	*	*
<b>ALCOHOL</b>	2.7	2.6	5.6	5.2	2.1	1.7	6.5	6.3
<b>BOTH ILLICIT DRUGS AND ALCOHOL<sup>2</sup></b>	10.9	10.1	12.8	9.3	8.2	6.2	16.0	13.7
<b>ILLCIT DRUGS OR ALCOHOL<sup>2</sup></b>	4.0	4.1	5.2	4.7	2.2	1.7	7.2	7.2

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment at a Specialty Facility refers to treatment received at a hospital (inpatient), rehabilitation facility (inpatient or outpatient), or mental health center in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

<sup>2</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>3</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>4</sup> Estimates in these designated rows do not include data from new methamphetamine items added in 2005 and 2006.

<sup>5</sup> Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.