

Table 5.43A Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Numbers in Thousands and Percentages, 2009 and 2010

Age Category	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	7,846	7,890	1,495	1,506	6,351	6,384	19.1	19.1
12	26	33	2	0	24	32	*	*
13	53	74	8	3	46	71	*	*
14	124	134	5	10	119	124	3.8	*
15	213	253	18	13	194	239	8.7	5.3
16	307	304	24	32	283	271	7.9	10.7
17	375	374	58	39	318	335	15.4	10.3
18	455	432	56	51	399	381	12.3	11.8
19	411	421	30	39	382	381	7.3	9.3
20	398	385	46	34	352	351	11.5	8.9
21	365	367	47	56	318	311	12.9	15.3
22	297	312	36	45	261	267	12.1	14.5
23	295	324	64	51	231	273	21.7	15.7
24	272	306	52	40	220	266	19.2	13.1
25	230	243	41	34	189	208	17.9	14.1
26-29	859	885	184	217	675	668	21.4	24.6
30-34	765	823	161	140	604	682	21.1	17.1
35-39	589	586	154	182	435	404	*	*
40-44	500	436	169	137	331	299	*	*
45-49	395	523	95	187	300	336	*	*
50-54	450	419	172	87	278	332	*	*
55-59	276	108	25	51	251 ^a	56	*	*
60-64	139	116	43	44	96	72	*	*
65 or Older	51	32	5	10	47	22	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.43B Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year, by Detailed Age Category: Percentages, 2009 and 2010

Age Category	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	3.1	3.1	0.6	0.6	2.5	2.5	19.1	19.1
12	0.7	0.9	0.1	0.0	0.7	0.8	*	*
13	1.4	1.8	0.2	0.1	1.2	1.7	*	*
14	3.0	3.5	0.1	0.3	2.9	3.2	3.8	*
15	4.8 ^a	6.1	0.4	0.3	4.4 ^a	5.8	8.7	5.3
16	7.3	7.3	0.6	0.8	6.7	6.5	7.9	10.7
17	8.6	8.8	1.3	0.9	7.3	7.9	15.4	10.3
18	9.2	9.1	1.1	1.1	8.1	8.0	12.3	11.8
19	9.0	9.6	0.7	0.9	8.3	8.7	7.3	9.3
20	9.7	8.4	1.1	0.7	8.5	7.7	11.5	8.9
21	8.8	8.6	1.1	1.3	7.7	7.3	12.9	15.3
22	7.3	7.6	0.9	1.1	6.5	6.5	12.1	14.5
23	7.3	8.0	1.6	1.3	5.8	6.8	21.7	15.7
24	6.6	7.6	1.3	1.0	5.3	6.6	19.2	13.1
25	6.3	6.2	1.1	0.9	5.2	5.3	17.9	14.1
26-29	5.1	5.3	1.1	1.3	4.0	4.0	21.4	24.6
30-34	3.9	4.1	0.8	0.7	3.1	3.4	21.1	17.1
35-39	3.0	3.0	0.8	0.9	2.2	2.1	*	*
40-44	2.4	2.1	0.8	0.7	1.6	1.5	*	*
45-49	1.8	2.4	0.4	0.8	1.3	1.5	*	*
50-54	2.0	1.9	0.8	0.4	1.2	1.5	*	*
55-59	1.5 ^a	0.6	0.1	0.3	1.4 ^a	0.3	*	*
60-64	0.9	0.7	0.3	0.3	0.6	0.4	*	*
65 or Older	0.1	0.1	0.0	0.0	0.1	0.1	*	*

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.44A Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	7,846	7,890	1,495	1,506	6,351	6,384	19.1	19.1
AGE								
12-17	1,098	1,172	115	98	983	1,074	10.5	8.4
18-25	2,723	2,790	372	351	2,351	2,438	13.7	12.6
26 or Older	4,025	3,929	1,008	1,057	3,017	2,872	25.0	26.9
GENDER								
Male	5,188	4,914	1,000	920	4,187	3,994	19.3	18.7
Female	2,658	2,976	495	586	2,164	2,390	18.6	19.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	6,652	6,492	1,300	1,333	5,352	5,159	19.5	20.5
White	5,107	4,785	936	1,079	4,172 ^a	3,706	18.3	22.5
Black or African American	1,132	1,343	280	201	852 ^a	1,142	24.7	15.0
American Indian or Alaska Native	76	79	10	29	65	50	*	*
Native Hawaiian or Other Pacific Islander	15	6	2	1	13	5	*	*
Asian	136	151	12	7	124	145	*	*
Two or More Races	186	127	60	15	127	112	*	*
Hispanic or Latino	1,194	1,399	195	174	999	1,225	16.4	12.4

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.44B Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	3.1	3.1	0.6	0.6	2.5	2.5	19.1	19.1
AGE								
12-17	4.5	4.8	0.5	0.4	4.0	4.4	10.5	8.4
18-25	8.1	8.2	1.1	1.0	7.0	7.2	13.7	12.6
26 or Older	2.1	2.0	0.5	0.5	1.6	1.5	25.0	26.9
GENDER								
Male	4.2	4.0	0.8	0.7	3.4	3.2	19.3	18.7
Female	2.1	2.3	0.4	0.5	1.7	1.8	18.6	19.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	3.1	3.0	0.6	0.6	2.5	2.4	19.5	20.5
White	3.0	2.8	0.6	0.6	2.5 ^a	2.2	18.3	22.5
Black or African American	3.8	4.4	0.9	0.7	2.8 ^a	3.8	24.7	15.0
American Indian or Alaska Native	6.2	6.6	0.8	2.4	5.3	4.2	*	*
Native Hawaiian or Other Pacific Islander	1.8	0.9	0.2	0.2	1.6	0.7	*	*
Asian	1.2	1.3	0.1	0.1	1.1	1.3	*	*
Two or More Races	6.3	4.0	2.0	0.5	4.3	3.5	*	*
Hispanic or Latino	3.3	3.8	0.5	0.5	2.8	3.3	16.4	12.4

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.45A Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment		Needed and Received Treatment		Needed but Did Not Receive Treatment		Percentage Who Received Treatment among Persons Who Needed Treatment	Percentage Who Received Treatment among Persons Who Needed Treatment
	(2009)	(2010)	(2009)	(2010)	(2009)	(2010)	(2009)	(2010)
TOTAL	6,748	6,719	1,380	1,408	5,368	5,310	20.4	21.0
GENDER								
Male	4,612	4,325	930	862	3,683	3,462	20.2	19.9
Female	2,135	2,394	450	546	1,685	1,848	21.1	22.8
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	5,819	5,621	1,220	1,253	4,600	4,368	21.0	22.3
White	4,472	4,112	879	1,014	3,594 ^a	3,099	19.6 ^a	24.6
Black or African American	1,005	1,212	270	197	735 ^a	1,015	26.9	16.3
American Indian or Alaska Native	59	70	9	28	50	42	*	*
Native Hawaiian or Other Pacific Islander	12	4	*	1	12	2	*	*
Asian	115	130	9	2	106	127	*	*
Two or More Races	157	94	53	11	104	84	*	*
Hispanic or Latino	928	1,097	160	155	768	942	17.3	*
EDUCATION								
< High School	1,839	1,775	412	407	1,428	1,368	22.4	22.9
High School Graduate	2,357 ^a	1,981	545	444	1,812	1,537	23.1	22.4
Some College	1,745	2,028	353	483	1,393	1,545	20.2	23.8
College Graduate	806	934	71	73	735	861	8.8	7.9
CURRENT EMPLOYMENT								
Full-Time	2,711	2,606	512	398	2,199	2,208	18.9	15.3
Part-Time	1,284	1,352	161 ^a	269	1,123	1,082	12.5 ^a	19.9
Unemployed	1,140	1,027	276	222	864	805	24.2	21.6
Other ¹	1,613	1,733	431	519	1,182	1,215	26.7	29.9

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.45B Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	3.0	2.9	0.6	0.6	2.4	2.3	20.4	21.0
GENDER								
Male	4.2	3.9	0.8	0.8	3.4	3.1	20.2	19.9
Female	1.8	2.0	0.4	0.5	1.4	1.6	21.1	22.8
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	3.0	2.8	0.6	0.6	2.3	2.2	21.0	22.3
White	2.9	2.6	0.6	0.6	2.3 ^a	2.0	19.6 ^a	24.6
Black or African American	3.8	4.5	1.0	0.7	2.8 ^a	3.8	26.9	16.3
American Indian or Alaska Native	5.4	6.5	0.8	2.6	4.5	3.9	*	*
Native Hawaiian or Other Pacific Islander	1.6	0.6	*	0.2	1.6	0.3	*	*
Asian	1.1	1.2	0.1	0.0	1.1	1.2	*	*
Two or More Races	6.5	3.6	2.2	0.4	4.3	3.2	*	*
Hispanic or Latino	3.0	3.4	0.5	0.5	2.5	3.0	17.3	*
EDUCATION								
< High School	5.3	5.1	1.2	1.2	4.1	3.9	22.4	22.9
High School Graduate	3.4 ^a	2.8	0.8	0.6	2.6	2.2	23.1	22.4
Some College	3.0	3.4	0.6	0.8	2.4	2.6	20.2	23.8
College Graduate	1.2	1.4	0.1	0.1	1.1	1.3	8.8	7.9
CURRENT EMPLOYMENT								
Full-Time	2.4	2.3	0.4	0.3	1.9	1.9	18.9	15.3
Part-Time	4.0	4.1	0.5	0.8	3.5	3.3	12.5 ^a	19.9
Unemployed	7.7	6.9	1.9	1.5	5.9	5.4	24.2	21.6
Other ¹	2.4	2.6	0.7	0.8	1.8	1.8	26.7	29.9

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.46A (REVISED) Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands and Percentages, 2009 and 2010

Geographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	7,863	7,936	1,484	1,518	6,379	6,418	18.9	19.1
GEOGRAPHIC DIVISION								
Northeast	1,631	1,575	385	339	1,247	1,236	23.6	21.5
New England	515	453	70	121	445	332	13.7	*
Middle Atlantic	1,116	1,122	314	217	802	905	28.1	19.4
Midwest	1,488	1,641	230	329	1,258	1,311	15.5	20.1
East North Central	1,177	1,187	184	223	993	964	15.6	18.8
West North Central	311 ^a	453	46 ^a	106	264	347	15.0	23.5
South	2,740	2,667	495	551	2,244	2,115	18.1	20.7
South Atlantic	1,478	1,435	308	329	1,171	1,106	20.8	22.9
East South Central	373	493	44 ^a	104	329	389	11.8	21.2
West South Central	888	739	144	118	744	620	16.2	16.0
West	2,004	2,054	374	298	1,630	1,755	18.7	14.5
Mountain	614	628	119	120	495	507	19.3	19.2
Pacific	1,391	1,426	255	178	1,135	1,248	18.4	12.5
COUNTY TYPE								
Large Metro	4,190	4,383	785	784	3,405	3,599	18.7	17.9
Small Metro	2,539	2,448	362	457	2,177	1,991	14.3	18.7
250K – 1 Mil. Pop.	1,711	1,795	234	349	1,477	1,447	13.7	19.4
< 250K Pop.	828	653	128	108	700	544	15.5	16.6
Nonmetro	1,134	1,106	337	278	797	828	29.7	25.1
Urbanized	531	556	154	129	376	426	*	23.3
Less Urbanized	526	502	160	138	366	364	*	27.4
Completely Rural	78	48	23	11	55	37	*	*

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.46B (REVISED) Needed and Received Treatment at a Specialty Facility for an Illicit Drug Problem in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2009 and 2010

Geographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	3.1	3.1	0.6	0.6	2.5	2.5	18.9	19.1
GEOGRAPHIC DIVISION								
Northeast	3.5	3.4	0.8	0.7	2.7	2.7	23.6	21.5
New England	4.2	3.7	0.6	1.0	3.7	2.7	13.7	*
Middle Atlantic	3.3	3.3	0.9	0.6	2.3	2.6	28.1	19.4
Midwest	2.7	3.0	0.4	0.6	2.3	2.4	15.5	20.1
East North Central	3.1	3.1	0.5	0.6	2.6	2.5	15.6	18.8
West North Central	1.9 ^a	2.7	0.3 ^a	0.6	1.6	2.1	15.0	23.5
South	3.0	2.9	0.5	0.6	2.4	2.3	18.1	20.7
South Atlantic	3.0	2.9	0.6	0.7	2.4	2.3	20.8	22.9
East South Central	2.5	3.3	0.3 ^a	0.7	2.2	2.6	11.8	21.2
West South Central	3.1	2.6	0.5	0.4	2.6	2.1	16.2	16.0
West	3.4	3.5	0.6	0.5	2.8	3.0	18.7	14.5
Mountain	3.4	3.5	0.7	0.7	2.8	2.8	19.3	19.2
Pacific	3.4	3.5	0.6	0.4	2.8	3.1	18.4	12.5
COUNTY TYPE								
Large Metro	3.1	3.2	0.6	0.6	2.5	2.7	18.7	17.9
Small Metro	3.3	3.2	0.5	0.6	2.8	2.6	14.3	18.7
250K – 1 Mil. Pop.	3.4	3.5	0.5	0.7	2.9	2.8	13.7	19.4
< 250K Pop.	3.2	2.5	0.5	0.4	2.7	2.1	15.5	16.6
Nonmetro	2.7	2.7	0.8	0.7	1.9	2.0	29.7	25.1
Urbanized	2.9	3.3	0.9	0.8	2.1	2.5	*	23.3
Less Urbanized	2.8	2.6	0.8	0.7	1.9	1.9	*	27.4
Completely Rural	1.9	1.3	0.6	0.3	1.3	1.0	*	*

*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Respondents were classified as needing treatment for an illicit drug problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs; (2) abuse of illicit drugs; or (3) received treatment for illicit drug use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.47A Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2009)	Needed but Did Not Receive Treatment ¹ (2010)	Felt Need for Treatment ² (2009)	Felt Need for Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2009)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2009)	Felt Need and Made No Effort to Get Treatment ² (2010)	Did Not Feel Need for Treatment ² (2009)	Did Not Feel Need for Treatment ² (2010)
TOTAL	6,351	6,384	490	392	192	193	298	200	5,862	5,992
AGE										
12-17	983	1,074	44	52	16	21	28	30	939	1,022
18-25	2,351	2,438	107	111	36	28	71	82	2,244	2,327
26 or Older	3,017	2,872	339	230	140	143	199 ^a	87	2,678	2,642
GENDER										
Male	4,187	3,994	345	249	135	141	209 ^a	108	3,843	3,745
Female	2,164	2,390	145	143	56	51	89	92	2,019	2,246

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.47B Perceived Need for Illicit Drug Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug Problem, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Needed but Did Not Receive Treatment ¹ (2009)	Needed but Did Not Receive Treatment ¹ (2010)	Felt Need for Treatment ² (2009)	Felt Need for Treatment ² (2010)	Felt Need and Made Effort to Get Treatment ² (2009)	Felt Need and Made Effort to Get Treatment ² (2010)	Felt Need and Made No Effort to Get Treatment ² (2009)	Felt Need and Made No Effort to Get Treatment ² (2010)	Did Not Feel Need for Treatment ² (2009)	Did Not Feel Need for Treatment ² (2010)
TOTAL	100.0	100.0	7.7	6.1	3.0	3.0	4.7	3.1	92.3	93.9
AGE										
12-17	100.0	100.0	4.5	4.8	1.7	2.0	2.8	2.8	95.5	95.2
18-25	100.0	100.0	4.5	4.5	1.5	1.2	3.0	3.4	95.5	95.5
26 or Older	100.0	100.0	11.2	8.0	4.6	5.0	6.6 ^a	3.0	88.8	92.0
GENDER										
Male	100.0	100.0	8.2	6.2	3.2	3.5	5.0 ^a	2.7	91.8	93.8
Female	100.0	100.0	6.7	6.0	2.6	2.1	4.1	3.8	93.3	94.0

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but have not received treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.