

Table 5.48A Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	19,317	18,536	1,705	1,583	17,613	16,953	8.8	8.5
AGE								
12-17	1,175	1,136	96	70	1,079	1,067	8.2	6.1
18-25	5,495	5,412	350	311	5,145	5,102	6.4	5.7
26 or Older	12,648	11,987	1,259	1,202	11,389	10,785	10.0	10.0
GENDER								
Male	12,653	12,171	1,203	1,075	11,450	11,096	9.5	8.8
Female	6,664	6,365	502	507	6,163	5,857	7.5	8.0
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	16,150	15,620	1,494	1,381	14,656	14,240	9.3	8.8
White	13,050	12,970	1,125	1,103	11,925	11,868	8.6	8.5
Black or African American	2,281 ^a	1,826	318	219	1,962	1,607	14.0	12.0
American Indian or Alaska Native	167	176	17	20	151	157	10.0	11.1
Native Hawaiian or Other Pacific Islander	36	37	*	1	36	35	*	*
Asian	287	370	7	16	280	354	2.4	*
Two or More Races	330	241	27	22	302	219	8.3	*
Hispanic or Latino	3,167	2,915	210	202	2,957	2,713	6.6	6.9

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.48B Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	7.7	7.3	0.7	0.6	7.0	6.7	8.8	8.5
AGE								
12-17	4.8	4.7	0.4	0.3	4.4	4.4	8.2	6.1
18-25	16.4	15.9	1.0	0.9	15.3	15.0	6.4	5.7
26 or Older	6.5	6.1	0.7	0.6	5.9	5.5	10.0	10.0
GENDER								
Male	10.3	9.9	1.0	0.9	9.4	9.0	9.5	8.8
Female	5.1	4.9	0.4	0.4	4.8	4.5	7.5	8.0
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	7.5	7.2	0.7	0.6	6.8	6.6	9.3	8.8
White	7.7	7.6	0.7	0.6	7.0	7.0	8.6	8.5
Black or African American	7.6 ^a	6.0	1.1	0.7	6.5	5.3	14.0	12.0
American Indian or Alaska Native	13.7	14.6	1.4	1.6	12.3	13.0	10.0	11.1
Native Hawaiian or Other Pacific Islander	4.5	5.0	*	0.2	4.5	4.8	*	*
Asian	2.6	3.2	0.1	0.1	2.5	3.1	2.4	*
Two or More Races	11.2 ^a	7.6	0.9	0.7	10.2	6.9	8.3	*
Hispanic or Latino	8.8	7.9	0.6	0.5	8.2	7.4	6.6	6.9

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.49A Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	18,143	17,399	1,609	1,513	16,534	15,886	8.9	8.7
GENDER								
Male	12,110	11,657	1,142	1,043	10,967	10,614	9.4	8.9
Female	6,033	5,743	466	470	5,566	5,272	7.7	8.2
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	15,287	14,742	1,429	1,330	13,858	13,412	9.3	9.0
White	12,329	12,250	1,076	1,063	11,254	11,188	8.7	8.7
Black or African American	2,200 ^a	1,743	310	210	1,889	1,533	14.1	12.1
American Indian or Alaska Native	159	167	16	19	143	148	10.2	*
Native Hawaiian or Other Pacific Islander	34	31	*	1	34	30	*	*
Asian	269	346	7	15	262	331	2.6	*
Two or More Races	296	205	20	22	276	183	6.9	*
Hispanic or Latino	2,855	2,657	179	183	2,676	2,474	6.3	6.9
EDUCATION								
< High School	3,419 ^a	2,769	399	409	3,020 ^b	2,360	11.7	14.8
High School Graduate	5,298	4,883	579	530	4,719	4,354	10.9	10.9
Some College	4,987	5,403	422	499	4,565	4,904	8.5	9.2
College Graduate	4,438	4,343	208 ^b	76	4,230	4,268	4.7 ^b	1.7
CURRENT EMPLOYMENT								
Full-Time	9,942 ^a	8,972	576	500	9,366 ^a	8,472	5.8	5.6
Part-Time	3,002	2,980	258	268	2,744	2,712	8.6	9.0
Unemployed	2,030	1,826	324 ^a	193	1,705	1,633	16.0	10.6
Other ¹	3,169	3,622	451	553	2,718	3,069	14.2	15.3

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.49B Needed and Received Treatment at a Specialty Facility for an Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
TOTAL	8.0	7.6	0.7	0.7	7.3	6.9	8.9	8.7
GENDER								
Male	11.0	10.5	1.0	0.9	10.0	9.6	9.4	8.9
Female	5.1	4.9	0.4	0.4	4.7	4.5	7.7	8.2
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	7.8	7.5	0.7	0.7	7.1	6.8	9.3	9.0
White	7.9	7.9	0.7	0.7	7.2	7.2	8.7	8.7
Black or African American	8.3 ^a	6.5	1.2	0.8	7.2 ^a	5.8	14.1	12.1
American Indian or Alaska Native	14.6	15.5	1.5	1.8	13.1	13.8	10.2	*
Native Hawaiian or Other Pacific Islander	4.7	4.7	*	0.2	4.7	4.5	*	*
Asian	2.7	3.3	0.1	0.1	2.6	3.2	2.6	*
Two or More Races	12.2 ^a	7.7	0.8	0.8	11.3 ^a	6.9	6.9	*
Hispanic or Latino	9.2	8.3	0.6	0.6	8.6	7.8	6.3	6.9
EDUCATION								
< High School	9.9 ^b	7.9	1.2	1.2	8.7 ^b	6.7	11.7	14.8
High School Graduate	7.6	7.0	0.8	0.8	6.7	6.3	10.9	10.9
Some College	8.6	9.1	0.7	0.8	7.9	8.3	8.5	9.2
College Graduate	6.9	6.6	0.3 ^b	0.1	6.5	6.5	4.7 ^b	1.7
CURRENT EMPLOYMENT								
Full-Time	8.7 ^a	7.9	0.5	0.4	8.2 ^a	7.4	5.8	5.6
Part-Time	9.4	9.0	0.8	0.8	8.6	8.2	8.6	9.0
Unemployed	13.8	12.3	2.2 ^a	1.3	11.6	11.0	16.0	10.6
Other ¹	4.8	5.4	0.7	0.8	4.1	4.6	14.2	15.3

*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an alcohol problem if they met at least one of three criteria during the past year: (1) dependent on alcohol; (2) abuse of alcohol; or (3) received treatment for alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.50A Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2009)	Needed but Did Not Receive Treatment¹ (2010)	Felt Need for Treatment² (2009)	Felt Need for Treatment² (2010)	Felt Need and Made Effort to Get Treatment² (2009)	Felt Need and Made Effort to Get Treatment² (2010)	Felt Need and Made No Effort to Get Treatment² (2009)	Felt Need and Made No Effort to Get Treatment² (2010)	Did Not Feel Need for Treatment² (2009)	Did Not Feel Need for Treatment² (2010)
TOTAL	17,613	16,953	676	698	254	213	423	485	16,936	16,255
AGE										
12-17	1,079	1,067	25	16	6	4	19	13	1,054	1,050
18-25	5,145	5,102	123	92	39	38	84	54	5,022	5,010
26 or Older	11,389	10,785	529	590	209	172	319	418	10,860	10,194
GENDER										
Male	11,450	11,096	492	446	188	121	304	324	10,958	10,650
Female	6,163	5,857	184	253	65	92	119	161	5,979	5,605

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

Table 5.50B Perceived Need for Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Alcohol Problem, by Demographic Characteristics: Percentages, 2009 and 2010

Demographic Characteristic	Needed but Did Not Receive Treatment¹ (2009)	Needed but Did Not Receive Treatment¹ (2010)	Felt Need for Treatment² (2009)	Felt Need for Treatment² (2010)	Felt Need and Made Effort to Get Treatment² (2009)	Felt Need and Made Effort to Get Treatment² (2010)	Felt Need and Made No Effort to Get Treatment² (2009)	Felt Need and Made No Effort to Get Treatment² (2010)	Did Not Feel Need for Treatment² (2009)	Did Not Feel Need for Treatment² (2010)
TOTAL	100.0	100.0	3.8	4.1	1.4	1.3	2.4	2.9	96.2	95.9
AGE										
12-17	100.0	100.0	2.3	1.5	0.5	0.3	1.8	1.2	97.7	98.5
18-25	100.0	100.0	2.4	1.8	0.8	0.7	1.6	1.1	97.6	98.2
26 or Older	100.0	100.0	4.6	5.5	1.8	1.6	2.8	3.9	95.4	94.5
GENDER										
Male	100.0	100.0	4.3	4.0	1.6	1.1	2.7	2.9	95.7	96.0
Female	100.0	100.0	3.0	4.3	1.1	1.6	1.9	2.7	97.0	95.7

*Low precision; no estimate reported.

^a Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

¹ Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but have not received treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center).

² Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.