

**Table 5.51A Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2009)</b>	<b>Needed Treatment (2010)</b>	<b>Needed and Received Treatment (2009)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2009)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2009)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>
<b>TOTAL</b>	23,523	23,090	2,627	2,579	20,897	20,511	11.2	11.2
<b>AGE</b>								
12-17	1,778	1,821	150	138	1,628	1,683	8.4	7.6
18-25	6,876	6,901	580	533	6,296	6,368	8.4	7.7
26 or Older	14,870	14,367	1,897	1,907	12,973	12,460	12.8	13.3
<b>GENDER</b>								
Male	15,374	15,013	1,833	1,653	13,541	13,361	11.9	11.0
Female	8,149	8,076	794	926	7,356	7,150	9.7	11.5
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	19,751	19,367	2,311	2,276	17,440	17,091	11.7	11.8
White	15,873	15,668	1,767	1,832	14,105	13,836	11.1	11.7
Black or African American	2,808	2,665	437	342	2,371	2,323	15.6	12.8
American Indian or Alaska Native	194	201	22	42	172	158	11.3	*
Native Hawaiian or Other Pacific Islander	43	41	2	1	41	40	*	*
Asian	393	473	12	24	380	449	3.1	5.0
Two or More Races	440	318	71	34	370	285	*	10.5
Hispanic or Latino	3,772	3,723	315	303	3,457	3,420	8.4	8.1

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.51B Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2009)</b>	<b>Needed Treatment (2010)</b>	<b>Needed and Received Treatment (2009)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2009)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2009)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>
<b>TOTAL</b>	9.3	9.1	1.0	1.0	8.3	8.1	11.2	11.2
<b>AGE</b>								
12-17	7.2	7.5	0.6	0.6	6.6	6.9	8.4	7.6
18-25	20.5	20.3	1.7	1.6	18.7	18.7	8.4	7.7
26 or Older	7.7	7.4	1.0	1.0	6.7	6.4	12.8	13.3
<b>GENDER</b>								
Male	12.6	12.2	1.5	1.3	11.1	10.8	11.9	11.0
Female	6.3	6.2	0.6	0.7	5.7	5.5	9.7	11.5
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	9.1	8.9	1.1	1.0	8.1	7.9	11.7	11.8
White	9.3	9.2	1.0	1.1	8.3	8.1	11.1	11.7
Black or African American	9.3	8.8	1.5	1.1	7.9	7.7	15.6	12.8
American Indian or Alaska Native	15.9	16.7	1.8	3.5	14.1	13.1	11.3	*
Native Hawaiian or Other Pacific Islander	5.3	5.6	0.2	0.2	5.1	5.4	*	*
Asian	3.6	4.1	0.1	0.2	3.4	3.9	3.1	5.0
Two or More Races	14.9 <sup>a</sup>	10.0	2.4	1.1	12.5	9.0	*	10.5
Hispanic or Latino	10.5	10.1	0.9	0.8	9.6	9.3	8.4	8.1

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.52A Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands and Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Needed Treatment (2009)</b>	<b>Needed Treatment (2010)</b>	<b>Needed and Received Treatment (2009)</b>	<b>Needed and Received Treatment (2010)</b>	<b>Needed but Did Not Receive Treatment (2009)</b>	<b>Needed but Did Not Receive Treatment (2010)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2009)</b>	<b>Percentage Who Received Treatment among Persons Who Needed Treatment (2010)</b>
<b>TOTAL</b>	21,745	21,268	2,476	2,441	19,269	18,828	11.4	11.5
<b>GENDER</b>								
Male	14,495	14,120	1,739	1,576	12,755	12,544	12.0	11.2
Female	7,251	7,148	737	865	6,513	6,283	10.2	12.1
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	18,427	17,985	2,202	2,168	16,225	15,817	12.0	12.1
White	14,823	14,585	1,688	1,753	13,135	12,832	11.4	12.0
Black or African American	2,639	2,483	422	327	2,217	2,156	16.0	13.2
American Indian or Alaska Native	176	185	21	40	155	144	*	*
Native Hawaiian or Other Pacific Islander	39	33	*	1	39	31	*	*
Asian	355	436	9	19	346	418	2.6	*
Two or More Races	395	263	63	28	333	235	*	*
Hispanic or Latino	3,318	3,284	274	273	3,044	3,011	8.3	8.3
<b>EDUCATION</b>								
< High School	4,319	3,860	637	637	3,681	3,223	14.8	16.5
High School Graduate	6,541	6,045	906	816	5,635	5,229	13.9	13.5
Some College	5,996	6,539	684	840	5,312	5,699	11.4	12.8
College Graduate	4,890	4,824	249	147	4,641	4,677	5.1	3.0
<b>CURRENT EMPLOYMENT</b>								
Full-Time	11,373	10,435	852	729	10,521	9,706	7.5	7.0
Part-Time	3,652	3,763	360	489	3,292	3,273	9.9	13.0
Unemployed	2,596	2,449	489	371	2,107	2,078	18.8	15.2
Other <sup>1</sup>	4,125	4,621	775	851	3,350	3,770	18.8	18.4

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.52B Needed and Received Treatment at a Specialty Facility for an Illicit Drug or Alcohol Problem in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2009 and 2010**

Demographic Characteristic	Needed Treatment (2009)	Needed Treatment (2010)	Needed and Received Treatment (2009)	Needed and Received Treatment (2010)	Needed but Did Not Receive Treatment (2009)	Needed but Did Not Receive Treatment (2010)	Percentage Who Received Treatment among Persons Who Needed Treatment (2009)	Percentage Who Received Treatment among Persons Who Needed Treatment (2010)
<b>TOTAL</b>	9.6	9.3	1.1	1.1	8.5	8.2	11.4	11.5
<b>GENDER</b>								
Male	13.2	12.7	1.6	1.4	11.6	11.3	12.0	11.2
Female	6.2	6.0	0.6	0.7	5.5	5.3	10.2	12.1
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	9.4	9.1	1.1	1.1	8.3	8.0	12.0	12.1
White	9.5	9.4	1.1	1.1	8.5	8.2	11.4	12.0
Black or African American	10.0	9.3	1.6	1.2	8.4	8.1	16.0	13.2
American Indian or Alaska Native	16.1	17.2	1.9	3.8	14.2	13.5	*	*
Native Hawaiian or Other Pacific Islander	5.3	4.9	*	0.2	5.3	4.7	*	*
Asian	3.5	4.2	0.1	0.2	3.4	4.0	2.6	*
Two or More Races	16.3 <sup>a</sup>	9.9	2.6	1.0	13.7 <sup>a</sup>	8.9	*	*
Hispanic or Latino	10.7	10.3	0.9	0.9	9.8	9.5	8.3	8.3
<b>EDUCATION</b>								
< High School	12.5	11.0	1.8	1.8	10.6	9.2	14.8	16.5
High School Graduate	9.3	8.7	1.3	1.2	8.0	7.5	13.9	13.5
Some College	10.4	11.1	1.2	1.4	9.2	9.6	11.4	12.8
College Graduate	7.5	7.4	0.4	0.2	7.2	7.1	5.1	3.0
<b>CURRENT EMPLOYMENT</b>								
Full-Time	9.9	9.1	0.7	0.6	9.2	8.5	7.5	7.0
Part-Time	11.5	11.4	1.1	1.5	10.4	9.9	9.9	13.0
Unemployed	17.6	16.5	3.3	2.5	14.3	14.0	18.8	15.2
Other <sup>1</sup>	6.3	6.9	1.2	1.3	5.1	5.6	18.8	18.4

\*Low precision; no estimate reported.

NOTE: Respondents were classified as needing treatment for an illicit drug or alcohol problem if they met at least one of three criteria during the past year: (1) dependent on illicit drugs or alcohol; (2) abuse of illicit drugs or alcohol; or (3) received treatment for illicit drug or alcohol use at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.53A Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Numbers in Thousands, 2009 and 2010**

Demographic Characteristic	Needed but Did Not Receive Treatment <sup>1</sup> (2009)	Needed but Did Not Receive Treatment <sup>1</sup> (2010)	Felt Need for Treatment <sup>2</sup> (2009)	Felt Need for Treatment <sup>2</sup> (2010)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2009)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2010)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2009)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2010)	Did Not Feel Need for Treatment <sup>2</sup> (2009)	Did Not Feel Need for Treatment <sup>2</sup> (2010)
<b>TOTAL</b>	20,897	20,511	1,064	1,024	371	341	693	683	19,832	19,487
<b>AGE</b>										
12-17	1,628	1,683	62	66	16	27	46	39	1,566	1,617
18-25	6,296	6,368	211	187	68	62	143	125	6,085	6,181
26 or Older	12,973	12,460	792	771	288	252	504	520	12,181	11,688
<b>GENDER</b>										
Male	13,541	13,361	753	652	265	206	488	446	12,788	12,709
Female	7,356	7,150	311	373	106	135	205	237	7,045	6,778

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.53B Perceived Need for Illicit Drug or Alcohol Treatment and Whether Made an Effort to Get Treatment in the Past Year among Persons Aged 12 or Older Classified as Needing But Not Receiving Treatment for an Illicit Drug or Alcohol Problem, by Demographic Characteristics: Percentages, 2009 and 2010**

Demographic Characteristic	Needed but Did Not Receive Treatment <sup>1</sup> (2009)	Needed but Did Not Receive Treatment <sup>1</sup> (2010)	Felt Need for Treatment <sup>2</sup> (2009)	Felt Need for Treatment <sup>2</sup> (2010)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2009)	Felt Need and Made Effort to Get Treatment <sup>2</sup> (2010)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2009)	Felt Need and Made No Effort to Get Treatment <sup>2</sup> (2010)	Did Not Feel Need for Treatment <sup>2</sup> (2009)	Did Not Feel Need for Treatment <sup>2</sup> (2010)
<b>TOTAL</b>	100.0	100.0	5.1	5.0	1.8	1.7	3.3	3.3	94.9	95.0
<b>AGE</b>										
12-17	100.0	100.0	3.8	3.9	1.0	1.6	2.8	2.3	96.2	96.1
18-25	100.0	100.0	3.3	2.9	1.1	1.0	2.3	2.0	96.7	97.1
26 or Older	100.0	100.0	6.1	6.2	2.2	2.0	3.9	4.2	93.9	93.8
<b>GENDER</b>										
Male	100.0	100.0	5.6	4.9	2.0	1.5	3.6	3.3	94.4	95.1
Female	100.0	100.0	4.2	5.2	1.4	1.9	2.8	3.3	95.8	94.8

\*Low precision; no estimate reported.

<sup>a</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.05 level.

<sup>b</sup> Difference between estimate and 2010 estimate is statistically significant at the 0.01 level.

<sup>1</sup> Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs or alcohol, but have not received treatment for an illicit drug or alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facility [inpatient or outpatient], hospital [inpatient], or mental health center). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Felt Need for Treatment includes persons who did not receive but felt they needed treatment for an illicit drug or alcohol problem, as well as persons who received treatment at a location other than a specialty facility but felt they needed additional treatment.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.