

**Table 5.15C Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2009 and 2010**

Age Category	Illicit Drugs <sup>1</sup> (2009)	Illicit Drugs <sup>1</sup> (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2009)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2009)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)
<b>TOTAL</b>	159	139	180	175	130	109	213	195
12	1	5	1	5	1	5	1	5
13	5	4	4	6	4	2	6	8
14	4	6	5	1	2	1	7	7
15	9	6	7	7	7	6	10	9
16	7	11	7	9	6	8	10	12
17	13	12	13	10	12	9	14	13
18	16	14	16	13	10	12	21	20
19	13	16	12	15	8	12	17	19
20	13	12	14	13	10	8	17	17
21	14	17	14	16	13	10	15	22
22	17	12	17	13	16	10	20	16
23	14	14	16	14	14	10	17	18
24	11	10	16	18	9	9	17	16
25	12	9	13	13	10	7	15	15
26-29	48	45	57	35	39	27	64	57
30-34	40	46	62	52	34	32	73	65
35-39	49	46	59	47	41	36	65	57
40-44	63	37	73	54	60	30	77	60
45-49	48	61	73	77	47	56	74	81
50-54	67	40	54	71	42	36	79	74
55-59	49	38	52	56	42	36	64	62
60-64	37	30	46	33	37	22	53	44
65 or Older	5	10	30	66	2	*	46	68

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.15D Received Substance Use Treatment in the Past Year, by Detailed Age Category: Standard Errors of Percentages, 2009 and 2010**

Age Category	Illicit Drugs <sup>1</sup> (2009)	Illicit Drugs <sup>1</sup> (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2009)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2009)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)
<b>TOTAL</b>	0.06	0.05	0.07	0.07	0.05	0.04	0.08	0.08
12	0.04	0.13	0.04	0.13	0.04	0.13	0.04	0.13
13	0.13	0.09	0.10	0.14	0.10	0.05	0.16	0.19
14	0.10	0.16	0.12	0.03	0.05	0.02	0.16	0.19
15	0.20	0.16	0.17	0.16	0.15	0.14	0.23	0.20
16	0.18	0.26	0.16	0.21	0.14	0.20	0.23	0.29
17	0.30	0.28	0.30	0.24	0.28	0.21	0.33	0.31
18	0.31	0.30	0.31	0.28	0.21	0.24	0.42	0.41
19	0.29	0.36	0.27	0.35	0.18	0.28	0.37	0.43
20	0.32	0.26	0.33	0.28	0.24	0.18	0.40	0.37
21	0.33	0.38	0.34	0.38	0.31	0.23	0.36	0.50
22	0.41	0.30	0.41	0.32	0.38	0.24	0.48	0.39
23	0.36	0.35	0.41	0.35	0.34	0.26	0.43	0.43
24	0.27	0.25	0.37	0.43	0.21	0.23	0.41	0.40
25	0.33	0.23	0.35	0.33	0.27	0.19	0.42	0.38
26-29	0.29	0.27	0.34	0.21	0.23	0.16	0.38	0.34
30-34	0.20	0.23	0.32	0.26	0.17	0.16	0.38	0.33
35-39	0.25	0.24	0.29	0.24	0.21	0.19	0.33	0.30
40-44	0.30	0.18	0.35	0.26	0.28	0.15	0.36	0.29
45-49	0.21	0.27	0.32	0.34	0.21	0.25	0.33	0.36
50-54	0.30	0.18	0.24	0.32	0.19	0.16	0.36	0.33
55-59	0.26	0.20	0.28	0.29	0.22	0.19	0.35	0.32
60-64	0.24	0.18	0.30	0.20	0.24	0.13	0.34	0.27
65 or Older	0.01	0.03	0.08	0.17	0.01	*	0.12	0.17

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.15P Received Substance Use Treatment in the Past Year, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

Age Category	Illicit Drugs <sup>1</sup> (2009)	Illicit Drugs <sup>1</sup> (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2009)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2009)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)
<b>TOTAL</b>	0.4914		0.3043		0.1419		0.5379	
12	0.2448		0.2303		0.2303		0.2137	
13	0.4636		0.8515		0.2297		0.6081	
14	0.5717		0.0408		0.2684		0.8590	
15	0.2674		0.9470		0.8624		0.4232	
16	0.2112		0.9377		0.6954		0.3848	
17	0.6550		0.1181		0.0744		0.9431	
18	0.7602		0.4745		0.4305		0.4817	
19	0.6216		0.6799		0.5543		0.9078	
20	0.6548		0.5273		0.6847		0.8363	
21	0.9381		0.5760		0.1510		0.1092	
22	0.4832		0.5733		0.1959		0.4326	
23	0.4564		0.0992		0.0471		0.5578	
24	0.7222		0.8856		0.8214		1.0000	
25	0.4101		0.7967		0.3405		0.7859	
26-29	0.8258		0.1349		0.5197		0.9234	
30-34	0.6271		0.4129		0.7000		0.4549	
35-39	0.9402		0.3693		0.8737		0.6061	
40-44	0.2290		0.1992		0.0744		0.3944	
45-49	0.0751		0.3964		0.2694		0.1601	
50-54	0.1410		0.2110		0.8430		0.8368	
55-59	0.4213		0.9928		0.5366		0.6773	
60-64	0.6646		0.3487		0.3495		0.4951	
65 or Older	0.7751		0.5527		*		0.8621	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.16C Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	159	139	180	175	130	109	213	195
<b>AGE</b>								
12-17	19	20	18	17	16	15	22	24
18-25	39	39	42	43	32	31	49	51
26 or Older	154	130	173	169	126	102	205	187
<b>GENDER</b>								
Male	138	107	155	149	116	89	180	165
Female	70	84	87	88	53	60	108	111
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	138	127	160	163	113	98	190	185
White	114	110	141	151	91	81	170	171
Black or African American	67	57	78	54	66	49	80	64
American Indian or Alaska Native	5	16	10	19	4	16	12	19
Native Hawaiian or Other Pacific Islander	2	2	0	1	0	1	3	2
Asian	5	7	6	13	4	3	7	14
Two or More Races	32	10	10	13	8	8	34	15
Hispanic or Latino	65	56	78	64	62	50	83	73

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.16D Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2009)	Illicit Drugs <sup>1</sup> (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2009)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2009)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)
<b>TOTAL</b>	0.06	0.05	0.07	0.07	0.05	0.04	0.08	0.08
<b>AGE</b>								
12-17	0.08	0.08	0.07	0.07	0.06	0.06	0.09	0.10
18-25	0.12	0.12	0.12	0.13	0.10	0.09	0.15	0.15
26 or Older	0.08	0.07	0.09	0.09	0.07	0.05	0.11	0.10
<b>GENDER</b>								
Male	0.11	0.09	0.13	0.12	0.09	0.07	0.15	0.13
Female	0.05	0.06	0.07	0.07	0.04	0.05	0.08	0.09
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.06	0.06	0.07	0.08	0.05	0.04	0.09	0.09
White	0.07	0.06	0.08	0.09	0.05	0.05	0.10	0.10
Black or African American	0.22	0.19	0.26	0.18	0.22	0.16	0.26	0.21
American Indian or Alaska Native	0.43	1.35	0.85	1.54	0.33	1.35	0.99	1.55
Native Hawaiian or Other Pacific Islander	0.25	0.22	0.03	0.19	0.03	0.19	0.41	0.22
Asian	0.04	0.06	0.06	0.11	0.04	0.03	0.06	0.12
Two or More Races	1.06	0.33	0.34	0.41	0.26	0.25	1.12	0.47
Hispanic or Latino	0.18	0.15	0.22	0.17	0.17	0.13	0.23	0.20

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.16P Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	0.4914		0.3043		0.1419		0.5379	
<b>AGE</b>								
12-17	0.9934		0.2360		0.2203		0.8020	
18-25	0.4878		0.2842		0.1039		0.6992	
26 or Older	0.5920		0.4919		0.3486		0.5545	
<b>GENDER</b>								
Male	0.1726		0.2034		0.0606		0.4064	
Female	0.4373		0.9292		0.8054		0.8905	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.6811		0.5063		0.2415		0.7243	
White	0.8571		0.9728		0.5861		0.7714	
Black or African American	0.3469		0.0884		0.1393		0.2244	
American Indian or Alaska Native	0.3475		0.6116		0.2692		0.7286	
Native Hawaiian or Other Pacific Islander	0.9218		0.3764		0.3764		0.2978	
Asian	0.8589		0.4546		0.5575		0.3862	
Two or More Races	0.2499		0.8151		0.6827		0.1573	
Hispanic or Latino	0.4368		0.2943		0.3411		0.4485	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.17C Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	19	20	18	17	16	15	22	24
<b>GENDER</b>								
Male	15	16	13	12	12	11	17	18
Female	11	12	11	13	10	10	14	15
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	16	16	14	14	13	12	18	20
White	15	13	13	12	12	9	16	17
Black or African American	4	7	4	7	4	7	5	8
American Indian or Alaska Native	1	1	1	1	1	0	1	1
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	0
Asian	2	*	0	1	0	*	3	4
Two or More Races	4	5	4	4	4	4	4	5
Hispanic or Latino	11	12	10	10	9	10	14	13
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	11	11	9	8	9	6	13	13
Female, White, Not Hispanic	9	7	8	9	8	6	10	11
Male, Black, Not Hispanic	4	7	3	6	3	6	5	8
Female, Black, Not Hispanic	1	2	3	3	1	2	3	3
Male, Hispanic	9	9	9	7	8	7	11	9
Female, Hispanic	5	8	6	7	5	7	8	10

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.17D Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	0.08	0.08	0.07	0.07	0.06	0.06	0.09	0.10
<b>GENDER</b>								
Male	0.12	0.13	0.11	0.10	0.10	0.09	0.14	0.15
Female	0.09	0.10	0.09	0.11	0.08	0.09	0.11	0.13
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.08	0.08	0.07	0.07	0.07	0.06	0.09	0.10
White	0.10	0.09	0.09	0.08	0.08	0.06	0.11	0.12
Black or African American	0.12	0.19	0.12	0.19	0.10	0.19	0.14	0.23
American Indian or Alaska Native	0.90	0.68	0.92	0.44	0.74	0.38	1.05	0.71
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	0.35
Asian	0.24	*	0.02	0.10	0.02	*	0.29	0.41
Two or More Races	0.71	0.91	0.72	0.80	0.70	0.80	0.74	0.91
Hispanic or Latino	0.22	0.25	0.21	0.21	0.18	0.20	0.28	0.27
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	0.15	0.15	0.12	0.10	0.12	0.09	0.17	0.17
Female, White, Not Hispanic	0.13	0.11	0.12	0.13	0.11	0.09	0.15	0.16
Male, Black, Not Hispanic	0.22	0.36	0.18	0.35	0.18	0.35	0.24	0.43
Female, Black, Not Hispanic	0.07	0.13	0.15	0.15	0.07	0.13	0.15	0.15
Male, Hispanic	0.36	0.35	0.35	0.27	0.30	0.27	0.42	0.36
Female, Hispanic	0.21	0.35	0.24	0.32	0.20	0.30	0.32	0.41

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.17P Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	0.9934		0.2360		0.2203		0.8020	
<b>GENDER</b>								
Male	0.7936		0.0691		0.1312		0.8657	
Female	0.7306		0.8586		0.8788		0.5380	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.8916		0.4794		0.2708		0.4963	
White	0.6395		0.3151		0.0978		0.7663	
Black or African American	0.5252		0.5875		0.4106		0.2131	
American Indian or Alaska Native	0.9221		0.4164		0.5899		0.6719	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	*		0.3424		*		0.9304	
Two or More Races	0.7046		0.9311		0.9417		0.8763	
Hispanic or Latino	0.8941		0.2701		0.5266		0.5922	
<b>GENDER/RACE/HISPANIC ORIGIN</b>								
Male, White, Not Hispanic	0.7064		0.1883		0.1089		0.9595	
Female, White, Not Hispanic	0.7866		0.8767		0.4477		0.5955	
Male, Black, Not Hispanic	0.7563		0.6751		0.6168		0.2684	
Female, Black, Not Hispanic	0.2980		0.7159		0.3188		0.5506	
Male, Hispanic	0.5921		0.1354		0.3491		0.3061	
Female, Hispanic	0.3589		0.9485		0.8963		0.7376	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.18C Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	39	39	42	43	32	31	49	51
<b>GENDER</b>								
Male	33	34	35	36	28	26	42	44
Female	21	21	22	22	16	16	25	27
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	34	37	36	39	28	28	42	47
White	31	29	32	32	24	21	38	39
Black or African American	15	18	16	18	14	17	18	21
American Indian or Alaska Native	3	2	4	2	3	1	4	2
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	3	6	4	11	3	3	4	12
Two or More Races	3	7	2	5	2	5	7	7
Hispanic or Latino	19	15	22	18	15	12	26	22
<b>EDUCATION</b>								
< High School	25	24	25	24	20	21	31	29
High School Graduate	26	23	26	25	21	14	32	32
Some College	15	21	18	23	13	16	20	27
College Graduate	7	9	13	13	6	6	13	15
<b>CURRENT EMPLOYMENT</b>								
Full-Time	21	19	26	25	18	14	30	28
Part-Time	18	20	17	21	12	16	21	25
Unemployed	22	17	22	16	19	12	27	22
Other <sup>3</sup>	17	19	16	21	13	15	20	25

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.18D Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	0.12	0.12	0.12	0.13	0.10	0.09	0.15	0.15
<b>GENDER</b>								
Male	0.20	0.20	0.21	0.21	0.17	0.15	0.25	0.26
Female	0.12	0.12	0.13	0.13	0.10	0.09	0.15	0.16
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.12	0.13	0.13	0.14	0.10	0.10	0.15	0.17
White	0.15	0.14	0.15	0.16	0.12	0.11	0.18	0.19
Black or African American	0.30	0.37	0.33	0.36	0.29	0.34	0.37	0.43
American Indian or Alaska Native	1.41	0.92	1.65	1.01	1.33	0.37	1.76	1.33
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.17	0.41	0.26	0.79	0.17	0.23	0.26	0.85
Two or More Races	0.73	1.30	0.58	0.92	0.49	0.87	1.48	1.33
Hispanic or Latino	0.31	0.24	0.35	0.28	0.25	0.18	0.42	0.33
<b>EDUCATION</b>								
< High School	0.40	0.41	0.40	0.40	0.32	0.35	0.50	0.48
High School Graduate	0.22	0.19	0.22	0.21	0.18	0.12	0.26	0.27
Some College	0.14	0.18	0.16	0.20	0.12	0.13	0.18	0.23
College Graduate	0.14	0.19	0.27	0.26	0.13	0.13	0.28	0.31
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.17	0.15	0.21	0.20	0.15	0.12	0.24	0.22
Part-Time	0.19	0.21	0.18	0.22	0.13	0.17	0.23	0.26
Unemployed	0.46	0.37	0.48	0.34	0.40	0.25	0.57	0.48
Other <sup>3</sup>	0.23	0.26	0.22	0.27	0.17	0.20	0.27	0.32

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.18P Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	0.4878		0.2842		0.1039		0.6992	
<b>GENDER</b>								
Male	0.4579		0.2273		0.0525		0.7005	
Female	0.8820		0.8503		0.9729		0.8550	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.7064		0.6179		0.2633		0.9549	
White	0.6740		0.8409		0.4335		0.7967	
Black or African American	0.7906		0.3348		0.4490		0.6572	
American Indian or Alaska Native	0.3649		0.1761		0.1477		0.2700	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	0.2863		0.2831		0.7193		0.1576	
Two or More Races	0.9344		0.8755		0.9158		0.3646	
Hispanic or Latino	0.4511		0.1818		0.1444		0.3813	
<b>EDUCATION</b>								
< High School	0.2415		0.1138		0.3048		0.0979	
High School Graduate	0.3834		0.6869		0.0876		0.9695	
Some College	0.2513		0.5013		0.8352		0.1262	
College Graduate	0.4468		0.5608		0.9208		0.9460	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.2723		0.4221		0.1047		0.8080	
Part-Time	0.5157		0.7406		0.4759		0.6285	
Unemployed	0.0461		0.0080		0.0061		0.0318	
Other <sup>3</sup>	0.2464		0.2849		0.6009		0.1903	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.19C Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	154	130	173	169	126	102	205	187
<b>GENDER</b>								
Male	134	99	151	144	113	83	175	157
Female	66	82	83	85	49	57	104	107
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	135	119	155	158	110	91	185	178
White	109	105	137	149	88	78	165	170
Black or African American	68	53	78	51	65	45	80	60
American Indian or Alaska Native	4	16	10	19	2	*	11	19
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	3	*	5	5	3	*	5	5
Two or More Races	31	5	9	11	6	5	33	12
Hispanic or Latino	61	53	73	60	59	47	76	68
<b>EDUCATION</b>								
< High School	77	74	87	96	70	62	94	108
High School Graduate	86	62	102	82	76	53	119	91
Some College	76	73	86	101	57	56	102	116
College Graduate	35	47	64	48	27	25	83	65
<b>CURRENT EMPLOYMENT</b>								
Full-Time	98	68	112	103	75	53	135	114
Part-Time	28	48	56	56	26	35	57	67
Unemployed	41	40	58	45	27	35	67	52
Other <sup>3</sup>	100	84	100	116	87	71	124	129

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.19D Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

Demographic Characteristic	Illicit Drugs <sup>1</sup> (2009)	Illicit Drugs <sup>1</sup> (2010)	Alcohol (2009)	Alcohol (2010)	Both Illicit Drugs and Alcohol <sup>1</sup> (2009)	Both Illicit Drugs and Alcohol <sup>1</sup> (2010)	Illicit Drugs or Alcohol <sup>1,2</sup> (2009)	Illicit Drugs or Alcohol <sup>1,2</sup> (2010)
<b>TOTAL</b>	0.08	0.07	0.09	0.09	0.07	0.05	0.11	0.10
<b>GENDER</b>								
Male	0.14	0.11	0.16	0.15	0.12	0.09	0.19	0.17
Female	0.07	0.08	0.08	0.08	0.05	0.06	0.10	0.11
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.08	0.07	0.09	0.09	0.07	0.05	0.11	0.11
White	0.08	0.08	0.10	0.11	0.07	0.06	0.12	0.12
Black or African American	0.31	0.24	0.35	0.23	0.30	0.20	0.36	0.27
American Indian or Alaska Native	0.48	1.83	1.14	2.10	0.26	*	1.33	2.10
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.04	*	0.06	0.06	0.04	*	0.06	0.06
Two or More Races	1.54	0.26	0.45	0.54	0.32	0.23	1.61	0.56
Hispanic or Latino	0.24	0.21	0.29	0.24	0.23	0.19	0.30	0.27
<b>EDUCATION</b>								
< High School	0.27	0.26	0.31	0.33	0.24	0.21	0.33	0.37
High School Graduate	0.15	0.11	0.17	0.14	0.13	0.09	0.20	0.16
Some College	0.16	0.15	0.18	0.21	0.12	0.12	0.22	0.24
College Graduate	0.06	0.08	0.11	0.08	0.05	0.04	0.14	0.11
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.10	0.07	0.11	0.10	0.07	0.05	0.13	0.11
Part-Time	0.13	0.21	0.25	0.24	0.12	0.15	0.25	0.28
Unemployed	0.40	0.39	0.56	0.44	0.27	0.34	0.65	0.50
Other <sup>3</sup>	0.17	0.14	0.17	0.19	0.15	0.12	0.21	0.21

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.19P Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	0.5920		0.4919		0.3486		0.5545	
<b>GENDER</b>								
Male	0.2351		0.3821		0.2053		0.4456	
Female	0.4300		0.9073		0.7794		0.9161	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.7621		0.6099		0.4310		0.6506	
White	0.7111		0.9273		0.8804		0.8341	
Black or African American	0.3254		0.1140		0.1537		0.1927	
American Indian or Alaska Native	0.2368		0.3926		*		0.5152	
Native Hawaiian or Other Pacific Islander	*		*		*		*	
Asian	*		0.7261		*		0.5605	
Two or More Races	0.1915		0.8249		0.5402		0.1833	
Hispanic or Latino	0.5108		0.5706		0.5967		0.6392	
<b>EDUCATION</b>								
< High School	0.6098		0.7002		0.5646		0.8701	
High School Graduate	0.1916		0.4023		0.1985		0.1839	
Some College	0.5567		0.3396		0.9168		0.1293	
College Graduate	0.7232		0.0857		0.8483		0.0825	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.0804		0.3527		0.0568		0.3177	
Part-Time	0.0424		0.7447		0.4951		0.1515	
Unemployed	0.9265		0.4604		0.1396		0.1475	
Other <sup>3</sup>	0.8751		0.9747		0.5441		0.9780	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.20C Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	158	137	179	174	130	107	212	194
<b>GENDER</b>								
Male	138	105	155	148	116	87	180	163
Female	69	84	86	88	51	59	106	110
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	138	125	160	162	113	95	190	184
White	113	109	141	152	90	80	170	173
Black or African American	69	57	80	53	67	48	82	63
American Indian or Alaska Native	5	16	10	19	4	16	12	19
Native Hawaiian or Other Pacific Islander	*	2	*	1	*	1	2	2
Asian	4	6	6	13	4	3	6	13
Two or More Races	32	9	9	12	7	7	33	14
Hispanic or Latino	65	55	77	63	61	49	81	72
<b>EDUCATION</b>								
< High School	81	79	91	98	72	66	99	111
High School Graduate	89	66	105	84	79	54	123	94
Some College	78	76	87	104	59	59	104	120
College Graduate	36	48	66	50	28	25	85	67
<b>CURRENT EMPLOYMENT</b>								
Full-Time	101	70	117	106	79	54	140	117
Part-Time	34	53	58	61	29	39	61	72
Unemployed	47	44	62	48	33	36	72	56
Other <sup>3</sup>	101	87	101	118	88	73	125	132

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.20D Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	0.07	0.06	0.08	0.08	0.06	0.05	0.09	0.08
<b>GENDER</b>								
Male	0.13	0.09	0.14	0.13	0.11	0.08	0.16	0.15
Female	0.06	0.07	0.07	0.07	0.04	0.05	0.09	0.09
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.07	0.06	0.08	0.08	0.06	0.05	0.10	0.09
White	0.07	0.07	0.09	0.10	0.06	0.05	0.11	0.11
Black or African American	0.26	0.21	0.29	0.20	0.25	0.18	0.30	0.24
American Indian or Alaska Native	0.49	1.53	0.95	1.74	0.35	1.52	1.11	1.75
Native Hawaiian or Other Pacific Islander	*	0.24	*	0.21	*	0.21	0.35	0.24
Asian	0.04	0.06	0.06	0.12	0.04	0.03	0.06	0.13
Two or More Races	1.28	0.34	0.38	0.47	0.28	0.26	1.35	0.53
Hispanic or Latino	0.21	0.17	0.25	0.20	0.20	0.15	0.26	0.22
<b>EDUCATION</b>								
< High School	0.24	0.22	0.26	0.28	0.21	0.19	0.29	0.32
High School Graduate	0.13	0.09	0.15	0.12	0.11	0.08	0.17	0.13
Some College	0.14	0.13	0.15	0.17	0.10	0.10	0.18	0.20
College Graduate	0.06	0.07	0.10	0.07	0.04	0.04	0.13	0.10
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.09	0.06	0.10	0.09	0.07	0.05	0.12	0.10
Part-Time	0.11	0.16	0.18	0.18	0.09	0.12	0.19	0.22
Unemployed	0.32	0.30	0.41	0.32	0.22	0.25	0.48	0.38
Other <sup>3</sup>	0.15	0.13	0.15	0.17	0.13	0.11	0.19	0.19

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.20P Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Demographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	0.4889		0.3551		0.1838		0.5105	
<b>GENDER</b>								
Male	0.1793		0.2542		0.0831		0.4073	
Female	0.4655		0.9476		0.7799		0.9536	
<b>HISPANIC ORIGIN AND RACE</b>								
Not Hispanic or Latino	0.6891		0.5364		0.2879		0.6645	
White	0.8128		0.9671		0.7237		0.7991	
Black or African American	0.3137		0.0773		0.1179		0.1761	
American Indian or Alaska Native	0.3434		0.5663		0.2535		0.6998	
Native Hawaiian or Other Pacific Islander	*		*		*		0.5556	
Asian	0.9271		0.4967		0.5932		0.3777	
Two or More Races	0.2177		0.8297		0.6251		0.1445	
Hispanic or Latino	0.4128		0.3660		0.3920		0.4970	
<b>EDUCATION</b>								
< High School	0.3856		0.4129		0.3813		0.5065	
High School Graduate	0.1366		0.3626		0.0916		0.2070	
Some College	0.3931		0.2791		0.8744		0.0685	
College Graduate	0.6250		0.0728		0.8715		0.0915	
<b>CURRENT EMPLOYMENT</b>								
Full-Time	0.0511		0.2810		0.0249		0.3101	
Part-Time	0.0395		0.6854		0.3755		0.1371	
Unemployed	0.4375		0.1017		0.9222		0.0291	
Other <sup>3</sup>	0.9380		0.8252		0.6196		0.7887	

\*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

<sup>3</sup> The Other Employment category includes retired persons, disabled persons, homemakers, students, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.21C (REVISED) Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics:  
Standard Errors of Numbers in Thousands, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	157	140	179	175	128	109	213	196
<b>GEOGRAPHIC DIVISION</b>								
Northeast	82	69	78	73	58	55	100	86
New England	36	35	31	41	20	25	47	49
Middle Atlantic	74	60	72	61	54	49	88	71
Midwest	40	50	58	71	35	41	64	82
East North Central	37	39	55	56	33	31	61	63
West North Central	13	30	15	40	8	23	20	50
South	87	88	96	114	73	66	122	131
South Atlantic	73	70	84	83	60	53	105	97
East South Central	28	31	30	64	26	21	41	68
West South Central	35	34	31	47	28	32	46	53
West	90	65	116	90	81	54	124	99
Mountain	28	41	44	46	23	31	49	52
Pacific	86	51	107	77	77	44	113	84
<b>COUNTY TYPE</b>								
Large Metro	114	108	150	145	104	87	162	159
Small Metro	72	66	80	84	50	47	104	100
250K – 1 Mil. Pop.	56	56	58	67	34	32	76	82
< 250K Pop.	44	35	54	51	37	34	72	58
Nonmetro	74	54	58	56	49	46	88	69
Urbanized	54	44	45	43	35	39	67	48
Less Urbanized	49	32	36	44	33	23	56	55
Completely Rural	10	10	10	10	9	7	12	15

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.21D (REVISED) Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2009 and 2010**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	0.06	0.06	0.07	0.07	0.05	0.04	0.08	0.08
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.18	0.15	0.17	0.16	0.12	0.12	0.22	0.19
New England	0.29	0.29	0.25	0.33	0.16	0.20	0.39	0.40
Middle Atlantic	0.22	0.17	0.21	0.18	0.16	0.14	0.26	0.21
Midwest	0.07	0.09	0.10	0.13	0.06	0.07	0.12	0.15
East North Central	0.10	0.10	0.14	0.15	0.09	0.08	0.16	0.16
West North Central	0.08	0.18	0.09	0.24	0.05	0.14	0.12	0.30
South	0.09	0.09	0.10	0.12	0.08	0.07	0.13	0.14
South Atlantic	0.15	0.14	0.17	0.17	0.12	0.11	0.22	0.20
East South Central	0.19	0.21	0.20	0.42	0.17	0.14	0.27	0.45
West South Central	0.12	0.12	0.11	0.16	0.10	0.11	0.16	0.18
West	0.16	0.11	0.20	0.15	0.14	0.09	0.21	0.17
Mountain	0.16	0.23	0.25	0.26	0.13	0.17	0.27	0.29
Pacific	0.21	0.12	0.26	0.19	0.19	0.11	0.28	0.21
<b>COUNTY TYPE</b>								
Large Metro	0.09	0.08	0.11	0.11	0.08	0.06	0.12	0.12
Small Metro	0.09	0.09	0.10	0.11	0.06	0.06	0.14	0.13
250K – 1 Mil. Pop.	0.11	0.11	0.11	0.13	0.07	0.06	0.15	0.16
< 250K Pop.	0.17	0.14	0.21	0.20	0.14	0.13	0.27	0.22
Nonmetro	0.18	0.13	0.14	0.14	0.12	0.11	0.21	0.17
Urbanized	0.30	0.26	0.25	0.25	0.20	0.23	0.37	0.28
Less Urbanized	0.25	0.16	0.19	0.22	0.17	0.12	0.29	0.27
Completely Rural	0.24	0.27	0.25	0.27	0.21	0.18	0.28	0.38

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.

**Table 5.21P (REVISED) Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics:  
P Values from Tests of Differences of Percentages, 2010 Versus 2009**

<b>Geographic Characteristic</b>	<b>Illicit Drugs<sup>1</sup> (2009)</b>	<b>Illicit Drugs<sup>1</sup> (2010)</b>	<b>Alcohol (2009)</b>	<b>Alcohol (2010)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2009)</b>	<b>Both Illicit Drugs and Alcohol<sup>1</sup> (2010)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2009)</b>	<b>Illicit Drugs or Alcohol<sup>1,2</sup> (2010)</b>
<b>TOTAL</b>	0.5626		0.3507		0.1751		0.5926	
<b>GEOGRAPHIC DIVISION</b>								
Northeast	0.4978		0.7156		0.7511		0.9412	
New England	0.7747		0.1268		0.6586		0.2922	
Middle Atlantic	0.3718		0.6904		0.5930		0.6046	
Midwest	0.0326		0.3958		0.3500		0.1039	
East North Central	0.3010		0.4870		0.7880		0.9403	
West North Central	0.0132		0.0018		0.0112		0.0017	
South	0.6565		0.3248		0.1936		0.4040	
South Atlantic	0.9050		0.0693		0.2799		0.1980	
East South Central	0.5940		0.7328		0.6665		0.6698	
West South Central	0.1865		0.5063		0.5251		0.9901	
West	0.2692		0.1863		0.2069		0.2733	
Mountain	0.7318		0.9271		0.5346		0.7854	
Pacific	0.1667		0.1596		0.1075		0.1820	
<b>COUNTY TYPE</b>								
Large Metro	0.3882		0.2133		0.1104		0.3172	
Small Metro	0.7817		0.7622		0.7647		0.4795	
250K – 1 Mil. Pop.	0.1816		0.2600		0.5827		0.0487	
< 250K Pop.	0.1462		0.3967		0.3538		0.1992	
Nonmetro	0.9538		0.9701		0.8151		0.8551	
Urbanized	0.6065		0.8301		0.6325		0.8864	
Less Urbanized	0.5460		0.8780		0.9885		0.6684	
Completely Rural	0.6002		0.5313		0.4400		0.8879	

\*Low precision; no estimate reported.

NOTE: This table was revised in May 2012 due to updates (for details, see the introduction to these 2010 detailed tables).

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

<sup>1</sup> Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

<sup>2</sup> Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly Office of Applied Studies), National Survey on Drug Use and Health, 2009 and 2010.